

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : TEQUILA TTB APPROVED FLAVOR
CAS-No. : N/A
Product code : TBBS29
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

For food use only.

1.2.2. Uses advised against

Not for use in cigarettes, e-cigarettes, inhalation products, fragrances, aromatherapy or cosmetics.

1.3. Details of the supplier of the safety data sheet

EXTRACT CONSULTANTS, LLC.
TERPENES - FLAVORS - BASES
7321 HERITAGE SQUARE DR, SUITE 2110, GRANGER, IN 46530
www.extractconsultants.com
INFORMATION: 888-541-9089

1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300
CCN 13010

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS US classification

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|-------------------------------------|-----------------------------------|
| Flammable liquid, Hazard Category 3 | Highly flammable liquid and vapor |
| Eye Damage / Irritation Category 1 | Causes serious eye irritation |
| Carcinogenicity Category 1B | May cause cancer (exposure route) |

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)

:



GHS02

GHS05

GHS08

Signal word (GHS US)

: Danger

TEQUILA TTB APPROVED FLAVOR

Safety Data Sheet

according to 29 CFR 1910.1200

Hazard statements (GHS US)

: Highly flammable liquid and vapor.
Causes serious eye irritation.
May cause cancer (exposure route).

Precautionary statements (GHS US)

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not handle until all safety precautions have been read and understood.
Keep container tightly closed.
Ground and bond container and receiving equipment.
Use explosion-proof electrical, ventilating and lighting equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Wear protective gloves/eye protection/face protection.
Wash hands, forearms and face thoroughly after handling.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
If exposed or concerned: Get medical advice/attention.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container to approved disposal site, in accordance with local regulations.
Store locked up.

2.3. Other hazards which do not result in classification

None

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS Classification |
|---------------------------|--------------------|-------|--|
| N-BUTANOL (BUTYL ALCOHOL) | (CAS-No.) 71-36-3 | 1 - 5 | FL 3-ATO 4-SCI 2-EDI 1-STO-SE 3(RI)-STO-SE 3(NE) H226-H302-H315-H318-H335-H336 |
| ETHYL ACETATE | (CAS-No.) 141-78-6 | 1 - 5 | FL 2-EDI 2A-STO-SE 3(NE) H225-H319-H336 |
| AMYL ALCOHOL (1-PENTANOL) | (CAS-No.) 71-41-0 | 1 - 5 | FL 3-ATI 4-SCI 2-EDI 1-STO-SE 3(RI) H226-H315-H318-H332-H335 |

TEQUILA TTB APPROVED FLAVOR

Safety Data Sheet

according to 29 CFR 1910.1200

| | | | |
|---|----------------------|---------|---|
| ACETALDEHYDE | (CAS-No.) 75-07-0 | 0.1 - 1 | FL 1-EDI 2A-MUT 2-CAR 1B-STO-SE 3 (RI) H224-H319-H335-H341-H350 |
| ACETOIN | (CAS-No.) 513-86-0 | 0.1 - 1 | FS 2-SCI 2-EDI 2A-STO-RE 2-CD 1 H228-H315-H319-H373 |
| PHENETHYL ACETATE | (CAS-No.) 103-45-7 | 0.1 - 1 | EDI 1 H318 |
| VANILLIN | (CAS-No.) 121-33-5 | < 0.1 | ATO 4-EDI 2-SS 1 H302-H317-H319 |
| 1-(2,6,6-TRIMETHYLCYCLOHEXA-1,3-DIENYL)-2-BUTEN-1-ONE (DAMASCENONE) | (CAS-No.) 23696-85-7 | < 0.1 | SS 1A H317 |

Full text of hazard classes and H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person from exposure site to fresh air, keep at rest, and obtain medical attention.
- First-aid measures after skin contact : IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
- First-aid measures after ingestion : Rinse mouth with water and obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.
May cause cancer (exposure route).

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide, Dry chemical, Foam.

5.2. Special hazards arising from the substance or mixture

In case of fire, may be liberated : Carbon monoxide, Unidentified organic compounds.

5.3. Advice for firefighters

In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

TEQUILA TTB APPROVED FLAVOR

Safety Data Sheet

according to 29 CFR 1910.1200

6.2. Environmental precautions

Keep away from drains, surface and ground water, and soil.

6.3. Methods and material for containment and cleaning up

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks, open flames and hot surfaces. No smoking

7.2. Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Acetaldehyde (CAS No. 75-07-0) / (EC No. 200-836-8) | |
|---|----|
| Occupational Exposure Limits | |
| Long-term exposure limit (8-hour TWA) (ppm) | 20 |
| Long-term exposure limit (8-hour TWA) (mg/m3) | 37 |
| Short-term exposure limit (15-minute) (ppm) | 50 |
| Short-term exposure limit (15-minute) (mg/m3) | 92 |

| ETHYL ALCOHOL (CAS No. 64-17-5) / (EC No. 200-578-6) | |
|--|------|
| Occupational Exposure Limits | |
| Long-term exposure limit (8-hour TWA) (ppm) | 1000 |
| Long-term exposure limit (8-hour TWA) (mg/m3) | 1920 |
| Short-term exposure limit (15-minute) (ppm) | 3000 |
| Short-term exposure limit (15-minute) (mg/m3) | 5760 |

TEQUILA TTB APPROVED FLAVOR

Safety Data Sheet

according to 29 CFR 1910.1200

ETHYL ACETATE (CAS No. 141-78-6) / (EC No. 205-500-4)

Occupational Exposure Limits

| | |
|--|------|
| Long-term exposure limit (8-hour TWA) (ppm) | 200 |
| Long-term exposure limit (8-hour TWA) (mg/m3) | 734 |
| Short-term exposure limit (15-minute) (ppm) | 400 |
| Short-term exposure limit (15-minute) (mg/m3) | 1468 |

PROPYLENE GLYCOL (CAS No. 57-55-6) / (EC No. 200-338-0)

Occupational Exposure Limits

| | |
|--|-----|
| Long-term exposure limit (8-hour TWA) (ppm) | 150 |
| Long-term exposure limit (8-hour TWA) (mg/m3) | 474 |

N-BUTANOL (BUTYL ALCOHOL) (CAS No. 71-36-3)

Occupational Exposure Limits

| | |
|--|-----|
| Short-term exposure limit (15-minute) (ppm) | 50 |
| Short-term exposure limit (15-minute) (mg/m3) | 154 |

8.2. Exposure controls

Engineering measures:

Showers, eyewash stations, ventilation systems.

8.3. Individual protection measures, such as personal protective equipments

Eye/Face and Skin Protection

Wear protective gloves/eye protection/face protection, and suitable protective clothing

Respiratory protection:

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. A NIOSH-approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where air-purifying respirators may not provide adequate protection.

Personal protective equipment symbol(s):



TEQUILA TTB APPROVED FLAVOR

Safety Data Sheet

according to 29 CFR 1910.1200

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|--|
| Physical state/Color | A clear pale yellow liquid |
| Odor | Of tequila |
| Odor Threshold | Not determined |
| Melting point / freezing point: | Not determined |
| Boiling point or initial boiling point and boiling | Not determined |
| Flammability (solid, gas) | Not determined |
| Lower and upper explosion limit | Product does not present an explosion hazard |
| Flash point | 77 °F / 25 °C |
| Evaporation rate | Not determined |
| Auto-ignition temperature | Not determined |
| Decomposition temperature | Not relevant |
| pH | Not determined |
| Kinematic viscosity | Not determined |
| Solubility | Soluble in Water. Not Oil Soluble. |
| Partition coefficient n-octanol/water (Log Pow) | Not determined |
| Vapor pressure | Not determined |
| Relative density @ 25 °C | Not determined |

9.2. Other information

Density @ 20 °C 0.9990 - 1.0190 g/cm³

SECTION 10: Stability and reactivity

10.1. Reactivity

Presents no significant reactivity hazard, by itself or in contact with water.

10.2. Chemical stability

Stable under normal storage conditions.

10.3. Possibility of hazardous reactions

Not expected under normal conditions of use.

10.4. Conditions to avoid

Avoid extreme heat.

10.5. Incompatible materials

Avoid contact with strong acids, alkalis, or oxidising agents.

10.6. Hazardous decomposition products

Not expected.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in 29 CFR 1910.1200

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

Acute Toxicity Based on available data the classification criteria are not met.

TEQUILA TTB APPROVED FLAVOR

Safety Data Sheet

according to 29 CFR 1910.1200

| | |
|--|--|
| Acute Toxicity Oral | >5000 |
| Acute Toxicity Dermal | >5000 |
| Acute Toxicity Inhalation | Not available |
| Skin corrosion/irritation | Based on available data the classification criteria are not met. |
| Serious eye damage/irritation | Eye Damage / Irritation Category 1 |
| Respiratory or skin sensitisation | Based on available data the classification criteria are not met. |
| Germ cell mutagenicity | Based on available data the classification criteria are not met. |
| Carcinogenicity | Carcinogenicity Category 1B |
| Reproductive toxicity | Based on available data the classification criteria are not met. |
| STOT-single exposure | Based on available data the classification criteria are not met. |
| STOT-repeated exposure | Based on available data the classification criteria are not met. |
| Aspiration hazard | Based on available data the classification criteria are not met. |

11.2 Information on other hazards

Not applicable

SECTION 12: Ecological information

12.1 Ecotoxicity

Not available

12.2 Persistence and degradability

Not available

12.3 Bioaccumulative potential

Not available

12.4 Mobility in soil

Not available

12.5 Other adverse effects

Not available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

US DOT: Not Regulated (If shipped in NON BULK packaging by ground transport) according to 49 CFR 173.150(f)(1). This material can be reclassified as NA1993, Combustible liquid, NOS if it is shipped in bulk.

| | 14.1 UN number | 14.2. UN proper shipping name | 14.3 Transport hazard class(es) | Sub risk | 14.4 Packing group |
|-----------------------------|----------------|-------------------------------|---------------------------------|----------|--------------------|
| UN Model Regulations | UN1170 | EXTRACTS, LIQUID | | 3- | III |
| US DOT | UN1170 | EXTRACTS, LIQUID | | 3- | III |
| US DOT (Bulk) | UN1170 | EXTRACTS, LIQUID | | 3- | III |

TEQUILA TTB APPROVED FLAVOR

Safety Data Sheet

according to 29 CFR 1910.1200

| | | | | |
|--------------------|--------|---------------------|-----|-----|
| IMDG | UN1170 | EXTRACTS, LIQUID | 3 - | III |
| ADR,RID,AND | UN1170 | EXTRACTS, LIQUID | 3 - | III |
| ICAO TI | UN1170 | EXTRACTS, LIQUID | 3 - | III |

US DOT refers to domestic transport by road/rail within the 48 ground states.

US DOT (Bulk) refers to domestic bulk transport by road/rail within the 48 ground states.

14.5. Environmental hazards

Not environmentally hazardous for transport

14.6. Special precautions for user

None additional

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2. Additional information

None additional

SECTION 16: Other information

Issue date 2/16/22

| Full text of H-phrases: | |
|-------------------------|---|
| H225 | Highly flammable liquid and vapor. |
| H226 | Flammable liquid and vapor. |
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H336 | May cause drowsiness or dizziness |
| H361 | Suspected of damaging fertility or the unborn child |

SDS US (GHS HazCom 2012)

TEQUILA TTB APPROVED FLAVOR

Safety Data Sheet

according to 29 CFR 1910.1200

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.