

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regula ions Date of issue: 03/29/2019 Revision date: 03/29/2019 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Natural Peanut Butter Flavor for Pets
CAS-No.	: N/A
Product code	: PET40
1.2. Recommended use and restrictions	
No additional information available	
1.3. Supplier	
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089	
1.4. Emergency telephone number	
Emergency number	: Chemtrec - USA: 800-424-9300
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or n	nixture
GHS-US classification	
Flammable liquids Category 3 Carcinogenicity Category 1A	Flammable liquid and vapour May cause cancer
2.2. GHS Label elements, including pred	cautionary statements
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS02 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Flammable liquid and vapour May cause cancer
Precautionary statements (GHS-US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If exposed or concerned: Get medical advice/attention. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US) Not applicable SECTION 3: Composition/Information on ingredients Substances 3.1. Not applicable 3.2. **Mixtures** Name **Product identifier** % **GHS-US** classification ETHYL ALCOHOL (CAS-No.) 64-17-5 1 - 5 Flam. Liq. 2, H225 Eye Irrit. 2A, H319 Carc. 1A, H350 Full text of hazard classes and H-statements : see section 16 **SECTION 4: First-aid measures** 4.1. **Description of first aid measures** First-aid measures general : IF exposed or concerned: Get medical advice/attention. : Remove person to fresh air and keep comfortable for breathing. First-aid measures after inhalation : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. First-aid measures after skin contact First-aid measures after eye contact Rinse eyes with water as a precaution. First-aid measures after ingestion Call a poison center/doctor/physician if you feel unwell. ÷ 4.2. Most important symptoms and effects (acute and delayed) No additional information available 4.3. Immediate medical attention and special treatment, if necessary Treat symptomatically. SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Specific hazards arising from the chemical 5.2. Fire hazard : Flammable liquid and vapour. Reactivity : Flammable liquid and vapour. 5.3. Special protective equipment and precautions for fire-fighters Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel Emergency procedures : No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information Protective equipment refer to section 8: "Exposure controls/personal protection". 6.2. **Environmental precautions** Avoid release to the environment. Notify authorities if product enters sewers or public waters. Methods and material for containment and cleaning up 6.3. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information : Dispose of materials or solid residues at an authorized site.

6.4. **Reference to other sections**

For further information refer to section 13.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTI	ON 7: Handling and storage		
7.1.	Precautions for safe handling		
Precauti	ons for safe handling		Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly.
Hygiene	measures		Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, includi	ng a	any incompatibilities
Technic	al measures	:	Ground/bond container and receiving equipment.
Storage	conditions	:	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ETHYL ALCOHOL (64-17-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	URT irr
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and che	mical properties
9.1. Information on basic physic	al and chemical properties
Physical state	: Liquid
Color	: PALE YELLOW TO YELLOW
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 30 °C

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.94 (0.930 - 0.950)
Solubility	: Insoluble.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
0.2 Other information	

9.2. Other information Refractive index

: 1.448 (1.438 - 1.458)

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

ETHYL ALCOHOL (64-17-5)	
LD50 oral rat	10740 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit, Literature study, Dermal)
LC50 inhalation rat (mg/l)	117 - 125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male/female, Experimental value, Inhalation)
ATE US (oral)	10740 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
ETHYL ALCOHOL (64-17-5)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information 12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
ETHYL ALCOHOL (64-17-5)	
LC50 fish 1	14200 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
12.2. Persistence and degradability	
ETHYL ALCOHOL (64-17-5)	

Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O ₂ /g substance
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance
ThOD	2.1 g O ₂ /g substance
BOD (% of ThOD)	0.43

12.3. Bioaccumulative potential

ETHYL ALCOHOL (64-17-5)	
BCF fish 1	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

ETHYL ALCOHOL (64-17-5)	
Surface tension	0.022 N/m (20 °C)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideratio	ns
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	

UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT)

- : UN1266
- : Perfumery products
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 3 Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx)

: 203

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods Not applicable	
Transport by sea	
Transport document description (IMDG)	: UN 1266 PERFUMERY PRODUCTS, 3, III
UN-No. (IMDG)	: 1266
Proper Shipping Name (IMDG)	PERFUMERY PRODUCTS
Class (IMDG)	3 - Flammable liquids
Packing group (IMDG) Limited quantities (IMDG)	: III - substances presenting low danger : 5 L
Air transport	
Transport document description (IATA)	: UN 1266 Perfumery products, 3, III
UN-No. (IATA)	: 1266
Proper Shipping Name (IATA)	: Perfumery products
	: 3 - Flammable Liquids
Class (IATA) Packing group (IATA)	: III - Minor Danger

15.1. US Federal regulations

ETHYL ALCOHOL (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations CANADA

ETHYL ALCOHOL (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL ALCOHOL (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

ETHYL ALCOHOL (64-17-5)

U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Rev	ision date	: 03/29/2019
Full text of H-phrases:		
	H225	Highly flammable liquid and vapour
	H319	Causes serious eye irritation
	H350	May cause cancer

SDS US (GHS HazCom 2012) - Extract Consultants

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product