

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/19/2018 Revision date: 04/18/2019 Supersedes: 04/18/2019 Version: 1.2

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Blue Dream Terpene Flavor
CAS-No.	: N/A
Product code	: TBBS06
1.2. Recommended use and restrictions	s on use
No additional information available	
1.3. Supplier	
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or r	nixture
GHS-US classification	
Flammable liquids Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1 Carcinogenicity Category 1A	Highly flammable liquid and vapour Causes serious eye irritation May cause an allergic skin reaction May cause cancer
2.2. GHS Label elements, including pre GHS-US labeling	cautionary statements
Hazard pictograms (GHS-US)	: GHS02 GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Highly flammable liquid and vapour May cause an allergic skin reaction Causes serious eye irritation May cause cancer
Precautionary statements (GHS-US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If exposed or concerned: Get medical advice/attention.
Specific treatment (see supplemental first aid instruction on this label)
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
ETHYL ALCOHOL	(CAS-No.) 64-17-5	>= 50	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 Carc. 1A, H350
MYRCENE	(CAS-No.) 123-35-3	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Asp. Tox. 1, H304
ALPHA PINENE	(CAS-No.) 80-56-8	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	cts (acute and delayed)
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and sp	pecial treatment, if necessary

Treat symptomatically.

SECT	SECTION 5: Fire-fighting measures		
5.1.	Suitable (and unsuitable) extinguishing media		
Suitable	e extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2.	Specific hazards arising from the ch	emical	
Fire haz	zard	: Highly flammable liquid and vapour.	
Reactiv	ity	: Highly flammable liquid and vapour.	
5.3.	Special protective equipment and precautions for fire-fighters		
Protection during firefighting		: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	March 20, 2012 / Kules and Regulations		
SECTION 6: Accidental release meas	sures		
6.1. Personal precautions, protective equ	Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray.		
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
For further information refer to section 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.		
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includin	ig any incompatibilities		
Technical measures	: Ground/bond container and receiving equipment.		
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ALPHA PINENE (80-56-8)			
ACGIH ACGIH TWA (ppm) 20 ppm		20 ppm	
MYRCENE (123-35-3)	MYRCENE (123-35-3)		
Not applicable			
ETHYL ALCOHOL (64-17-5)	ETHYL ALCOHOL (64-17-5)		
ACGIH ACGIH STEL (ppm) 1000 ppm		1000 ppm	
ACGIH	Remark (ACGIH)	URT irr	
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls

: Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical	
9.1. Information on basic physical and	
Physical state	: Liquid
Color	: COLORLESS TO PALE YELLOW
Odor	: CHARACTERISTIC OF TERPENES
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 12 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.798 (0.788 - 0.808)
Solubility	: Soluble.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.378 (1.358 - 1.388)
SECTION 10: Stability and reactivit	V

10.1.	Reactivity
Highly fla	mmable liquid and vapour.
10.2.	Chemical stability
Stable un	der normal conditions.
10.3.	Possibility of hazardous reactions
No dange	erous reactions known under normal conditions of use.
10.4.	Conditions to avoid
Avoid cor	ntact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
10.5.	Incompatible materials
No additio	onal information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information				
11.1.	Information on toxicological effects			

Acute toxicity	: Not classified
ALPHA PINENE (80-56-8)	
LD50 oral rat	3700 mg/kg (Rat, Male, Weight of evidence, Oral)
LD50 dermal rabbit	> 5000 mg/kg (24 h, Rabbit, Weight of evidence, Dermal)
ATE US (oral)	3500 mg/kg body weight
ETHYL ALCOHOL (64-17-5)	
LD50 oral rat	10740 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit, Literature study, Dermal)
LC50 inhalation rat (mg/l)	117 - 125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male/female, Experimental value, Inhalation)
ATE US (oral)	10740 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

ETHYL ALCOHOL (64-17-5)		
IARC group	1 - Carcinogenic to humans	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: Not classified	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/effects after skin contact	: May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eye irritation.	

SECTION 12: Ecological in	formation
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

ETHYL ALCOHOL (64-17-5)		
LC50 fish 1	14200 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	

12.2. Persistence and degradability

ALPHA PINENE (80-56-8)			
Persistence and degradability	Readily biodegradable in water.		
MYRCENE (123-35-3)			
Persistence and degradability Readily biodegradable in water.			
ETHYL ALCOHOL (64-17-5)			
Persistence and degradability Biodegradable in the soil. Readily biodegradable in water.			
Biochemical oxygen demand (BOD)	pen demand (BOD) 0.8 - 0.967 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance		
ThOD	2.1 g O ₂ /g substance		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL ALCOHOL (64-17-5)		
BOD (% of ThOD)	0.43	

ALPHA PINENE (80-56-8)		
BCF fish 1	718 (Pimephales promelas, QSAR)	
Log Pow	4.487 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)	
Bioaccumulative potential	otential Potential for bioaccumulation ($500 \le BCF \le 5000$).	
MYRCENE (123-35-3)		
Log Pow	5.285 (Literature, 25 °C)	
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).	
ETHYL ALCOHOL (64-17-5)		
BCF fish 1	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)	
Log Pow	-0.31 (Experimental value)	
ioaccumulative potential Not bioaccumulative.		

12.4. Mobility in soil

ALPHA PINENE (80-56-8)			
Ecology - soil Low potential for adsorption in soil. May be harmful to plant growth, blooming and fruit formation.			
MYRCENE (123-35-3)			
Ecology - soil No (test)data on mobility of the substance available.			
ETHYL ALCOHOL (64-17-5)			
Surface tension	0.022 N/m (20 °C)		
Ecology - soil	Highly mobile in soil.		

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Flammable vapors may accumulate in the container.		
SECTION 14: Transport information			

Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN1266 Perfumery products, 3, II
UN-No.(DOT)	: UN1266
Proper Shipping Name (DOT)	: Perfumery products
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: II - Medium Danger
Hazard labels (DOT)	: 3 - Flammable liquid
	PLANAERE ELQUID
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 149 - When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in 173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons). IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.
	T4 - 2.65 178.274(d)(2) Normal 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bu k temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when the flash point of the hazardous material transported is greater than 0 C (32 F).
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" or passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods Not applicable	
Transport by sea	
Transport document description (IMDG)	: UN 1266 PERFUMERY PRODUCTS, 3, II
UN-No. (IMDG)	: 1266
Proper Shipping Name (IMDG)	: PERFUMERY PRODUCTS
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1266 Perfumery products, 3, II
UN-No. (IATA)	: 1266
Proper Shipping Name (IATA)	: Perfumery products
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
ALPHA PINENE (80-56-8)	
Listed on the United States TSCA (Toxic Subst	nces Control Act) inventory

MYRCENE (123-35-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ETHYL ALCOHOL (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations CANADA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ALPHA PINENE (80-56-8)		
Listed on the Canadian DSL (Domestic Substances List)		
MYRCENE (123-35-3)		
Listed on the Canadian DSL (Domestic Substances List)		
ETHYL ALCOHOL (64-17-5)		
Listed on the Canadian DSL (Domestic Substances List)		

EU-Regulations

No additional information available

ETHYL ALCOHOL	s (64-17-5)		
Listed on IARC (International Agency for Research on Cancer)			
15.3. US State regu	lations		
	This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.		
ALPHA PINENE (80-56-8)			
U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List			

ETHYL ALCOHOL (64-17-5)

U.S. - New Jersey - Right to Know Hazardous Substance List

SECT	ON 16:	Other inf	formation

Revision date

: 04/18/2019

Full text of H-phras

ull text of H-phrases:	
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H350	May cause cancer

SDS US (GHS HazCom 2012) - Extract Consultants

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product