

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 02/05/2021 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : DANK TTB APPROVED TERPENE FLAVOR

CAS-No. : N/A
Product code : TBBS11

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089

1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Skin sensitization, Category 1 Carcinogenicity Category 2

Specific target organ toxicity (single exposure) Category 3 Specific target organ toxicity (single exposure) Category 3

Aspiration hazard Category 1

Highly flammable liquid and vapor

Causes skin irritation
Causes serious eye irritation

May cause an allergic skin reaction Suspected of causing cancer May cause respiratory irritation

May cause drowsiness or dizziness

May be fatal if swallowed and enters airways

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





GHS02

GHS07

GHS08

Signal word (GHS US) : Danger

Hazard statements (GHS US) : Highly flammable liquid and vapor

May be fatal if swallowed and enters airways

Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness Suspected of causing cancer

Precautionary statements (GHS US)

: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray.

02/05/2021 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wash hands, forearms and face thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center or doctor.

If on skin: Wash with plenty of water.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If exposed or concerned: Get medical advice/attention.

Call a poison center or doctor if you feel unwell.

Specific treatment (see supplemental first aid instruction on this label).

Do NOT induce vomiting.

If skin irritation occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
ETHYL ALCOHOL	(CAS-No.) 64-17-5	≥ 50	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335
ALPHA PINENE	(CAS-No.) 7785-26-4	5 – 10	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
BETA PINENE	(CAS-No.) 127-91-3	5 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
ORANGE TERPENES	(CAS-No.) 68647-72-3	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
FURFURAL	(CAS-No.) 98-01-1	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Inhalation:vapour), H330 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

02/05/2021 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: Remove person to fresh air and keep comfortable for breathing. Call a poison First-aid measures after inhalation

center/doctor/physician if you feel unwell.

Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin First-aid measures after skin contact

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

: Do not induce vomiting. Call a physician immediately. First-aid measures after ingestion

Most important symptoms and effects (acute and delayed) 4.2.

Symptoms/effects : May cause drowsiness or dizziness. Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation. Symptoms/effects after ingestion Risk of lung edema.

Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2 Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor. : Highly flammable liquid and vapor. Reactivity

Special protective equipment and precautions for fire-fighters

: Do not attempt to take action without suitable protective equipment. Self-contained breathing Protection during firefighting

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes

Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed Hygiene measures

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

02/05/2021 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1. Control parameters		
DANK TTB APPROVED TERPENE FLAVOR (N/A)		
No additional information available		
ALPHA PINENE (7785-26-4)		
No additional information available		
BETA PINENE (127-91-3)		
No additional information available		
ETHYL ALCOHOL (64-17-5)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Ethanol	
ACGIH STEL (ppm)	1000 ppm	
Remark (ACGIH)	URT irr	
USA - OSHA - Occupational Exposure Limits		
Local name	Ethyl alcohol (Ethanol)	
OSHA PEL (TWA) (mg/m³)	1900 mg/m³	
OSHA PEL (TWA) (ppm)	1000 ppm	
FURFURAL (98-01-1)		
No additional information available		
ORANGE TERPENES (68647-72-3)		
No additional information available		

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

: COLORLESS TO YELLOW

Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE

02/05/2021 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 12 °C

Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Not applicable.

Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Relative density : 0.801 (0.791 – 0.811)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature : No data available Decomposition temperature Viscosity, kinematic : No data available : No data available Viscosity, dynamic : No data available **Explosion limits** Explosive properties : No data available : No data available Oxidizing properties

9.2. Other information

Refractive index : 1.38 (1.370 – 1.390)

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

ALDUA DINENE (7795-26-4)

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ALITIATINE (1103-20-4)	
ATE US (oral)	500 mg/kg body weight

ETHYL ALCOHOL (64-17-5)	
LD50 oral rat	10470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 15800 mg/kg body weight (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	10470 mg/kg body weight

02/05/2021 EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

FURFURAL (98-01-1) ATE US (oral) ATE US (dermal) ATE US (gases) ATE US (gases) ATE US (vapors) ATE US (dust, mist) ORANGE TERPENES (68647-72-3) LD50 oral rat D50 dermal rabbit Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity T100 mg/kg body weight 100 ppmV/4h 100	
ATE US (dermal) ATE US (gases) ATE US (vapors) ATE US (vapors) ATE US (dust, mist) ORANGE TERPENES (68647-72-3) LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity 100 ppmV/4h 0.05 mg/l/4h 0.05 mg/l/4h 2000 mg/kg body weight (OECD 423: Acute OF Female, Read-across, Oral) > 5000 mg/kg body weight (Equivalent or similar Dermal) Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Not classified	
ATE US (gases) ATE US (vapors) ATE US (dust, mist) ORANGE TERPENES (68647-72-3) LD50 oral rat LD50 dermal rabbit LD50 dermal rabbit Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity 1 mg/l/4h 2.000 mg/kg body weight (OECD 423: Acute CFemale, Read-across, Oral) > 5000 mg/kg body weight (Equivalent or similar Dermal) Causes skin irritation. Causes serious eye irritation. Serious eye damage/irritation Causes serious eye irritation. Serious eye damage/irritation Causes serious eye irritation. Causes serious eye irritation.	
ATE US (vapors) ATE US (dust, mist) ORANGE TERPENES (68647-72-3) LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute C Female, Read-across, Oral) LD50 dermal rabbit > 5000 mg/kg body weight (Equivalent or similar Dermal) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitization Germ cell mutagenicity 1 mg/l/4h 2000 mg/kg body weight (Equivalent or similar Dermal) Causes serious eye irritation. Causes serious eye irritation.	
ATE US (dust, mist) ORANGE TERPENES (68647-72-3) LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute C Female, Read-across, Oral) LD50 dermal rabbit > 5000 mg/kg body weight (Equivalent or similar Dermal) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Sespiratory or skin sensitization May cause an allergic skin reaction. Serm cell mutagenicity Not classified	
DRANGE TERPENES (68647-72-3) LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute C Female, Read-across, Oral) LD50 dermal rabbit > 5000 mg/kg body weight (Equivalent or similar Dermal) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity : Not classified	
D50 oral rat > 2000 mg/kg body weight (OECD 423: Acute Content Female, Read-across, Oral)	
D50 oral rat > 2000 mg/kg body weight (OECD 423: Acute Content Female, Read-across, Oral)	
Dermal) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified	to OECD 402, Rabbit, Weight of evidence,
Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified	
Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified	
Germ cell mutagenicity : Not classified	
Carcinogenicity : Suspected of causing cancer.	
ETHYL ALCOHOL (64-17-5)	
IARC group 1 - Carcinogenic to humans	
FURFURAL (98-01-1)	
IARC group 3 - Not classifiable	
ORANGE TERPENES (68647-72-3)	
IARC group 3 - Not classifiable Reproductive toxicity : Not classified	
ETHYL ALCOHOL (64-17-5)	
STOT-single exposure May cause drowsiness or dizziness. May cause	respiratory irritation.
FURFURAL (98-01-1)	
STOT-single exposure May cause respiratory irritation.	
STOT-repeated exposure : Not classified	
Aspiration hazard : May be fatal if swallowed and enters airways.	
/iscosity, kinematic : No data available	
Symptoms/effects : May cause drowsiness or dizziness.	
Symptoms/effects after inhalation : May cause respiratory irritation.	
Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.	
Symptoms/effects after inhalation : May cause respiratory irritation.	
Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Eye irritation.	
Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Eye irritation. Symptoms/effects after ingestion : Risk of lung edema. SECTION 12: Ecological information	
Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Eye irritation. Symptoms/effects after ingestion : Risk of lung edema. SECTION 12: Ecological information 12.1. Toxicity	
Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Eye irritation. Symptoms/effects after ingestion : Risk of lung edema. SECTION 12: Ecological information 2.1. Toxicity	c organisms or to cause long-term adverse
Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Eye irritation. Symptoms/effects after ingestion : Risk of lung edema. SECTION 12: Ecological information 12.1. Toxicity Ecology - general : The product is not considered harmful to aquation	c organisms or to cause long-term adverse
Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Eye irritation. Symptoms/effects after ingestion : Risk of lung edema. SECTION 12: Ecological information 12.1. Toxicity Ecology - general : The product is not considered harmful to aquatic effects in the environment.	
Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Eye irritation. Symptoms/effects after ingestion : Risk of lung edema. SECTION 12: Ecological information 12.1. Toxicity Ecology - general : The product is not considered harmful to aquatic effects in the environment. ETHYL ALCOHOL (64-17-5) LC50 fish 1 15300 mg/l (US EPA, 96 h, Pimephales prometal)	

02/05/2021 EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ORANGE TERPENES (68647-72-3)	
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

12.2. Persistence and degradability

ETHYL ALCOHOL (64-17-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O ₂ /g substance
Chemical oxygen demand (COD)	1.7 g O₂/g substance
ThOD	2.1 g O₂/g substance
BOD (% of ThOD)	0.43

ORANGE TERPENES (68647-72-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance

Bioaccumulative potential 12.3.

ETHYL ALCOHOL (64-17-5)	
BCF fish 1	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

ORANGE TERPENES (68647-72-3)		
ORANGE TERPENES (00047-72-3)		
BCF fish 1	864.8 – 1022 (Pisces, QSAR, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).	

12.4. **Mobility in soil**

ETHYL ALCOHOL (64-17-5)	
Surface tension	22.31 mN/m (20 °C, 100 %)
Partition coefficient n-octanol/water (Log Koc)	0.2 (log Koc, Experimental value)
Ecology - soil	Highly mobile in soil.
ORANGE TERPENES (68647-72-3)	

Ecology - soil Adsorbs into the soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1266 Perfumery products, 3, II

UN-No.(DOT) : UN1266

Proper Shipping Name (DOT) : Perfumery products

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : II - Medium Danger

02/05/2021 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT) : 3 - Flammable liquid



: 202

: 242

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

: 149 - When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in 173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons).

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when

the flash point of the hazardous material transported is greater than 0 C (32 F).

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail : 15 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stowage Location

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

Emergency Response Guide (ERG) Number

Other information

: No supplementary information available.

Transportation of Dangerous Goods

Not applicable

Transport by sea

Transport document description (IMDG) : UN 1266 PERFUMERY PRODUCTS, 3, II

UN-No. (IMDG)

Proper Shipping Name (IMDG) : PERFUMERY PRODUCTS Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : II - substances presenting medium danger

Limited quantities (IMDG)

Air transport

Transport document description (IATA) : UN 1266 Perfumery products, 3, II

UN-No. (IATA) 1266

Proper Shipping Name (IATA) : Perfumery products Class (IATA) : 3 - Flammable Liquids Packing group (IATA) : II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

ALPHA PINENE (7785-26-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

02/05/2021 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BETA PINENE (127-91-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ETHYL ALCOHOL (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

FURFURAL (98-01-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 5000 lb

ORANGE TERPENES (68647-72-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

ALPHA PINENE (7785-26-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

BETA PINENE (127-91-3)

Listed on the Canadian DSL (Domestic Substances List)

ETHYL ALCOHOL (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

FURFURAL (98-01-1)

Listed on the Canadian DSL (Domestic Substances List)

ORANGE TERPENES (68647-72-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

National regulations

ETHYL ALCOHOL (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations



This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
ETHYL ALCOHOL(64-17-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
FURFURAL(98-01-1)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

02/05/2021 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

text of H-phrases:	
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer

SDS US (GHS HazCom 2012) - Extract Consultants

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

02/05/2021 EN (English US) 10/10