

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

• CONSULTANTS• TERPENES, FLAVORS & EFFECTS BLENDS TM	according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and RegulationsIssue date: 07/13/2022Revision date: 08/15/2022Supersedes: 07/13/2022Version: 1.1
SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: CREAMY LOTUS TTB APPROVED TERPENE FLAVOR
Product code	: TBBS20
1.2. Recommended use and re	estrictions on use
1.3. Supplier	
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 802 www.extractconsultants.com INFORMATION: 1-888-541-9089	
1.4. Emergency telephone nur	mber
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) identi	ification
2.1. Classification of the subs	
GHS US classification	
Flammable liquids Category 2 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Cat Skin sensitization, Category 1 Reproductive toxicity Category 2 Specific target organ toxicity – Single 3, Narcosis Specific target organ toxicity – Single 3, Respiratory tract irritation Aspiration hazard Category 1	May cause an allergic skin reaction Suspected of damaging fertility or the unborn child May cause drowsiness or dizzinessexposure, CategoryMay cause respiratory irritation May be fatal if swallowed and enters airways
	uding precautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	GHS02 GHS07 GHS08
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	 Highly flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness Suspected of damaging fertility or the unborn child
Precautionary statements (GHS US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray.
08/15/2022	EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wash hands, forearms and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor. If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing.	ent
Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor. If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing.	ent
Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor. If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing.	ent
If swallowed: Immediately call a poison center or doctor. If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing.	ent
If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing.	ent
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing.	ent
water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing.	ent
	ent
	ent
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if pre	
and easy to do. Continue rinsing.	
If exposed or concerned: Get medical advice/attention.	
Call a poison center or doctor if you feel unwell.	
Specific treatment (see supplemental first aid instruction on this label).	
Do NOT induce vomiting.	
If skin irritation occurs: Get medical advice/attention.	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Take off contaminated clothing and wash it before reuse.	
Wash contaminated clothing before reuse.	
In case of fire: Use media other than water to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
ETHYL ALCOHOL	(CAS-No.) 64-17-5	≥ 50	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335
ALPHA PINENE	(CAS-No.) 7785-26-4	10 – 25	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
d-Limonene	(CAS-No.) 5989-27-5	5 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
BETA-PINENE	(CAS-No.) 127-91-3	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
LINALOOL	(CAS-No.) 78-70-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
GAMMA-TERPINENE	(CAS-No.) 99-85-4	0.1 – 1	Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general

: Call a physician immediately.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact	Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effects	acute and delayed)
Symptoms/effects	May cause drowsiness or dizziness.
Symptoms/effects after inhalation	May cause respiratory irritation.
Symptoms/effects after skin contact	Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	Eye irritation.
Symptoms/effects after ingestion	Risk of lung edema.
4.3. Immediate medical attention and spec	sial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishin	ng media
Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the che	mical
Fire hazard	Highly flammable liquid and vapor.
Reactivity	Highly flammable liquid and vapor.
5.3. Special protective equipment and pre	cautions for fire-fighters
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release measu	ires
6.1. Personal precautions, protective equi	pment and emergency procedures
6.1.1. For non-emergency personnel	
	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment	t and cleaning up
	 Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
Hygiene measures	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditi	ons for safe storage, including any incompatibilities
Technical measur	es : Ground/bond container and receiving equipment.
Storage conditions	s : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
SECTION 8: E	xposure controls/personal protection
8.1. Control	parameters
CREAMY LOTU	S TTB APPROVED TERPENE FLAVOR
No additional inf	ormation available
ALPHA PINENE	(7785-26-4)
No additional inf	ormation available

No additional information available	
ETHYL ALCOHOL (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH OEL STEL [ppm]	1000 ppm
Remark (ACGIH)	URT irr
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL (TWA) [1]	1900 mg/m ³
OSHA PEL (TWA) [2]	1000 ppm
BETA-PINENE (127-91-3)	
USA - ACGIH - Occupational Exposure Limits	
Local name	β-Pimene
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2022
LINALOOL (78-70-6)	
No additional information available	
d-Limonene (5989-27-5)	
No additional information available	
GAMMA-TERPINENE (99-85-4)	
No additional information available	

8.2. Appropriate engineering controls

Appropriate engineering controls

- : Ensure good ventilation of the work station.
- Environmental exposure controls
- : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. //, No. 58 / Monday,	-
SECTION 9: Physical and chemical p	
9.1. Information on basic physical and cl	
Physical state	: Liquid
Color	: COLORLESS TO YELLOW
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 12 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.8072 (0.7972 – 0.8172)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.39148 (1.38148 – 1.40148)
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Highly flammable liquid and vapor.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal cor	nditions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flames	, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
Under normal conditions of storage and use, haz	ardous decomposition products should not be produced.
SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
ALPHA PINENE (7785-26-4)	
ATE US (oral)	500 mg/kg body weight

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL ALCOHOL (64-17-5)	
LD50 oral rat	10470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental
	value, Oral, 14 day(s))
LD50 dermal rabbit	> 15800 mg/kg body weight (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	124.7 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	10470 mg/kg body weight
BETA-PINENE (127-91-3)	
LD50 oral rat	4700 mg/kg (Rat, Oral)
ATE US (oral)	4700 mg/kg body weight
LINALOOL (78-70-6)	
ATE US (oral)	2790 mg/kg body weight
d-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))
GAMMA-TERPINENE (99-85-4)	
ATE US (oral)	3850 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
ETHYL ALCOHOL (64-17-5)	
IARC group	1 - Carcinogenic to humans
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: May cause drowsiness or dizziness. May cause respiratory irritation.
<u> </u>	, , , , , , , , , , , , , , , , , , ,
ETHYL ALCOHOL (64-17-5)	
STOT-single exposure	May cause drowsiness or dizziness. May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	: No data available
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.
SECTION 12: Ecological information	tion
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
ETHYL ALCOHOL (64-17-5)	
LC50 - Fish [1]	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
00/1/5/00000	

EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BETA-PINENE (127-91-3)	
LC50 - Fish [1]	0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)
d-Limonene (5989-27-5)	
LC50 - Fish [1]	720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

12.2. Persistence and degradability

ETHYL ALCOHOL (64-17-5)			
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance		
ThOD	2.1 g O ₂ /g substance		
BOD (% of ThOD)	0.43		
BETA-PINENE (127-91-3)			
Persistence and degradability	Readily biodegradable in water.		
d-Limonene (5989-27-5)			
Persistence and degradability	Readily biodegradable in water.		
ThOD	3.29 g O ₂ /g substance		

12.3. **Bioaccumulative potential**

ETHYL ALCOHOL (64-17-5)	
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.
BETA-PINENE (127-91-3)	
BCF - Fish [1]	1125 I/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 \leq Log Kow \leq 5).
d-Limonene (5989-27-5)	
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \le Log \text{ Kow} \le 5$).

12.4. Mobility in soil

ETHYL ALCOHOL (64-17-5)		
Surface tension	22.31 mN/m (20 °C, 100 %)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.2 (log Koc, Experimental value)	
Ecology - soil	Highly mobile in soil.	
BETA-PINENE (127-91-3)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)	
Ecology - soil	Low potential for mobility in soil.	
d-Limonene (5989-27-5)		
Surface tension	No data available in the literature	
08/15/2022	EN (English US)	7/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

d-Limonene (5989-27-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	S
I3.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.
SECTION 14: Transport information	
Department of Transportation (DOT)	
n accordance with DOT	
Transport document description (DOT)	: UN1266 Perfumery products, 3, II
JN-No.(DOT)	: UN1266
Proper Shipping Name (DOT)	: Perfumery products
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: II - Medium Danger
lazard labels (DOT)	: 3 - Flammable liquid
	PLANAELE LIQUID
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
OT Packaging Bulk (49 CFR 173.xxx)	: 242
OOT Special Provisions (49 CFR 172.102)	 149 - When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in 173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons). IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal
OOT Packaging Exceptions (49 CFR 173.xxx)	: 150
OT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	: 15 L
OOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
ransportation of Dangerous Goods	
Fransport document description (TDG)	: UN1266 PERFUMERY PRODUCTS, 3, II
JN-No. (TDG)	: UN1266

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (TDG)	: PERFUMERY PRODUCTS
TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
Packing group (TDG)	: II - Medium Danger
TDG Special Provisions	: 59 - Substances that are listed by name in Schedule 1 must not be transported under this shipping name. Substances transported under this shipping name may contain not more than 20% nitrocellulose if the nitrocellulose contains not more than 12.6% nitrogen (by dry mass).
Explosive Limit and Limited Quantity Index	: 5L
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 15 L
Transport by sea	
Transport document description (IMDG)	: UN 1266 PERFUMERY PRODUCTS, 3, II
UN-No. (IMDG)	: 1266
Proper Shipping Name (IMDG)	: PERFUMERY PRODUCTS
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1266 Perfumery products, 3, II
UN-No. (IATA)	: 1266
Proper Shipping Name (IATA)	: Perfumery products
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger

15.1. US Federal regulations

ETHYL ALCOHOL (64-17	-5)
Listed on the United States	s TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

ALPHA PINENE (7785-26-4)	
Listed on the Canadian NDSL (Non-Domestic Substances List)	
ETHYL ALCOHOL (64-17-5)	
Listed on the Canadian DSL (Domestic Substances List)	
BETA-PINENE (127-91-3)	
Listed on the Canadian DSL (Domestic Substances List)	
LINALOOL (78-70-6)	
Listed on the Canadian DSL (Domestic Substances List)	
d-Limonene (5989-27-5)	
Listed on the Canadian DSL (Domestic Substances List)	
GAMMA-TERPINENE (99-85-4)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations No additional information available

National regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ALPHA PINENE (7	785-26-4)
Listed on the United	States TSCA (Toxic Substances Control Act) inventory - Status: Active
ETHYL ALCOHOL	(64-17-5)
Listed on IARC (Inte	ernational Agency for Research on Cancer)
BETA-PINENE (127	7-91-3)
	States TSCA (Toxic Substances Control Act) inventory - Status: Active xican National Inventory of Chemical Substances)
	AL
LINALOOL (78-70-	
	l States TSCA (Toxic Substances Control Act) inventory - Status: Active xican National Inventory of Chemical Substances)
d-Limonene (5989-	27-5)
	l States TSCA (Toxic Substances Control Act) inventory - Status: Active xican National Inventory of Chemical Substances)
GAMMA-TERPINE	NF (99-85-4)
	States TSCA (Toxic Substances Control Act) inventory - Status: Active
	xican National Inventory of Chemical Substances)
15.3. US State regula	ations
A WARNING:	This product can expose you to furocoumarines (e. g. trioxysalen (inn), 8-methoxypsoralen, 5-methoxypsoralen) except for normal content in natural essences used. in sunprotection and in bronzing products, furocoumarines shall be below 1 mg/kg, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
ETHYL ALCOHOL(64-17-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

Revision date	: 08/15/2022
ull text of H-phrases:	
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child

SDS US (GHS HazCom 2012)

SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.