

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/04/2022 Version: 1.0

| SECTION 1: Identification | |
|---|--|
| 1.1. Identification | |
| Product form | : Mixture |
| Product name | : GREEN CHARTREUSE TTB APPROVED TERPENE FLAVOR |
| Product code | : TBBS36 |
| 1.2. Recommended use and restrict | ions on use |
| 1.3. Supplier | |
| EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089 | |
| 1.4. Emergency telephone number | |
| Emergency number | : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 |
| SECTION 2: Hazard(s) identificat | |
| 2.1. Classification of the substance | or mixture |
| GHS US classification Flammable liquids Category 2 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Skin sensitization, Category 1 Reproductive toxicity Category 2 Specific target organ toxicity – Single expose 3, Narcosis Specific target organ toxicity – Single expose 3, Respiratory tract irritation Specific target organ toxicity (repeated expo Category 2 Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) | May cause an allergic skin reaction Suspected of damaging fertility or the unborn child May cause drowsiness or dizzinessure, CategoryMay cause respiratory irritationsure)May cause damage to organs through prolonged or repeated exposure May be fatal if swallowed and enters airways |
| | GHS02 GHS07 GHS08 |
| Signal word (GHS US) | : Danger |
| Hazard statements (GHS US) | Highly flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness Suspected of damaging fertility or the unborn child May cause damage to organs through prolonged or repeated exposure |
| Precautionary statements (GHS US) | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. |
| 10/04/2022 | EN (English US) Page 1 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor. If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center or doctor if you feel unwell. Get medical advice/attention if you feel unwell. Specific treatment (see supplemental first aid instruction on this label). Do NOT induce vorniting. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If eye informaniated clothing and wash it before reuse. Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store in a well-ventilated place. Keep cool. Store in a well-ventilated place. Keep cool. Store iocked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
|--|---|
| 2.3. Other hazards which do not result | in classification |
| No additional information available | |
| 2.4. Unknown acute toxicity (GHS US) | |
| Not applicable | |
| SECTION 3: Composition/Informat | ion on ingredients |
| 3.1. Substances | |
| Not applicable | |
| | |

3.2. Mixtures

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name | Product identifier | % | GHS US classification |
|--------------------|----------------------|---------|---|
| ETHYL ALCOHOL | (CAS-No.) 64-17-5 | ≥ 50 | Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335 |
| d-Limonene | (CAS-No.) 5989-27-5 | 5 – 10 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| CITRAL | (CAS-No.) 5392-40-5 | 1 – 5 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT RE 2, H373 |
| CINNAMALDEHYDE | (CAS-No.) 104-55-2 | 1 – 5 | Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1A, H317 |
| BETA CARYOPHYLLENE | (CAS-No.) 87-44-5 | 1 – 5 | Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| BETA-PINENE | (CAS-No.) 127-91-3 | 1 – 5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| MYRCENE | (CAS-No.) 123-35-3 | 1 – 5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304 |
| ALPHA PINENE | (CAS-No.) 7785-26-4 | 1 – 5 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| p-Cymene | (CAS-No.) 99-87-6 | 0.1 – 1 | Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation:vapour), H331 Repr. 2, H361 Asp. Tox. 1, H304 |
| GAMMA-TERPINENE | (CAS-No.) 99-85-4 | 0.1 – 1 | Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304 |
| delta-3-Carene | (CAS-No.) 13466-78-9 | 0.1 – 1 | Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 |

Full text of hazard classes and H-statements : see section 16

| SECTION 4: First-aid measures | |
|---|--|
| 4.1. Description of first aid measures | |
| First-aid measures general | : Call a physician immediately. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. |
| First-aid measures after skin contact | : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Do not induce vomiting. Call a physician immediately. |
| 4.2. Most important symptoms and effect | ts (acute and delayed) |
| Symptoms/effects | : May cause drowsiness or dizziness. |
| Symptoms/effects after inhalation | : May cause respiratory irritation. |
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : Risk of lung edema. |

Treat symptomatically.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 5: Fire-fighting measures | | |
|---|---|--|
| 5.1. Suitable (and unsuitable) extingui | | |
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. | |
| 5.2. Specific hazards arising from the | chemical | |
| Fire hazard | : Highly flammable liquid and vapor. | |
| Reactivity | : Highly flammable liquid and vapor. | |
| 5.3. Special protective equipment and | precautions for fire-fighters | |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. | |
| SECTION 6: Accidental release me | asures | |
| 6.1. Personal precautions, protective of | equipment and emergency procedures | |
| 6.1.1. For non-emergency personnel | | |
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. | |
| 6.1.2. For emergency responders Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". | |
| 6.2. Environmental precautions | | |
| Avoid release to the environment. | | |
| 6.3. Methods and material for contain | nent and cleaning up | |
| Methods for cleaning up | : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. | |
| Other information | : Dispose of materials or solid residues at an authorized site. | |
| 6.4. Reference to other sections | | |
| For further information refer to section 13. | | |
| SECTION 7: Handling and storage | | |
| 7.1. Precautions for safe handling | | |
| Precautions for safe handling | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. | |
| Hygiene measures | : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. | |
| 7.2. Conditions for safe storage, including any incompatibilities | | |
| Technical measures | : Ground/bond container and receiving equipment. | |
| Storage conditions | : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. | |
| SECTION 8: Exposure controls/per | rsonal protection | |

8.1. Control parameters

| GREEN CHARTREUSE TTB APPROVED TERPENE FLAVOR | | |
|--|---|--|
| No additional information available | | |
| CITRAL (5392-40-5) | | |
| USA - ACGIH - Occupational Exposure Limits | | |
| Local name | Citral | |
| ACGIH OEL TWA [ppm] | 5 ppm (IFV - Inhalable fraction and vapor) | |
| Remark (ACGIH) | TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen) | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Regulatory reference | ACGIH 2021 |
|--|--|
| BETA-PINENE (127-91-3) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | β-Pimene |
| ACGIH OEL TWA [ppm] | 20 ppm |
| Remark (ACGIH) | TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen) |
| Regulatory reference | ACGIH 2022 |
| p-Cymene (99-87-6) | |
| No additional information available | |
| d-Limonene (5989-27-5) | |
| No additional information available | |
| delta-3-Carene (13466-78-9) | |
| No additional information available | |
| GAMMA-TERPINENE (99-85-4) | |
| No additional information available | |
| ETHYL ALCOHOL (64-17-5) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Ethanol |
| ACGIH OEL STEL [ppm] | 1000 ppm |
| Remark (ACGIH) | URT irr |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Ethyl alcohol (Ethanol) |
| OSHA PEL (TWA) [1] | 1900 mg/m³ |
| OSHA PEL (TWA) [2] | 1000 ppm |
| MYRCENE (123-35-3) | |
| No additional information available | |
| CINNAMALDEHYDE (104-55-2) | |
| No additional information available | |
| ALPHA PINENE (7785-26-4) | |
| No additional information available | |
| BETA CARYOPHYLLENE (87-44-5) | |
| No additional information available | |

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls

- : Ensure good ventilation of the work station.
- posure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 9: Physical and chemical p | roperties | |
|--|---|--|
| 9.1. Information on basic physical and ch | emical properties | |
| Physical state | : Liquid | |
| Color | : COLORLESS TO YELLOW | |
| Odor | : CHARACTERISTIC, MATCHING RETAINER SAMPLE | |
| Odor threshold | : No data available | |
| pH | : No data available | |
| Melting point | : Not applicable | |
| Freezing point | : No data available | |
| Boiling point | : No data available | |
| Flash point | : 12 °C | |
| Relative evaporation rate (butyl acetate=1) | : No data available | |
| Flammability (solid, gas) | : Not applicable. | |
| Vapor pressure | : No data available | |
| Relative vapor density at 20 °C | : No data available | |
| Relative density | : 0.8174 (0.8074 – 0.8274) | |
| Solubility | : Insoluble. | |
| Partition coefficient n-octanol/water (Log Pow) | : No data available | |
| Auto-ignition temperature | : No data available | |
| Decomposition temperature | : No data available | |
| Viscosity, kinematic | : No data available | |
| Viscosity, dynamic | : No data available | |
| Explosion limits | : No data available | |
| Explosive properties | : No data available | |
| Oxidizing properties | : No data available | |
| 9.2. Other information | | |
| Refractive index | : 1.39754 (1.38754 – 1.40754) | |
| SECTION 10: Stability and reactivity | | |
| 10.1. Reactivity | | |
| Highly flammable liquid and vapor. | | |
| | | |
| 10.2. Chemical stability Stable under normal conditions. | | |
| | | |
| 10.3. Possibility of hazardous reactions | no z | |
| No dangerous reactions known under normal con | ditions of use. | |
| 10.4. Conditions to avoid | | |
| Avoid contact with hot surfaces. Heat. No flames, | no sparks. Eliminate all sources of ignition. | |
| 10.5. Incompatible materials | | |
| No additional information available | | |
| 10.6. Hazardous decomposition products | | |
| Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | |
| SECTION 11: Toxicological informati | | |
| 11.1. Information on toxicological effects | | |
| Acute toxicity (oral) | : Not classified | |
| Acute toxicity (dermal) | : Not classified | |
| Acute toxicity (inhalation) | : Not classified | |
| , | | |
| CITRAL (5392-40-5) | | |
| LD50 oral rat | ≈ 6800 mg/kg body weight Animal: rat | |

> 2000 mg/kg body weight Animal: rat, Remarks on results: other:

LD50 dermal rat

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| CITRAL (5392-40-5) | | |
|--|---|------|
| ATE US (dermal) | 2250 mg/kg body weight | |
| BETA-PINENE (127-91-3) | | |
| LD50 oral rat | 4700 mg/kg (Rat, Oral) | |
| ATE US (oral) | 4700 mg/kg body weight | |
| p-Cymene (99-87-6) | | |
| LD50 oral rat | 4750 mg/kg (Rat, Male / female, Experimental value, Oral, 14 day(s)) | |
| LD50 dermal rabbit | > 5000 mg/kg (Rabbit, Experimental value, Dermal, 14 day(s)) | |
| LC50 Inhalation - Rat | > 9.7 mg/l (5 h, Rat, Experimental value, Inhalation) | |
| ATE US (oral) | 4750 mg/kg body weight | |
| ATE US (vapors) | 3 mg/l/4h | |
| d-Limonene (5989-27-5) | | |
| LD50 oral rat | > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, F Female, Experimental value, Oral, 14 day(s)) | Rat, |
| LD50 dermal rabbit | > 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across Dermal, 7 day(s)) | З, |
| delta-3-Carene (13466-78-9) | | |
| ATE US (oral) | 4800 mg/kg body weight | |
| ATE US (gases) | 4500 ppmV/4h | |
| ATE US (vapors) | 11 mg/l/4h | |
| ATE US (dust, mist) | 1.5 mg/l/4h | |
| GAMMA-TERPINENE (99-85-4) | | |
| ATE US (oral) | 3850 mg/kg body weight | |
| | | |
| ETHYL ALCOHOL (64-17-5) | | |
| LD50 oral rat | 10470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimen value, Oral, 14 day(s)) | ntal |
| LD50 dermal rabbit | > 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) | |
| LC50 Inhalation - Rat | 124.7 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s)) | |
| MYRCENE (123-35-3) | | |
| LD50 oral rat | > 11390 mg/kg body weight Animal: rat | |
| LD50 dermal rabbit | > 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) | |
| CINNAMALDEHYDE (104-55-2) | | |
| LD50 oral rat | 2220 mg/kg (Rat, Oral) | |
| LD50 dermal rabbit | 1260 ml/kg (24 h, Rabbit, Male / female, Experimental value, Dermal) | |
| LC50 Inhalation - Rat | 68.88 mg/l (4 h, Rat, Male / female, QSAR, Inhalation) | |
| ATE US (oral) | 2200 mg/kg body weight | |
| ATE US (dermal) | 1100 mg/kg body weight | |
| ATE US (vapors) | 68.88 mg/l/4h | |
| ATE US (dust, mist) | 68.88 mg/l/4h | |
| ALPHA PINENE (7785-26-4) | | |
| ATE US (oral) | 500 mg/kg body weight | |
| Skin corrosion/irritation | : Causes skin irritation. | |
| Serious eye damage/irritation | : Causes skin initiation. : Causes serious eye irritation. | |
| Respiratory or skin sensitization | | |
| | : May cause an allergic skin reaction. : Not classified | |
| Germ cell mutagenicity | | |
| Carcinogenicity | : Not classified | |
| CITRAL (5392-40-5) | | |
| NOAEL (chronic,oral,animal/male,2 years) | 60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: | |
| d-Limonene (5989-27-5) | | |
| IARC group | 3 - Not classifiable | |
| 10/04/2022 | EN (English US) | 7/14 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| ETHYL ALCOHOL (64-17-5) | |
|---|--|
| IARC group | 1 - Carcinogenic to humans |
| MYRCENE (123-35-3) | |
| IARC group | 2B - Possibly carcinogenic to humans |
| - · · | : Suspected of damaging fertility or the unborn child. |
| STOT-single exposure | : May cause drowsiness or dizziness. May cause respiratory irritation. |
| ETHYL ALCOHOL (64-17-5) | |
| STOT-single exposure | May cause drowsiness or dizziness. May cause respiratory irritation. |
| STOT-repeated exposure | : May cause damage to organs through prolonged or repeated exposure. |
| CITRAL (5392-40-5) | |
| LOAEC (inhalation,rat,gas,90 days) | 68 ppm Animal: rat, Animal sex: female |
| NOAEL (oral,rat,90 days) | 100 mg/kg body weight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) |
| NOAEC (inhalation,rat,gas,90 days) | 34 ppm Animal: rat, Animal sex: female |
| NOAEL (subchronic,oral,animal/male,90 days) | 60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |

| MYRCENE (123-35-3) | |
|---|---|
| LOAEL (oral,rat,90 days) | 250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (subchronic,oral,animal/male,90 days) | 500 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (subchronic,oral,animal/female,90 days) | 250 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| Aspiration hazard | : May be fatal if swallowed and enters airways. |
| • | : No data available |
| Symptoms/effects | : May cause drowsiness or dizziness. |
| Symptoms/effects after inhalation | : May cause respiratory irritation. |
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : Risk of lung edema. |

| SECTION 12: Ecological information | |
|------------------------------------|--|
| 12.1. Toxicity | |
| Ecology - general | The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. |
| CITRAL (5392-40-5) | |
| LC50 - Fish [1] | 6.78 mg/l Test organisms (species): Leuciscus idus |
| EC50 - Crustacea [1] | 6.8 mg/l Test organisms (species): Daphnia magna |
| BETA-PINENE (127-91-3) | |
| LC50 - Fish [1] | 0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, |

Fresh water, Weight of evidence, Other isomer)

Static system, Fresh water, Weight of evidence, Other isomer)

0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata,

ErC50 algae

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| p-Cymene (99-87-6) | |
|------------------------------------|--|
| LC50 - Fish [1] | 48 mg/l (EPA OPPTS 850.1075, 96 h, Cyprinodon variegatus, Static system, Salt water, Experimental value) |
| EC50 - Crustacea [1] | 3.7 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP) |
| ErC50 algae | 4.03 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Selenastrum capricornutum, Static system, Fresh water, Experimental value, GLP) |
| d-Limonene (5989-27-5) | |
| LC50 - Fish [1] | 720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) |
| EC50 - Crustacea [1] | 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP) |
| LC50 - Fish [2] | 702 μg/l Test organisms (species): Pimephales promelas |
| EC50 - Crustacea [2] | 0.51 mg/l Test organisms (species): Daphnia magna |
| ErC50 algae | 0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |
| ETHYL ALCOHOL (64-17-5) | |
| LC50 - Fish [1] | 15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, |
| | Experimental value, Lethal) |
| MYRCENE (123-35-3) | |
| EC50 - Crustacea [1] | 1.47 mg/l Test organisms (species): Daphnia magna |
| CINNAMALDEHYDE (104-55-2) | |
| LC50 - Fish [1] | 4.15 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | 3.21 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| BETA CARYOPHYLLENE (87-44-5) | |
| EC50 - Crustacea [1] | > 0.17 mg/l Test organisms (species): Daphnia magna |
| 2.2. Persistence and degradability | |
| | |
| BETA-PINENE (127-91-3) | |
| Persistence and degradability | Readily biodegradable in water. |
| p-Cymene (99-87-6) | |
| Persistence and degradability | Readily biodegradable in water. |
| d-Limonene (5989-27-5) | |
| Persistence and degradability | Readily biodegradable in water. |
| ThOD | 3.29 g O ₂ /g substance |
| ETHYL ALCOHOL (64-17-5) | |
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | $0.8 - 0.967 \text{ g } O_2/\text{g substance}$ |
| Chemical oxygen demand (COD) | 1.7 g O_2/g substance |
| ThOD | 2.1 g O_2 /g substance |
| BOD (% of ThOD) | 0.43 |
| | |
| CINNAMALDEHYDE (104-55-2) | |

Bioaccumulative potential 12.3.

| BETA-PINENE (127-91-3) | | |
|---|--|------|
| BCF - Fish [1] | 1125 I/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer) | |
| Partition coefficient n-octanol/water (Log Pow) | Partition coefficient n-octanol/water (Log Pow) 4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C) | |
| Bioaccumulative potential | Potential for bioaccumulation ($4 \le Log \text{ Kow} \le 5$). | |
| p-Cymene (99-87-6) | | |
| Partition coefficient n-octanol/water (Log Pow) | 4.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, °C) | 20 |
| 10/04/2022 | EN (English US) | 9/14 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| p-Cymene (99-87-6) | |
|---|---|
| Bioaccumulative potential | Potential for bioaccumulation (4 \leq Log Kow \leq 5). |
| d-Limonene (5989-27-5) | |
| BCF - Fish [1] | 864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | 4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C) |
| Bioaccumulative potential | Potential for bioaccumulation ($4 \le Log \text{ Kow} \le 5$). |
| | |
| ETHYL ALCOHOL (64-17-5) | |
| BCF - Fish [1] | 1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across) |
| Partition coefficient n-octanol/water (Log Pow) | -0.31 (Experimental value) |
| Bioaccumulative potential | Not bioaccumulative. |
| CINNAMALDEHYDE (104-55-2) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.107 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |

12.4. Mobility in soil

| BETA-PINENE (127-91-3) | | |
|---|--|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.009 – 3.836 (log Koc, Calculated value, Other isomer) | |
| Ecology - soil | Low potential for mobility in soil. | |
| p-Cymene (99-87-6) | | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 4.17 (log Koc, SRC PCKOCWIN v2.0, QSAR) | |
| Ecology - soil | Low potential for mobility in soil. | |
| d-Limonene (5989-27-5) | | |
| Surface tension | No data available in the literature | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value) | |
| Ecology - soil | Low potential for mobility in soil. | |
| ETHYL ALCOHOL (64-17-5) | | |
| Surface tension | 22.31 mN/m (20 °C, 100 %) | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 0.2 (log Koc, Experimental value) | |
| Ecology - soil | Highly mobile in soil. | |
| CINNAMALDEHYDE (104-55-2) | | |
| Surface tension | 45.3 mN/m (20 °C, Experimental value) | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) | |
| Ecology - soil | Highly mobile in soil. | |

12.5. Other adverse effects

No additional information available

| SECTION 13: Disposal consideration | ons | |
|--------------------------------------|---|--|
| 13.1. Disposal methods | | |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. | |
| Additional information | : Flammable vapors may accumulate in the container. | |
| SECTION 14: Transport information | n | |
| Department of Transportation (DOT) | | |
| In accordance with DOT | | |
| Transport document description (DOT) | : UN1197 Extracts, flavoring, liquid, 3, II | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| UN-No.(DOT) | : UN1197 |
|--|---|
| Proper Shipping Name (DOT) | : Extracts, flavoring, liquid |
| Class (DOT) | : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 |
| Packing group (DOT) | : II - Medium Danger |
| Hazard labels (DOT) | : 3 - Flammable liquid |
| | reamine Louis |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 202 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 242 |
| DOT Special Provisions (49 CFR 172.102) | 149 - When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in 173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons). |
| | IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 150 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 5L |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 60 L |
| DOT Vessel Stowage Location | : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded. |
| Emergency Response Guide (ERG) Number | : 127 |
| Other information | : No supplementary information available. |
| Transportation of Dangerous Goods | |
| Transport document description (TDG) | : UN1197 EXTRACTS, FLAVOURING, LIQUID, 3, II |
| UN-No. (TDG) | : UN1197 |
| Proper Shipping Name (TDG) | : EXTRACTS, FLAVOURING, LIQUID |
| TDG Primary Hazard Classes | : 3 - Class 3 - Flammable Liquids |
| Packing group (TDG) | : II - Medium Danger |
| Explosive Limit and Limited Quantity Index | : 5L |
| Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index | : 5 L |
| Transport by sea | |
| Transport document description (IMDG) | : UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, II |
| UN-No. (IMDG) | : 1197 |
| Proper Shipping Name (IMDG) | : EXTRACTS, FLAVORING, LIQUID |
| Class (IMDG) | : 3 - Flammable liquids |
| Packing group (IMDG) | : II - substances presenting medium danger |
| Limited quantities (IMDG) | : 5 L |
| Air transport | |
| Transport document description (IATA) | : UN 1197 Extracts, flavouring, liquid, 3, II |
| UN-No. (IATA) | : 1197 |
| 10/04/2022 | EN (English US) 11/14 |
| | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Proper Shipping Name (IATA) | : | Extracts, flavouring, liquid |
|-----------------------------|---|------------------------------|
| Class (IATA) | : | 3 - Flammable Liquids |
| Packing group (IATA) | : | II - Medium Danger |

| SECTION 15: Regulatory information | |
|------------------------------------|--|

15.1. US Federal regulations

ETHYL ALCOHOL (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CINNAMALDEHYDE (104-55-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

| CITRAL (5392-40-5) | |
|--|--|
| Listed on the Canadian DSL (Domestic Substances List) | |
| BETA-PINENE (127-91-3) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| p-Cymene (99-87-6) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| d-Limonene (5989-27-5) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| delta-3-Carene (13466-78-9) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| GAMMA-TERPINENE (99-85-4) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| ETHYL ALCOHOL (64-17-5) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| MYRCENE (123-35-3) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| CINNAMALDEHYDE (104-55-2) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| ALPHA PINENE (7785-26-4) | |
| Listed on the Canadian NDSL (Non-Domestic Substances List) | |
| BETA CARYOPHYLLENE (87-44-5) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Ell Pagulations | |

EU-Regulations

No additional information available

National regulations

CITRAL (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

BETA-PINENE (127-91-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| column to rederain teg | ister / Vol. 77, No. 58 / Monday, March 26, 20 | |
|------------------------|--|---|
| p-Cymene (99-87-6 | 6) | |
| | States TSCA (Toxic Substances Cont exican National Inventory of Chemical S | |
| d-Limonene (5989 | -27-5) | |
| | d States TSCA (Toxic Substances Cont exican National Inventory of Chemical S | |
| delta-3-Carene (13 | 466-78-9) | |
| Listed on the United | d States TSCA (Toxic Substances Cont | irol Act) inventory - Status: Active |
| GAMMA-TERPINE | NE (99-85-4) | |
| | d States TSCA (Toxic Substances Cont exican National Inventory of Chemical S | |
| ETHYL ALCOHOL | (64-17-5) | |
| Listed on IARC (Inte | ernational Agency for Research on Can | ncer) |
| MYRCENE (123-35 | i-3) | |
| Listed on the United | ernational Agency for Research on Can I States TSCA (Toxic Substances Cont exican National Inventory of Chemical S | rol Áct) inventory - Status: Active |
| ALPHA PINENE (7 | , | |
| Listed on the United | d States TSCA (Toxic Substances Cont | rol Act) inventory - Status: Active |
| BETA CARYOPHY | LLENE (87-44-5) | |
| Listed on the United | d States TSCA (Toxic Substances Cont | rol Act) inventory - Status: Active |
| 15.3. US State regul | ations | |
| | This product can expose you to d-pu information go to www.P65Warnings | legone, which is known to the State of California to cause cancer. For more s.ca.gov. |
| | This product can expose you to euge information go to www.P65Warnings | enyl methyl ether, which is known to the State of California to cause cancer. For more s.ca.gov. |
| A WARNING: | This product can expose you to safro to www.P65Warnings.ca.gov. | ole, which is known to the State of California to cause cancer. For more information go |
| | This product can expose you to estra go to www.P65Warnings.ca.gov. | agole, which is known to the State of California to cause cancer. For more information |
| | This product can expose you to myro go to www.P65Warnings.ca.gov. | cene, which is known to the State of California to cause cancer. For more information |
| Component | | State or local regulations |
| p-Cymene(99-87-6) |) | U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List |
| ETHYL ALCOHOL(| 64-17-5) | U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List |

SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| H225 | Highly flammable liquid and vapor |
|------|---|
| H226 | Flammable liquid and vapor |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H312 | Harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H331 | Toxic if inhaled |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |
| H336 | May cause drowsiness or dizziness |
| H361 | Suspected of damaging fertility or the unborn child |
| H373 | May cause damage to organs through prolonged or repeated exposure |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.