

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/14/2023 Revision date: 07/05/2023 Supersedes: 04/14/2023

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : TETTNANG TTB APPROVED TERPENE FLAVOR

Product code : TBBS42

1.2. Recommended use and restrictions on use

1.3. Supplier

EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089

1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 Highly flammable liquid and vapor

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2
Skin sensitization, Category 1
Specific togget expect togget togget

Specific target organ toxicity – Single exposure, Category May cause drowsiness or dizziness 3, Narcosis

Specific target organ toxicity – Single exposure, Category May cause respiratory irritation 3, Respiratory tract irritation

Aspiration hazard Category 1 May be fatal if swallowed and enters airways

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



<u>(!)</u>



GHS02

GHS07

GHS08

Signal word (GHS US) : Danger

Hazard statements (GHS US) : Highly flammable liquid and vapor

May be fatal if swallowed and enters airways

Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

07/05/2023 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If swallowed: Immediately call a poison center or doctor.

If on skin: Wash with plenty of water.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center or doctor if you feel unwell.

Specific treatment (see supplemental first aid instruction on this label).

Do NOT induce vomiting.

If skin irritation occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep container tightly

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|--------------------------------|---------------------|---------|--|
| ETHYL ALCOHOL | (CAS-No.) 64-17-5 | ≥ 50 | Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335 |
| BETA CARYOPHYLLENE | (CAS-No.) 87-44-5 | 10 – 25 | Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| MYRCENE | (CAS-No.) 123-35-3 | 1 – 5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304 |
| Nerolidol (isomer unspecified) | (CAS-No.) 7212-44-4 | 1 – 5 | Eye Irrit. 2B, H320 |
| BETA-PINENE* | (CAS-No.) 127-91-3 | 1 – 5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| L-ALPHA-PINENE | (CAS-No.) 7785-26-4 | 1 – 5 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| LINALOOL | (CAS-No.) 78-70-6 | 1 – 5 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 |
| TERPINOLENE | (CAS-No.) 586-62-9 | 1 – 5 | Flam. Liq. 3, H226 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

07/05/2023 EN (English US) 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : May cause drowsiness or dizziness.
Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor.

Reactivity : Highly flammable liquid and vapor.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take

precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid

contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

07/05/2023 EN (English US) 3/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| TETTNANG TTB APPROVED TERPENE FLAVOR | | |
|--|-------------------------------------|--|
| No additional information available | | |
| MYRCENE (123-35-3) | | |
| No additional information available | | |
| Nerolidol (isomer unspecified) (7212-44-4) | | |
| No additional information available | | |
| BETA CARYOPHYLLENE (87-44-5) | | |
| No additional information available | No additional information available | |
| ETHYL ALCOHOL (64-17-5) | | |
| USA - ACGIH - Occupational Exposure Limits | | |
| Local name | Ethanol | |
| ACGIH OEL STEL [ppm] | 1000 ppm | |
| Remark (ACGIH) | URT irr | |
| USA - OSHA - Occupational Exposure Limits | | |
| Local name | Ethyl alcohol (Ethanol) | |
| OSHA PEL TWA [1] | 1900 mg/m³ | |
| OSHA PEL TWA [2] | 1000 ppm | |
| L-ALPHA-PINENE (7785-26-4) | | |
| No additional information available | | |
| TERPINOLENE (586-62-9) | | |
| No additional information available | | |
| BETA-PINENE* (127-91-3) | | |
| USA - ACGIH - Occupational Exposure Limits | | |

| USA - ACGIH - Occupational Exposure Limits | |
|--|--|
| Local name | β-Pimene |
| ACGIH OEL TWA [ppm] | 20 ppm |
| Remark (ACGIH) | TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen) |
| Regulatory reference | ACGIH 2023 |
| | |

LINALOOL (78-70-6)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

07/05/2023 EN (English US) 4/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : COLORLESS TO PALE YELLOW

Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available : No data available

Flash point : 12 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available

Relative density : 0.8129 (0.8029 – 0.8229)

Solubility : Soluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

Refractive index : 1.39547 (1.38547 – 1.40547)

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

07/05/2023 EN (English US) 5/11

Safety Data Sheet

L-ALPHA-PINENE (7785-26-4)

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Acute toxicity (inhalation) | : Not classified |
|-----------------------------|------------------|

| MYRCENE (123-35-3) | |
|--------------------|--|
| LD50 oral rat | > 11390 mg/kg body weight Animal: rat |
| LD50 dermal rabbit | > 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |

| ETHYL ALCOHOL (64-17-5) | |
|-------------------------|--|
| LD50 oral rat | 10470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) |
| LC50 Inhalation - Rat | 124.7 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s)) |

| ATE US (oral) | 500 mg/kg body weight |
|-------------------------|------------------------|
| TERPINOLENE (586-62-9) | |
| LD50 oral rat | 4390 mg/kg (Rat) |
| LD50 dermal rabbit | > 5000 mg/kg (Rabbit) |
| ATE US (oral) | 3775 mg/kg body weight |
| BETA-PINENE* (127-91-3) | |

| BETA-PINENE* (127-91-3) | |
|-------------------------|------------------------|
| LD50 oral rat | 4700 mg/kg (Rat, Oral) |
| ATE US (oral) | 4700 mg/kg body weight |

| LINALOOL (78-70-6) | | |
|--------------------|---------------------------|-------------------------|
| | ATE US (oral) | 2790 mg/kg body weight |
| | Skin corrosion/irritation | Causes skin irritation. |

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

| MYRCENE (123-35-3) | |
|--------------------|--------------------------------------|
| IARC group | 2B - Possibly carcinogenic to humans |

| ETHYL ALCOHOL (64-17-5) | |
|-------------------------|----------------------------|
| IARC group | 1 - Carcinogenic to humans |

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness. May cause respiratory irritation.

| ETHYL ALCOHOL (64-17-5) | |
|-------------------------|--|
| STOT-single exposure | May cause drowsiness or dizziness. May cause respiratory irritation. |

STOT-repeated exposure : Not classified

| MYRCENE (123-35-3) | |
|---|--|
| LOAEL (oral,rat,90 days) | 250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (subchronic,oral,animal/male,90 days) | 500 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (subchronic,oral,animal/female,90 days) | 250 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |

Aspiration hazard : May be fatal if swallowed and enters airways.

Viscosity, kinematic : No data available

07/05/2023 EN (English US) 6/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects : May cause drowsiness or dizziness.
Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : Risk of lung edema.

SECTION 12: Ecological information

12.1. Toxicity

ErC50 algae

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

| MYRCENE (123-35-3) | |
|------------------------------|--|
| EC50 - Crustacea [1] | 1.47 mg/l Test organisms (species): Daphnia magna |
| BETA CARYOPHYLLENE (87-44-5) | |
| EC50 - Crustacea [1] | > 0.17 mg/l Test organisms (species): Daphnia magna |
| ETHYL ALCOHOL (64-17-5) | |
| LC50 - Fish [1] | 15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) |
| BETA-PINENE* (127-91-3) | |
| LC50 - Fish [1] | 0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer) |

Static system, Fresh water, Weight of evidence, Other isomer)

0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata,

12.2. Persistence and degradability

| ETHYL ALCOHOL (64-17-5) | |
|---------------------------------|---|
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | 0.8 − 0.967 g O₂/g substance |
| Chemical oxygen demand (COD) | 1.7 g O ₂ /g substance |
| ThOD | 2.1 g O ₂ /g substance |
| TERPINOLENE (586-62-9) | |
| Persistence and degradability | Forming sediments in water. Biodegradability in soil: no data available. Adsorbs into the soil. |
| ThOD | 3.294 g O ₂ /g substance |

BETA-PINENE* (127-91-3)

Persistence and degradability

Readily biodegradable in water.

12.3. Bioaccumulative potential

| ETHYL ALCOHOL (64-17-5) | | |
|---|---|--|
| artition coefficient n-octanol/water (Log Pow) -0.35 (Experimental value, Equivalent or similar to OECD 107, 24 °C) | | |
| Bioaccumulative potential | Not bioaccumulative. | |
| TERPINOLENE (586-62-9) | | |
| Partition coefficient n-octanol/water (Log Pow) 4.23 | | |
| BETA-PINENE* (127-91-3) | | |
| BCF - Fish [1] | 1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer) | |
| Partition coefficient n-octanol/water (Log Pow) | ol/water (Log Pow) 4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C) | |
| Bioaccumulative potential Potential Potential for bioaccumulation (4 ≤ Log Kow ≤ 5). | | |

12.4. Mobility in soil

| ETHYL ALCOHOL (64-17-5) | |
|--|-----------------------------------|
| Surface tension | 22.31 mN/m (20 °C, 100 %) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 0.2 (log Koc, Experimental value) |
| Ecology - soil | Highly mobile in soil. |

07/05/2023 EN (English US) 7/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| BETA-PINENE* (127-91-3) | |
|---|---|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.009 – 3.836 (log Koc, Calculated value, Other isomer) |
| Ecology - soil | Low potential for mobility in soil. |

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description (DOT) : UN1197 Extracts, flavoring, liquid, 3, II

UN-No.(DOT) : UN1197

Proper Shipping Name (DOT) : Extracts, flavoring, liquid

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : II - Medium Danger Hazard labels (DOT) : 3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Special Provisions (49 CFR 172.102) : 149 - When transported as a limited quantity or a consumer commodity, the maximum net

capacity specified in 173.150(b)(2) of this subchapter for inner packaging may be increased to

5 L (1.3 gallons).

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110

kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when

the flash point of the hazardous material transported is greater than 0 C (32 F).

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

Emergency Response Guide (ERG) Number : 12

Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport document description (TDG) : UN1197 EXTRACTS, FLAVOURING, LIQUID, 3, II

UN-No. (TDG) : UN1197

07/05/2023 EN (English US) 8/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (TDG) : EXTRACTS, FLAVOURING, LIQUID TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids

Packing group (TDG) : II - Medium Danger

Explosive Limit and Limited Quantity Index : 5 L
Passenger Carrying Road Vehicle or Passenger : 5 L

Carrying Railway Vehicle Index

Transport by sea

Transport document description (IMDG) : UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, II

UN-No. (IMDG) : 1197

Proper Shipping Name (IMDG) : EXTRACTS, FLAVOURING, LIQUID

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : II - substances presenting medium danger

Limited quantities (IMDG) : 5 L

Air transport

Transport document description (IATA) : UN 1197 Extracts, liquid, 3, II

UN-No. (IATA) : 1197

Proper Shipping Name (IATA) : Extracts, liquid
Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : II - Medium danger

SECTION 15: Regulatory information

15.1. US Federal regulations

ETHYL ALCOHOL (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

MYRCENE (123-35-3)

Listed on the Canadian DSL (Domestic Substances List)

Nerolidol (isomer unspecified) (7212-44-4)

Listed on the Canadian DSL (Domestic Substances List)

BETA CARYOPHYLLENE (87-44-5)

Listed on the Canadian DSL (Domestic Substances List)

ETHYL ALCOHOL (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

L-ALPHA-PINENE (7785-26-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

TERPINOLENE (586-62-9)

Listed on the Canadian DSL (Domestic Substances List)

BETA-PINENE* (127-91-3)

Listed on the Canadian DSL (Domestic Substances List)

LINALOOL (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

07/05/2023 EN (English US) 9/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MYRCENE (123-35-3)

Listed on IARC (International Agency for Research on Cancer)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Nerolidol (isomer unspecified) (7212-44-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

BETA CARYOPHYLLENE (87-44-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

ETHYL ALCOHOL (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

L-ALPHA-PINENE (7785-26-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

TERPINOLENE (586-62-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

BETA-PINENE* (127-91-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations



This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Component | State or local regulations |
|------------------------|--|
| ETHYL ALCOHOL(64-17-5) | U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List |
| TERPINOLENE(586-62-9) | U.S New Jersey - Right to Know Hazardous Substance List |

SECTION 16: Other information

Revision date : 07/05/2023

07/05/2023 EN (English US) 10/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

| text of n-prirases. | |
|---------------------|--|
| H225 | Highly flammable liquid and vapor |
| H226 | Flammable liquid and vapor |
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H320 | Causes eye irritation |
| H335 | May cause respiratory irritation |
| H336 | May cause drowsiness or dizziness |
| | |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

07/05/2023 EN (English US) 11/11