

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 11/03/2022 Revision date: 11/03/2022 Supersedes: 11/03/2022 Version: 1.1

### **SECTION 1: Identification**

Identification 1.1.

Product form Mixture

Product name : NATURAL MANGO FLAVOR - MCT

Product code TBMCT106

#### 1.2. Recommended use and restrictions on use

#### **Supplier** 1.3.

EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089

## **Emergency telephone number**

: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 **Emergency number** 

CCN 13010

## SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture

#### **GHS US classification**

Flammable liquids Category 4

Combustible liquid Skin sensitization, Category 1

May cause an allergic skin reaction

## GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)



GHS07

Signal word (GHS US) : Warning

: Combustible liquid Hazard statements (GHS US)

May cause an allergic skin reaction

Precautionary statements (GHS US) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

### Other hazards which do not result in classification

No additional information available

### **Unknown acute toxicity (GHS US)**

Not applicable

11/03/2022 EN (English US) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name              | Product identifier  | %     | GHS US classification   |
|-------------------|---------------------|-------|---|
| D-LIMONENE        | (CAS-No.) 5989-27-5 | 1 – 5 | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Asp. Tox. 1, H304 |
| ETHYL BUTYRATE    | (CAS-No.) 105-54-4  | 1 – 5 | Flam. Liq. 3, H226<br>Eye Irrit. 2A, H319   |
| ETHYL CAPROATE    | (CAS-No.) 123-66-0  | 1 – 5 | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315   |
| ETHYL ISOVALERATE | (CAS-No.) 108-64-5  | 1 – 5 | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315   |

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

## 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

## 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

11/03/2022 EN (English US) 2/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling :

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **NATURAL MANGO FLAVOR - MCT**

No additional information available

### ETHYL BUTYRATE (105-54-4)

No additional information available

#### **D-LIMONENE (5989-27-5)**

No additional information available

### ETHYL CAPROATE (123-66-0)

No additional information available

#### ETHYL ISOVALERATE (108-64-5)

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures/Personal protective equipment

## Hand protection:

Protective gloves

## Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : YELLOW TO AMBER/ORANGE

Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE

Odor threshold : No data available pH : No data available

11/03/2022 EN (English US) 3/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : 69 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : 0.9357 (0.9257 – 0.9457)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

Refractive index : 1.44765 (1.43765 – 1.45765)

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| ETHYL BUTYRATE (105-54-4)   |  |
|---|--|
| LD50 oral rat   | > 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other: |
| LD50 dermal rat > 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Derr Toxicity), Remarks on results: other: |  |
| LC50 Inhalation - Rat [ppm]   | > 4000 ppm Animal: rat, Guideline: other:, Remarks on results: other:  |

| D-LIMONENE (5989-27-5) |  |   |
|------------------------|--|---|
| LD50 oral rat          |  | > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit     |  | > 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))                             |

Skin corrosion/irritation : Not classified

11/03/2022 EN (English US) 4/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

## **D-LIMONENE (5989-27-5)**

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Symptoms/effects after skin contact : May cause an allergic skin reaction.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

| ETHYL BUTYRATE (105-54-4) |  |  |
|---------------------------|--|--|
| LC50 - Fish [1]           | ≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  |  |
| EC50 - Crustacea [1]      | 116.6 mg/l Test organisms (species): Daphnia magna                                   |  |
| NOEC (chronic)            | 28833 mg/l Test organisms (species): Daphnia magna Duration: '21 d'                  |  |
| NOEC chronic fish         | 1483 mg/l Test organisms (species): other: Duration: '28 d'                          |  |
| D-LIMONENE (5989-27-5)    |  |  |
| LC50 - Fish [1]           | 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through |  |

| D-LIMONENE (5989-27-5) |  |
|------------------------|--|
| LC50 - Fish [1]        | 720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)                  |
| EC50 - Crustacea [1]   | 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP)     |
| LC50 - Fish [2]        | 702 μg/l Test organisms (species): Pimephales promelas   |
| EC50 - Crustacea [2]   | 0.51 mg/l Test organisms (species): Daphnia magna  |
| ErC50 algae            | 0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |

## 12.2. Persistence and degradability

| D-LIMONENE (5989-27-5)        |                                    |
|-------------------------------|------------------------------------|
| Persistence and degradability | Readily biodegradable in water.    |
| ThOD                          | 3.29 g O <sub>2</sub> /g substance |

## 12.3. Bioaccumulative potential

| D-LIMONENE (5989-27-5)                          |   |
|---|---|
| BCF - Fish [1]                                  | 864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)               |
| Partition coefficient n-octanol/water (Log Pow) | 4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C) |
| Bioaccumulative potential                       | Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).                    |

## 12.4. Mobility in soil

| D-LIMONENE (5989-27-5)  |  |
|---|--|
| Surface tension   | No data available in the literature                          |
| Organic Carbon Normalized Adsorption<br>Coefficient (Log Koc) | 3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil  | Low potential for mobility in soil.                          |

11/03/2022 EN (English US) 5/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### **Disposal methods**

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description (DOT) : NA1993 Combustible liquid, n.o.s. (d-Limonene, Ethyl butyrate) - Regulated for Bulk only,

Comb Liq, III

UN-No.(DOT) : NA1993

Proper Shipping Name (DOT) : Combustible liquid, n.o.s.

(d-Limonene, Ethyl butyrate) - Regulated for Bulk only

Class (DOT) : Comb Liq - Combustible liquid

: III - Minor Danger Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241

: D - Proper shipping name for domestic use only, or to and from Canada, G - Identifies PSN **DOT Symbols** 

requiring a technical name

: 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for DOT Special Provisions (49 CFR 172.102)

transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for

blasting in bulk and non-bulk packagings (i.e, a multipurpose bulk truck (MBT))

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T1 - 1.5 178.274(d)(2) Normal...... 178.275(d)(2)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

**DOT Vessel Stowage Location** A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Other information : No supplementary information available.

## **Transportation of Dangerous Goods**

Not applicable

#### Transport by sea

Not regulated

#### Air transport

Not regulated

11/03/2022 EN (English US) 6/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 15: Regulatory information

### 15.1. US Federal regulations

### ETHYL CAPROATE (123-66-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### ETHYL ISOVALERATE (108-64-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### **CANADA**

### ETHYL BUTYRATE (105-54-4)

Listed on the Canadian DSL (Domestic Substances List)

### **D-LIMONENE (5989-27-5)**

Listed on the Canadian DSL (Domestic Substances List)

### ETHYL CAPROATE (123-66-0)

Listed on the Canadian DSL (Domestic Substances List)

#### ETHYL ISOVALERATE (108-64-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

### ETHYL BUTYRATE (105-54-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### **D-LIMONENE (5989-27-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. US State regulations

**WARNING:** 

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| go to www.roovvarnings.ca.gov. |  |  |
|--------------------------------|--|--|
| Component                      | State or local regulations   |  |
| ETHYL BUTYRATE(105-54-4)       | U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List |  |
| ETHYL CAPROATE(123-66-0)       | U.S New Jersey - Right to Know Hazardous Substance List  |  |

## **SECTION 16: Other information**

Revision date : 11/03/2022

## Full text of H-phrases:

| H226 | Flammable liquid and vapor                   |
|------|--|
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation                       |
| H317 | May cause an allergic skin reaction          |
| H319 | Causes serious eye irritation                |

11/03/2022 EN (English US) 7/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

11/03/2022 EN (English US) 8/8