

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 02/12/2020 Revision date: 02/12/2020 Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: BLUEBERRY - PG (NATURAL)
CAS-No.	: N/A
Product code	: TBVAP101
1.2. Recommended use and restrictions	on use
No additional information available	
1.3. Supplier	
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	lixture
GHS US classification	
Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1	Flammable liquid and vapour Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction
2.2. GHS Label elements, including prec	autionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
	GHS02 GHS07
Signal word (GHS US)	GHS02 GHS07 : Warning
Hazard statements (GHS US)	<ul> <li>Warning</li> <li>Flammable liquid and vapour Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation</li> </ul>
	<ul> <li>Warning</li> <li>Flammable liquid and vapour Causes skin irritation May cause an allergic skin reaction</li> </ul>

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
2.3.	Other hazards which do not result in cl	assification
No add	litional information available	
2.4.	Unknown acute toxicity (GHS US)	
Not app	plicable	

## **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

### Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
BENZYL ALCOHOL	(CAS-No.) 100-51-6	10 - 25	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
HOWOOD OIL	(CAS-No.) 8022-91-1	5 - 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
ETHYL ISOVALERATE	(CAS-No.) 108-64-5	5 - 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315
ORANGE TERPENES	(CAS-No.) 68647-72-3	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
MENTHOL	(CAS-No.) 2216-51-5	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	ts (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and spe	ecial treatment, if necessary

Treat symptomatically.

SECT	SECTION 5: Fire-fighting measures			
5.1.	Suitable (and unsuitable) ext	inguishing media		
Suitable	e extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2.	Specific hazards arising from	n the chemical		
Fire haz	zard	: Flammable liquid and vapour.		
Reactiv	ity	: Flammable liquid and vapour.		
5.3.	Special protective equipment	t and precautions for fire-fighters		
Protecti	ion during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

000	Monday, March 26, 2012 / Rules and Regulations	
SECTION 6: Accidental release measures		
6.1. Personal precautions, protect	Personal precautions, protective equipment and emergency procedures	
6.1.1. For non-emergency personn	el de la constante de la const	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
	nteinment and elegning up	
6.3. Methods and material for con For containment	: Collect spillage.	
Methods for cleaning up	<ul> <li>Conect spinage.</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> </ul>	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13	3.	
<b>SECTION 7: Handling and stor</b>	age	
7.1. Precautions for safe handlin		
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage,	including any incompatibilities	
Technical measures	: Ground/bond container and receiving equipment.	
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed.	
SECTION 8: Exposure controls	s/personal protection	
8.1. Control parameters		
MENTHOL CRYSTALS, USP (2216-51	1-5)	
Not applicable		
BENZYL ALCOHOL (100-51-6)		
Not applicable		
ORANGE TERPENES (68647-72-3)		
Not applicable		
ETHYL ISOVALERATE NATURAL (10	08-64-5)	
Not applicable		
HOWOOD OIL FOOD GRADE (8022-9	91-1)	
Not applicable		
8.2. Appropriate engineering con	itrols	
Appropriate engineering controls	: Ensure good ventilation of the work station.	
Environmental exposure controls	: Avoid release to the environment.	
8.3 Individual protection measur	res/Personal protective equipment	

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
	: COLORLESS TO YELLOW	
Odor	: STRONG BLUEBERRY	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 36 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: 0.971 (0.961 - 0.981)	
Solubility	: Insoluble.	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
Refractive index	: 1.442 (1.432 - 1.452)	
<b>SECTION 10: Stability and reactivity</b>		
10.1. Reactivity		
Flammable liquid and vapour.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal co	onditions of use.	

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### SECTION 11: Toxicological information

#### Information on toxicological effects 11.1.

Acute toxicity

: Not classified

MENTHOL CRYSTALS, USP (2216-51-5	)	
ATE US (oral)	2600 mg/kg body weight	
BENZYL ALCOHOL (100-51-6)		
LD50 oral rat	1620 mg/kg bw/day (Rat, Male, Experimental value, Oral)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Inconclusive, insufficient data, Dermal)	
LC50 inhalation rat (mg/l)	> 4.178 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Experimental value, Inhalation (aerosol))	
ATE US (oral)	1620 mg/kg body weight	
ATE US (dermal)	2500 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
ORANGE TERPENES (68647-72-3)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat Female, Read-across, Oral)	
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)	
HOWOOD OIL FOOD GRADE (8022-91-	1)	
ATE US (oral)	3270 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity : Not classified		
ORANGE TERPENES (68647-72-3)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
TOT-single exposure	: Not classified	
TOT-repeated exposure	: Not classified	
spiration hazard	: Not classified	
symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.	
ymptoms/effects after eye contact : Eye irritation.		
	•	
ECTION 12: Ecological informa		
2.1. Toxicity		

Ecology - general	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
BENZYL ALCOHOL (100-51-6)	
LC50 fish 1	460 mg/l (EPA OPP 72-1, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 Daphnia 1	230 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Fresh water, Experimental value, GLP)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BENZYL ALCOHOL (100-51-6)	
ErC50 (algae)	770 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
ORANGE TERPENES (68647-72-3)	
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

#### 12.2. Persistence and degradability

BENZYL ALCOHOL (100-51-6)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.6 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	2.4 g O <sub>2</sub> /g substance	
ThOD	2.5 g O <sub>2</sub> /g substance	
ORANGE TERPENES (68647-72-3)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O <sub>2</sub> /g substance	

### 12.3. Bioaccumulative potential

BENZYL ALCOHOL (100-51-6)		
Log Pow	1 - 1.1 (Experimental value, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
ORANGE TERPENES (68647-72-3)		
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)	
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 $^{\circ}\text{C}$ )	
Bioaccumulative potential	Potential for bioaccumulation ( $4 \ge Log \text{ Kow} \le 5$ ).	

### 12.4. Mobility in soil

BENZYL ALCOHOL (100-51-6)	ENZYL ALCOHOL (100-51-6)	
Surface tension	39 mN/m (20 °C)	
Ecology - soil	No (test)data on mobility of the substance available.	
ORANGE TERPENES (68647-72-3)		
Ecology - soil	Adsorbs into the soil.	

### 12.5. Other adverse effects

No additional information available

3.1. Disposal methods	
Vaste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
dditional information	: Flammable vapors may accumulate in the container.
SECTION 14: Transport informat	ion
Department of Transportation (DOT)	
n accordance with DOT	
ransport document description	: UN1266 Perfumery products, 3, III
JN-No.(DOT)	: UN1266
Proper Shipping Name (DOT)	: Perfumery products
class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
acking group (DOT)	: III - Minor Danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT)	: 3 - Flammable liquid
	FLAMMABLE LIQUID
	3
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
	during transport, and tf is the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods Not applicable	
Transport by sea	
Transport document description (IMDG)	: UN 1266 PERFUMERY PRODUCTS, 3, III
UN-No. (IMDG)	: 1266
Proper Shipping Name (IMDG)	: PERFUMERY PRODUCTS
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1266 Perfumery products, 3, III
UN-No. (IATA)	: 1266
Proper Shipping Name (IATA)	: Perfumery products
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	

MENTHOL CRYSTALS, USP (2216-51-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### BENZYL ALCOHOL (100-51-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ORANGE TERPENES (68647-72-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
ETHYL ISOVALERATE NATURAL (108-64-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
HOWOOD OIL FOOD GRADE (8022-91-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

#### 15.2. International regulations CANADA

MENTHOL CRYSTALS, USP (2216-51-5)	
Listed on the Canadian DSL (Domestic Substances List)	
BENZYL ALCOHOL (100-51-6)	
Listed on the Canadian DSL (Domestic Substances List)	
ORANGE TERPENES (68647-72-3)	
Listed on the Canadian DSL (Domestic Substances List)	
ETHYL ISOVALERATE NATURAL (108-64-5)	
Listed on the Canadian DSL (Domestic Substances List)	
HOWOOD OIL FOOD GRADE (8022-91-1)	
Listed on the Canadian DSL (Domestic Substances List)	

#### **EU-Regulations**

No additional information available

#### National regulations

No additional information available

#### 15.3. US State regulations

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

<b>SECTION 16: Other inf</b>	ormation	
Revision date	: 02/12/2020	
Full text of H-phrases:		
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	

SDS US (GHS HazCom 2012) - Extract Consultants

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.