

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 02/12/2020 Revision date: 09/28/2020 Supersedes: 02/12/2020 Version: 1.2

TERPENES, FLAVORS & EFFECTS BLENDS TM	· · · · · · · · · · · · · · · · · · ·
SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: PEACHES AND CREAM - PG (NATURAL)
CAS-No.	: N/A
Product code	: TBVAP104
1.2. Recommended use and res	rictions on use
No additional information available	
1.3. Supplier	
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 8021 www.extractconsultants.com INFORMATION: 1-888-541-9089	
1.4. Emergency telephone numb	er
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) identifi	cation
2.1. Classification of the substa	
GHS US classification	
Flammable liquids Category 4 Serious eye damage/eye irritation Category 1 Skin sensitization, Category 1	ory 2 Combust ble liquid Causes serious eye irritation May cause an allergic skin reaction
2.2. GHS Label elements, includ	ng precautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	: GHS07
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: Combustible liquid May cause an allergic skin reaction Causes serious eye irritation
Precautionary statements (GHS US)	<ul> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Wash hands, forearms and face thoroughly after handling.</li> <li>Contaminated work clothing must not be allowed out of the workplace.</li> <li>Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>If on skin: Wash with plenty of water.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>Specific treatment (see supplemental first aid instruction on this label).</li> <li>If skin irritation or rash occurs: Get medical advice/attention.</li> <li>If eye irritation persists: Get medical advice/attention.</li> <li>Wash contaminated clothing before reuse.</li> <li>In case of fire: Use media other than water to extinguish.</li> <li>Store in a well-ventilated place. Keep cool.</li> <li>Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.3. Other hazards which do not result in classification

#### No additional information available

## 2.4. Unknown acute toxicity (GHS US)

### Not applicable

## **SECTION 3: Composition/Information on ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
VANILLIN	(CAS-No.) 121-33-5	5 - 10	Eye Irrit. 2, H319
GAMMA DECALACTONE	(CAS-No.) 706-14-9	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
LINALOOL	(CAS-No.) 78-70-6	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
BENZALDEHYDE	(CAS-No.) 100-52-7	1-5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects	s (acute and delayed)
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and spe	cial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	ng media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the che	mical
Fire hazard	: Combustible liquid.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment and pre	cautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	ipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	
Methods for cleaning up Other information	<ul> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storag	je
7.1. Precautions for safe handling Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing
recations for sale nariding	dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
SECTION 8: Exposure controls/p	personal protection
8.1. Control parameters	
VANILLIN NATURAL (121-33-5)	
Not applicable	
	06-14-9)
DECALACTONE GAMMA NATURAL (70	
DECALACTONE GAMMA, NATURAL (70 Not applicable	
Not applicable	
Not applicable LINALOOL NATURAL EXHOWOOD 98% Not applicable	
Not applicable LINALOOL NATURAL EXHOWOOD 98% Not applicable BENZALDEHYDE NATURAL (100-52-7)	
Not applicable LINALOOL NATURAL EXHOWOOD 98% Not applicable	
Not applicable LINALOOL NATURAL EXHOWOOD 98% Not applicable BENZALDEHYDE NATURAL (100-52-7) Not applicable	6 (78-70-6)
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.         Appropriate engineering control	6 (78-70-6)
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering control         Appropriate engineering controls	6 (78-70-6)  DIS  : Ensure good ventilation of the work station.
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering controls         Environmental exposure controls	6 (78-70-6)  DIS  Ensure good ventilation of the work station. Avoid release to the environment.
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering controls         Environmental exposure controls	6 (78-70-6)  DIS  : Ensure good ventilation of the work station.
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering control         Appropriate engineering controls         Environmental exposure controls         8.3.       Individual protection measures/	6 (78-70-6)  DIS  Ensure good ventilation of the work station. Avoid release to the environment.
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering controls         Environmental exposure controls         8.3.       Individual protection measures/         Hand protection:	6 (78-70-6)  DIS  Ensure good ventilation of the work station. Avoid release to the environment.
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering controls         Environmental exposure controls         8.3.       Individual protection measures         Hand protection:         Protective gloves	6 (78-70-6)  DIS  Ensure good ventilation of the work station. Avoid release to the environment.
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering controls         Environmental exposure controls         8.3.       Individual protection measures/         Hand protection:         Protective gloves         Eye protection:	6 (78-70-6)  DIS  Ensure good ventilation of the work station. Avoid release to the environment.
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering controls         Environmental exposure controls         8.3.       Individual protection measures         Hand protection:         Protective gloves         Eye protection:         Safety glasses	6 (78-70-6)  DIS  Ensure good ventilation of the work station. Avoid release to the environment.
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering controls         Environmental exposure controls         8.3.       Individual protection measures/         Hand protection:         Protective gloves         Eye protection:         Safety glasses         Skin and body protection:	6 (78-70-6)  DIS  Ensure good ventilation of the work station. Avoid release to the environment.
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering controls         Environmental exposure controls         8.3.       Individual protection measures/         Hand protection:         Protective gloves         Eye protection:         Safety glasses         Skin and body protection:         Wear suitable protective clothing	6 (78-70-6)  DIS  Ensure good ventilation of the work station. Avoid release to the environment.
Not applicable  LINALOOL NATURAL EXHOWOOD 98% Not applicable  BENZALDEHYDE NATURAL (100-52-7) Not applicable  8.2. Appropriate engineering controls Environmental exposure controls 8.3. Individual protection measures/ Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: Wear suitable protective clothing Respiratory protection:	6 (78-70-6)  Sis  Ensure good ventilation of the work station. Avoid release to the environment.  /Personal protective equipment
Not applicable  LINALOOL NATURAL EXHOWOOD 98% Not applicable  BENZALDEHYDE NATURAL (100-52-7) Not applicable  8.2. Appropriate engineering controls  8.3. Individual protection measures/ Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: Wear suitable protective clothing Respiratory protection: In case of insufficient ventilation, wear suitable	6 (78-70-6)  Sis  Ensure good ventilation of the work station. Avoid release to the environment.  /Personal protective equipment
Not applicable  LINALOOL NATURAL EXHOWOOD 98% Not applicable  BENZALDEHYDE NATURAL (100-52-7) Not applicable  8.2. Appropriate engineering controls Environmental exposure controls 8.3. Individual protection measures/ Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: Wear suitable protective clothing Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment	6 (78-70-6)
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering controls         Environmental exposure controls         B.3.       Individual protection measures/         Hand protection:         Protective gloves         Eye protection:         Safety glasses         Skin and body protection:         Wear suitable protection:         In case of insufficient ventilation, wear suital respiratory equipment         SECTION 9: Physical and chemic	6 (78-70-6)    Solv   Ensure good ventilation of the work station.  Avoid release to the environment.   /Personal protective equipment  ble  cal properties
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering controls         Environmental exposure controls         B.3.       Individual protection measures/         Hand protection:         Protective gloves         Eye protection:         Safety glasses         Skin and body protection:         Wear suitable protection:         In case of insufficient ventilation, wear suital respiratory equipment         SECTION 9: Physical and chemic         9.1.       Information on basic physical and	6 (78-70-6)    Solv   Ensure good ventilation of the work station.  Avoid release to the environment.   /Personal protective equipment  ble  cal properties
Not applicable         LINALOOL NATURAL EXHOWOOD 98%         Not applicable         BENZALDEHYDE NATURAL (100-52-7)         Not applicable         8.2.       Appropriate engineering controls         Environmental exposure controls         B.3.       Individual protection measures/         Hand protection:         Protective gloves         Eye protection:         Safety glasses         Skin and body protection:         Wear suitable protection:         In case of insufficient ventilation, wear suital respiratory equipment         SECTION 9: Physical and chemic	6 (78-70-6)  DIS    Ensure good ventilation of the work station.  Avoid release to the environment.  /Personal protective equipment  ble  cal properties and chemical properties

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 78 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.028 (1.018 - 1.038)
Solubility	: Insoluble.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.443 (1.433 - 1.453)

SECTION 10: Stability and reactivity				
10.1.	Reactivity			

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

Acute toxicity

#### **10.6.** Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified

VANILLIN NATURAL (121-33-5)			
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value, Oral, 14 day(s))		
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 14 day(s))		
ATE US (oral)	3300 mg/kg body weight		
DECALACTONE GAMMA, NATURAL (706-14-9	)		
LD50 oral rat	5000 mg/kg (Rat, Oral)		
ATE US (oral)	5000 mg/kg body weight		
LINALOOL NATURAL EXHOWOOD 98% (78-70-6)			
ATE US (oral)	2790 mg/kg body weight		
09/28/2020	EN (English US) 4/7		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BENZALDEHYDE NATURAL (100-52-7)	
LD50 oral rat	1300 mg/kg (Rat, Oral)
LD50 dermal rat	> 1250 mg/kg (Rat, Dermal)
LD50 dermal rabbit	5000 mg/kg (Rabbit, Dermal)
ATE US (oral)	1300 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
2.1. Toxicity Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse
	effects in the environment.
VANILLIN NATURAL (121-33-5)	
LC50 fish 1	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	
	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7)	system, Fresh water, Experimental value, GLP) 120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7) LC50 fish 1	system, Fresh water, Experimental value, GLP)         120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)         11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7)	system, Fresh water, Experimental value, GLP) 120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7) LC50 fish 1 EC50 Daphnia 1 2.2. Persistence and degradability	system, Fresh water, Experimental value, GLP) 120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) 11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7) LC50 fish 1 EC50 Daphnia 1	system, Fresh water, Experimental value, GLP)         120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)         11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7) LC50 fish 1 EC50 Daphnia 1 2.2. Persistence and degradability	system, Fresh water, Experimental value, GLP)         120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)         11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7) LC50 fish 1 EC50 Daphnia 1 12.2. Persistence and degradability VANILLIN NATURAL (121-33-5)	system, Fresh water, Experimental value, GLP)         120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)         11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)         50 mg/l (24 h, Daphnia magna)         Readily biodegradable in water.
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7) LC50 fish 1 EC50 Daphnia 1 12.2. Persistence and degradability VANILLIN NATURAL (121-33-5) Persistence and degradability	system, Fresh water, Experimental value, GLP)         120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)         11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)         50 mg/l (24 h, Daphnia magna)         Readily biodegradable in water.
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7) LC50 fish 1 EC50 Daphnia 1 12.2. Persistence and degradability VANILLIN NATURAL (121-33-5) Persistence and degradability DECALACTONE GAMMA, NATURAL (700	system, Fresh water, Experimental value, GLP)          120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)         11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)         50 mg/l (24 h, Daphnia magna)         Readily biodegradable in water.
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7) LC50 fish 1 EC50 Daphnia 1 12.2. Persistence and degradability VANILLIN NATURAL (121-33-5) Persistence and degradability DECALACTONE GAMMA, NATURAL (700 Persistence and degradability	system, Fresh water, Experimental value, GLP)          120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)         11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)         50 mg/l (24 h, Daphnia magna)         Readily biodegradable in water.
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7) LC50 fish 1 EC50 Daphnia 1 12.2. Persistence and degradability VANILLIN NATURAL (121-33-5) Persistence and degradability DECALACTONE GAMMA, NATURAL (700 Persistence and degradability BENZALDEHYDE NATURAL (100-52-7)	system, Fresh water, Experimental value, GLP)          120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)         11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)         50 mg/l (24 h, Daphnia magna)         Readily biodegradable in water.         6-14-9)         Biodegradability in water: no data available.
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7) LC50 fish 1 EC50 Daphnia 1 12.2. Persistence and degradability VANILLIN NATURAL (121-33-5) Persistence and degradability DECALACTONE GAMMA, NATURAL (700 Persistence and degradability BENZALDEHYDE NATURAL (100-52-7) Persistence and degradability	system, Fresh water, Experimental value, GLP)         120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)         11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)         50 mg/l (24 h, Daphnia magna)         Readily biodegradable in water.         Biodegradable in water: no data available.         Biodegradable in the soil. Readily biodegradable in water.
ErC50 (algae) BENZALDEHYDE NATURAL (100-52-7) LC50 fish 1 EC50 Daphnia 1 12.2. Persistence and degradability VANILLIN NATURAL (121-33-5) Persistence and degradability DECALACTONE GAMMA, NATURAL (700 Persistence and degradability BENZALDEHYDE NATURAL (100-52-7) Persistence and degradability Biochemical oxygen demand (BOD)	system, Fresh water, Experimental value, GLP)         120 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)         11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)         50 mg/l (24 h, Daphnia magna)         Readily biodegradable in water.         Biodegradable in water: no data available.         Biodegradable in the soil. Readily biodegradable in water.         1.62 g O <sub>2</sub> /g substance

12.3. Bioaccumulative potential

BOD (% of ThOD)

0.67

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VANILLIN NATURAL (121-33-5)			
Log Pow	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
DECALACTONE GAMMA, NATURAL (706-14-9)			
Bioaccumulative potential	No bioaccumulation data available.		
BENZALDEHYDE NATURAL (100-52-7)			
BCF other aquatic organisms 1 4.2 - 7.8 (Estimated value)			
Log Pow	1.48 (Experimental value)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
12.4. Mobility in soil			
VANILLIN NATURAL (121-33-5)			
Log Koc	3.438 (log Koc, Experimental value)		
Ecology - soil	Low potential for mobility in soil.		

# BENZALDEHYDE NATURAL (100-52-7) Surface tension 0.04 N/m (20 °C)

### 12.5. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

**13.1. Disposal methods** Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

Department of Transportation (DOT) In accordance with DOT Not regulated

# Transportation of Dangerous Goods

Not applicable

# Transport by sea

Not applicable

## Air transport

Not applicable

## **SECTION 15: Regulatory information**

15.1. US Federal regulations

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **DECALACTONE GAMMA, NATURAL (706-14-9)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

LINALOOL NATURAL EXHOWOOD 98% (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### BENZALDEHYDE NATURAL (100-52-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# 15.2. International regulations CANADA

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VANILLIN NATURAL (121-33-5)
Listed on the Canadian DSL (Domestic Substances List)
DECALACTONE GAMMA, NATURAL (706-14-9)
Listed on the Canadian DSL (Domestic Substances List)
LINALOOL NATURAL EXHOWOOD 98% (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
BENZALDEHYDE NATURAL (100-52-7)
Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

BENZALDEHYDE NATURAL (100-52-7)
U.S New Jersey - Right to Know Hazardous Substance List
SECTION 16: Other information

Revision date	: 09/28/2020
Full text of H-phrases:	
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

#### SDS US (GHS HazCom 2012) - Extract Consultants

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.