

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/09/2019 Revision date: 01/09/2019 Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: GRAPE APE SOLVENT FREE TERPENE FLAVOR
CAS-No.	: N/A
Product code	: TPBL15
1.2. Recommended use and restrictions	on use
No additional information available	
1.3. Supplier	
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	nixture
GHS-US classification	
Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1 Aspiration hazard Category 1	Flammable liquid and vapour Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May be fatal if swallowed and enters airways
2.2. GHS Label elements, including prec GHS-US labeling	autionary statements
Hazard pictograms (GHS-US)	
	GHS02 GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	<ul> <li>Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Keep container tightly closed.</li> <li>Ground/Bond container and receiving equipment</li> <li>Use explosion-proof electrical/ventilating/lighting equipment</li> <li>Use only non-sparking tools.</li> <li>Take precautionary measures against static discharge.</li> <li>Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>Wash hands, forearms and face thoroughly after handling.</li> <li>Contaminated work clothing must not be allowed out of the workplace</li> <li>Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>If swallowed: Immediately call a poison center or doctor</li> </ul>
	If on skin: Wash with plenty of water If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

and easy to do. Continue rinsing Specific treatment (see supplemental first aid instruction on this label) Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

2.3. Other hazards which do not result in classification

#### No additional information available

2.4. Unknown acute toxicity (GHS US)

#### Not applicable

### SECTION 3: Composition/Information on ingredients

### 3.1. Substances

### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
BETA CARYOPHYLLENE	(CAS-No.) 87-44-5	25 - 50	Skin Sens. 1B, H317 Asp. Tox. 1, H304
ALPHA PINENE	(CAS-No.) 7785-26-4	10 - 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
METHYL ANTHRANILATE	(CAS-No.) 134-20-3	5 - 10	Eye Irrit. 2, H319
BETA PINENE	(CAS-No.) 18172-67-3	5 - 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
ORANGE TERPENES	(CAS-No.) 68647-72-3	5 - 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
ETHYL ACETATE	(CAS-No.) 141-78-6	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
EUCALYPTOL	(CAS-No.) 470-82-6	1 - 5	Flam. Liq. 3, H226 Skin Sens. 1B, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measure	es
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and	effects (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.
4.3. Immediate medical attention an	nd special treatment, if necessary
<b>T</b> ( ) ( )	

Treat symptomatically.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTI	ON 5: Fire-fighting measures	
5.1.	Suitable (and unsuitable) extinguishing	g media
Suitable	extinguishing media :	Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	Specific hazards arising from the chen	nical
Fire haza	ard :	Flammable liquid and vapour.
Reactivit	у :	Flammable liquid and vapour.
5.3.	Special protective equipment and prec	autions for fire-fighters
Protectio	n during firefighting :	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTI	ON 6: Accidental release measu	res
6.1.	Personal precautions, protective equip	oment and emergency procedures
6.1.1.	For non-emergency personnel	
Emerger	cy procedures :	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2.	For emergency responders	
Protectiv	e equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid rel	ease to the environment.	
6.3.	Methods and material for containment	and cleaning up
Methods	for cleaning up :	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other inf	ormation :	Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For furth	er information refer to section 13.	
SECTI	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precautio	ons for safe handling :	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene	measures :	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, including	any incompatibilities
Technica	al measures :	Ground/bond container and receiving equipment.
Storage	conditions :	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
SECTI	ON 8: Exposure controls/person	al protection
8.1.	Control parameters	
ALPHA	A PINENE (7785-26-4)	
Not app	blicable	
BETA	PINENE (18172-67-3)	
Not app	olicable	
BETA Not app	CARYOPHYLLENE (87-44-5) Dilicable	
· · ·	ACETATE (141-78-6)	
	Dicable	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

RANGE TERPENES (68647-72-3)	
lot applicable	
UCALYPTOL (470-82-6)	
lot applicable	
IETHYL ANTHRANILATE (134-20-3)	
lot applicable	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Color	: YELLOW TO AMBER
Odor	: CHARACTERISTIC OF TERPENES
Odor threshold	: No data available
H	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 35 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
/apor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.9 (0.890 - 0.910)
Solubility	: Insoluble.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
/iscosity, kinematic	: No data available
/iscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Dxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.484 (1.474 - 1.494)
06/13/2019	EN (English US) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.1       Reschwigh         Flammable liquid and vapour.         10.2       Chemical stability         Stable under normal conditions.         10.3.       Possibility of hazardous reactions.         10.4.       Conditions to avid         Not donage trub that surfaces. Hear. No fames, no sparks. Eliminate all sources of ignition.         10.5.       Rossibility of hazardous decomposition products         Not donates that has surfaces.       Rossibility of hazardous decomposition products should not be produced.         Section 11.1       Information aviable         10.6.       Hazardous decomposition products         Section 11.1       Information         11.1       Information         11.1       Information         11.1       Information         11.1       Information         11.1       Robert-72-3)         11.1       Differentes (66947-72-3)	SECTION 10: Stability and reactivity		
10.2       Chemical stability         Stable under normal conditions.       10.3. Possibility of hazardous reactions         10.4.1       Conditions to avoid         Not dangerous reactions known under normal conditions of use.       10.4.1         10.4.1       Conditions to avoid         Not donset with the stardaces. Heat. No fames, no sparks. Eliminate all sources of ignition.       10.5.1         10.5.1       Incompatible materials       10.6         No additional information available       10.6       Nazardous decomposition products         10.1       Information available       10.6       10.6         10.1       Information on toxicological information       11.1       Information       10.6         11.1       Information       10.7       3700 mg/kg body weight (OECD 423. Acute Oral Toxicity – Acute Toxic Class Method, Rat, Pomale, Read-acutos, Oral)       10.0       10.0         10.50 dermal rabbit       > 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Pomale, Ked-acutos, Oral)       10.0       10.0         10.50 dermal rabbit       > 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Malefernale, Experimental Aule, Chai, 14.4000 mg/kg body weight (OECD 402: Acute Darmal Toxicity, 24 h, Rat, Malefernale, Experimental Aule, Chai, 14.4000 mg/kg body weight (OECD 402: Acute Darmal Toxicity, 24 h, Rat, Malefernale, Experimental Aule, Chai, 14.4000, 20.0000 mg/kg body weight (OECD 402: Acute Da	10.1. Reactivity		
Stable under normal conditions.         10.1       Poisibility of hazardous reactions.         10.4       Conditions to avoid         Avoid contact with hot surfaces. Heal: No flames, no sparks. Eliminate all sources of ignition.       10.1         10.5       Incompatible materials         No additional information available       10.1         10.6       Hazardous decomposition products         Noter normal conditions of storage and use, hazardous decomposition products should not be produced.         SECTION 11: Toxicological information         Toxicological information         Toxicological information on toxicological effects         Section 11: Toxicological effects         Doto on intat         Fermale, Read across, Oral         Doto marks body weight (OECD 401: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Fernale, Read across, Oral         Doto marks body weight (OECD 402: Acute Dermal Toxicity, Rat, Malefemale, Ex			
Stable under normal conditions.         10.1       Poisibility of hazardous reactions.         10.4       Conditions to avoid         Avoid contact with hot surfaces. Heal: No flames, no sparks. Eliminate all sources of ignition.       10.1         10.5       Incompatible materials         No additional information available       10.1         10.6       Hazardous decomposition products         Noter normal conditions of storage and use, hazardous decomposition products should not be produced.         SECTION 11: Toxicological information         Toxicological information         Toxicological information on toxicological effects         Section 11: Toxicological effects         Doto on intat         Fermale, Read across, Oral         Doto marks body weight (OECD 401: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Fernale, Read across, Oral         Doto marks body weight (OECD 402: Acute Dermal Toxicity, Rat, Malefemale, Ex			
No dangerous reactions known under normal conditions of use.         10.4       Conditions to avoid         Nod contaxt with hot surfaces. Heat. No finames, no sparks. Eliminate all sources of ignition.       Image: Source			
No dangerous reactions known under normal conditions of use.         10.4       Conditions to avoid         Nod contaxt with hot surfaces. Heat. No finames, no sparks. Eliminate all sources of ignition.       Image: Source	10.3 Possibility of bazardous reactions		
10.4. Conditions to avoid         Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.         10.5. Incompatible materials         No additional information available         10.6. Hazardous decomposition products         Inder romat conditions of storage and use, hazardous decomposition products should not be produced.         SECTION 11: Toxicological information         11.1. Information on toxicological information         ORANGE TERPENES (66647-72-3)         DL50 oral rat         D150 oral rat         2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Fernale, Read across, Oral)         D50 oral rat         2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, – Acute Toxic Class Method, Rat, Fernale, Read across, Oral)         D50 oral rat         2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 1 da (vel(s))         1D50 oral rat         2000 mg/kg body weight (OECD 402: Acute Derma Toxicity, Rat, Male/female, Experimental value, Oral, 1 da (vel(s))         1D50 derma I rat         2000 mg/kg body weight (OECD 402: Acute Derma Toxicity, Rat, Male/female, Experimental value, Oral, 1 da (vel(s))         1D50 derma I rat       2400 mg/kg body weight (OECD 402: Acute Derma Toxicity, 24 h, Rat, Male/female, Experimental value, Oral, 1 da (vel(s))         1ATE US (oral)       2 720 mg/kg body weigh	,	ditions of use.	
Avid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.         10.5.       Incompatible materials         No additional information available       Information available         10.6.       Hazardous decomposition products         Structure       Section 115 Toxicological information         Structure       Information on toxicological effects         Acute toxicity       : Not classified         Image: Section 115 Toxicological effects       Section 115 Toxicological effects         Acute toxicity       : Not classified         Image: Section 115 Toxicological effects       Section 115 Toxicological effects         Difference       Section 115 Toxicological effects     <	5		
10.5.       Incompatible materials         No. Hazardous decomposition products         10.6.       Hazardous decomposition products         Inder normal conditions of strategy and use, hazardous decomposition products should not be produced.         SECTION 11: Toxicological information         11.         Information on toxicological effects         Acute toxicity         Acute toxicity         Ongrkg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Fennale, Read-across, Oral)         LD50 oral rat         DECOLUTION (170-82-64)         DECOLU		no sparks. Eliminate all sources of ignition	
No additional information available         10.4. Hazardous decomposition products         Under normal conditions of storage and use, hazardous decomposition products should not be produced.         SECTION 111 Toxicological information         11.1. Information on toxicological offects         Actue toxicity       : Not classified         MARCE TERPENES (68647-72-3)         LD50 oral rat       > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 dermal rabbit       > 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 dermal rabbit       > 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Act, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       > 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, 24 h, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       > 2000 mg/kg body weight (OECD 401: Acute Darmal Toxicity, 24 h, Rat, Male/female, Experimental value, Oral, 15 day(s))         ATE US (oral)       2 480 mg/kg body weight (OECD 402: Acute Darmal Toxicity, 24 h, Rat, Male/female, Experimental value, Oral, 15 day(s))         ATE US (oral)       2 780 mg/kg body weight (OECD 402: Acute Darmal Toxicity, 24 h, Rat, Male/female, Experimental value, Oral, 15 day(s))         ATE US (oral)       2 780 mg/kg body weight (OECD 402: Acute Darmal Toxicity, 24 h, Rat, Male/female, Experimental value, Oral, 15 day(s)) <tr< td=""><td></td><td></td></tr<>			
0.0.       Hazardous decomposition products         Dider normal conditions of storage and use, hazardous decomposition products should not be produced.         SECTION 111 CostCological information         11.1       Information on toxicological effects         Are usicity       : Not classified         Image: CostCological effects         Are Usi (oral)       3700 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 oral rat       > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 oral rat       > 2000 mg/kg body weight (CECD 421: Acute Oral Toxicity, - Acute Toxic Class Method, Rat, Temale, Read-across, Oral)         LD50 dermal rabbit       > 5000 mg/kg body weight (CECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Ofar (1 davis))         LD50 dermal rat       > 2000 mg/kg body weight (DECD 401: Acute Oral Toxicity, 24 h, Rat, Male/female, Experimental value, Oral X davis)         METUL ANTHRANLET (134-20-3)       Z180 mg/kg body weight         Are Us (oral)       Z180 mg/kg body weight         Serious eye damage/irritation       : Causes strin irritation.         Respiration yritation       : Causes strin irritation.         Serious eye damage/irritation       : Alot classified         Carinegenicity       : Not classified         Carinegenicity			
Under normal conditions of storage and use, hazardous decomposition products should not be produced.         SECTION 11: Coxicological information         11.       Information on toxicological effects         Active toxicity       : Not classified			
SECTION 11: Toxicological information         11.1       Information on toxicological effects         Acute toxicity : Not classified <b>LPHA PINENE (7785-26-4)</b> ATE US (oral) : 3700 mg/kg body weight (DECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Fernale, Read-across, Oral)             LD50 oral rat : S000 mg/kg body weight (DECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Fernale, Read-across, Oral)             LD50 odermal rabbit : S000 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male/fernale, Experimental value, Oral, 14 day(s))             LD50 odermal rat : S000 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male/fernale, Experimental value, Oral, 14 day(s))             LD50 dermal rat : S000 mg/kg body weight (DECD 401: Acute Oral Toxicity, 24 h, Rat, Male/fernale, Experimental value, Oral, 15 day(s))             LD50 dermal rat : S000 mg/kg body weight (DECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/fernale, Experimental value, Oral, 15 day(s))             ATE US (oral) : Z480 mg/kg body weight             METHYL ANTHRANILATE (134-20-3)             ATE US (oral) : Causes skin infration.             Serious eye damage/infration : Causes skin infration.             Respiration y or skin sensitization : May cause an altergic skin reaction.             Germe ell mutagenicity : Not classified              Secoffic target orga			
11.1       Information on toxicological effects         Acute toxicity       : Not classified         Acute toxicity       : Not classified         ATE US (oral)       3700 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Resd-across, Oral)         LD50 oral rat       > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Resd-across, Oral)         LD50 dermal rabbit       > 5000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       > 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         LD50 dermal rat       > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         ATE US (oral)       2480 mg/kg body weight         EVENTL ANTHRANILATE (134-20-3)       Causes skni initiation.         ATE US (oral)       Z780 mg/kg body weight         Serious eye damage/initiation       : Causes skni initiation.         Cerious end untagenicity       : May cause an allergic skin reaction.         Carcingenicity       : Not classified         Carcingenicity       : Not classified         Specific target organ toxicity – repeated       : Not classified         Specific target organ toxicity – repeated       : Not classified	Under normal conditions of storage and use, haza	ardous decomposition products should not be produced.	
Acute toxicity       : Not classified         Image: Arter US (oral)       3700 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         ID50 oral rat       > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         ID50 dermal rabbit       > 5000 mg/kg body weight (GECD 401: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         ID50 dermal rat       > 5000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         ID50 dermal rat       > 2000 mg/kg body weight (OECD 402: Acute Oral Toxicity, 24 h, Rat, Male/female, Experimental value, Oral, 15 day(s))         ATE US (oral)       2 280 mg/kg body weight         METHYL ANTHRANILATE (134-20-3)       Z480 mg/kg body weight         ATE US (oral)       2 280 mg/kg body weight         Sthic corrosion/irritation       : Causes serious eye irritation.         Serious eye damage/irritation       : Causes serious eye irritation.         Geracingenicity       : Not classified         Carcinogenicity       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target or	<b>SECTION 11: Toxicological information</b>	on	
ALPHA PINENE (7785-26-4)         ATE US (oral)       3700 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 oral rat       > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 dermal rabbit       > 5000 mg/kg body weight (CECD 402: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         EUCALYPTOL (470-82-6)       LD50 oral rat       4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       4500 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Oral, 14 day(s))         ATE US (oral)       2480 mg/kg body weight       CECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         ATE US (oral)       2780 mg/kg body weight       CECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         ATE US (oral)       2780 mg/kg body weight       CECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         Skin corrosion/irritation       : Causes skin irritation.       Cecesses serios eye irritation.         Respiratory or skin sensitization       : May cause an allergic skin reaction.       Cerman	11.1. Information on toxicological effects		
ALPHA PINENE (7785-26-4)         ATE US (oral)       3700 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 oral rat       > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 dermal rabbit       > 5000 mg/kg body weight (CECD 402: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         EUCALYPTOL (470-82-6)       LD50 oral rat       4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       4500 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Oral, 14 day(s))         ATE US (oral)       2480 mg/kg body weight       CECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         ATE US (oral)       2780 mg/kg body weight       CECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         ATE US (oral)       2780 mg/kg body weight       CECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         Skin corrosion/irritation       : Causes skin irritation.       Cecesses serios eye irritation.         Respiratory or skin sensitization       : May cause an allergic skin reaction.       Cerman			
ATE US (oral)       3700 mg/kg body weight         ORANCE TERPENES (68647-72-3)       -         LD50 oral rat       > 2000 mg/kg body weight (DECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 dermal rabbit       > 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)         EUCALYPTOL (470-82-6)       LD50 oral rat         LD50 dermal rat       4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       2 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         ATE US (oral)       2 2780 mg/kg body weight         METHYL ANTRANILATE (134-20-3)       ATE US (oral)         ATE US (oral)       2 780 mg/kg body weight         Skin corrosion/irritation       : Causes skin irritation.         Respiratory or skin sensitization       : May cause an allergic skin reaction.         Germ cell mutagenicity       : Not classified         ORANGE TERPENES (68647-72-3)       IARC group         IARC group       3 - Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – single exposure       : Not classified	Acute toxicity	: Not classified	
ATE US (oral)       3700 mg/kg body weight         ORANCE TERPENES (68647-72-3)       -         LD50 oral rat       > 2000 mg/kg body weight (DECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 dermal rabbit       > 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)         EUCALYPTOL (470-82-6)       LD50 oral rat         LD50 dermal rat       4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       2 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         ATE US (oral)       2 2780 mg/kg body weight         METHYL ANTRANILATE (134-20-3)       ATE US (oral)         ATE US (oral)       2 780 mg/kg body weight         Skin corrosion/irritation       : Causes skin irritation.         Respiratory or skin sensitization       : May cause an allergic skin reaction.         Germ cell mutagenicity       : Not classified         ORANCE TERPENES (68647-72-3)       IARC group         IARC group       3 - Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – single exposure       : Not classified	ALPHA PINENE (7785-26-4)		
LD50 oral rat       > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 dermal rabbit       > 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)         EUCALYPTOL (470-82-6)       4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       4500 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Oral, 14 day(s))         ATE US (oral)       2480 mg/kg body weight         Matter US (oral)       2780 mg/kg body weight         Stin corrosion/mittation       : Causes skin irritation.         Serious eye damage/irritation       : Causes an allergic skin reaction.         Germ cell mutagenicity       : Not classified         ORANGE TERPENES (68647-72-3)       1 - Not classified         IARC group       3 - Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified	· · ·	3700 mg/kg body weight	
LD50 oral rat       > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)         LD50 dermal rabbit       > 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)         EUCALYPTOL (470-82-6)       4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       4500 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Oral, 14 day(s))         ATE US (oral)       2480 mg/kg body weight         Matter US (oral)       2780 mg/kg body weight         Stin corrosion/mittation       : Causes skin irritation.         Serious eye damage/irritation       : Causes an allergic skin reaction.         Germ cell mutagenicity       : Not classified         ORANGE TERPENES (68647-72-3)       1 - Not classified         IARC group       3 - Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified			
Female, Read-across, Oral)         LD50 dermal rabbit       > 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)         EUCALYPTOL (470-82-6)       LD50 oral rat         LD50 dermal rat       4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Oermal, 15 day(s))         ATE US (oral)       2480 mg/kg body weight         METHYL ANTHRANILATE (134-20-3)       ATE US (oral)         ATE US (oral)       2780 mg/kg body weight         Skin corrosion/irritation       : Causes skin irritation.         Serious eye damage/irritation       : Causes serious eye irritation.         Respiratory or skin sensitization       : May cause an allergic skin reaction.         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated       : Not classified         Specific target organ toxicity – repeated       : Not classified         Specific target organ toxicity – repeated       : Not classified         Specific target organ toxicity – repeated       : Not classified         Specific target organ t			
LD50 dermal rabbit       > 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)         EUCALYPTOL (470-82-6)       LD50 oral rat       4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       4500 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         ATE US (oral)       2480 mg/kg body weight         METHYL ANTHRANILATE (134-20-3)       ATE US (oral)         ATE US (oral)       2780 mg/kg body weight         Skin corrosion/irritation       Causes skin irritation.         Serious eye damage/irritation       Causes serious eye irritation.         Germ cell mutagenicity       Not classified         Carcinogenicity       Not classified         IARC group       3 - Not classified         Specific target organ toxicity – single exposure       Not classified         Specific target organ toxicity – repeated       Not classified         Specific target organ toxicity – repeated       Not classified         Specific target organ toxicity – repeated       Mot classified         Aspiration hazard       May be fatal if swallowed and enters airways.	LD50 oral rat		
Eucal VPTOL (470-82-6)         LD50 oral rat       4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         ATE US (oral)       2480 mg/kg body weight         METHYL ANTHRANILATE (134-20-3)       ATE US (oral)         ATE US (oral)       2780 mg/kg body weight         Skin corrosion/irritation       : Causes serious eye irritation.         Serious eye damage/irritation       : Causes serious eye irritation.         Respiratory of skin sensitization       : May cause an allergic skin reaction.         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Specific target organ toxicity – repeated exposure       : May be fatal if swallowed and enters airways.	I D50 dermal rabbit		
LD50 oral rat       4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))         LD50 dermal rat       > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         ATE US (oral)       2480 mg/kg body weight         METHYL ANTHRANILATE (134-20-3)			
value, Oral, 14 day(s))         LD50 dermal rat       > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 15 day(s))         ATE US (oral)       2480 mg/kg body weight         METHYL ANTHRANILATE (134-20-3)       ATE US (oral)         ATE US (oral)       2780 mg/kg body weight         Skin corrosion/irritation       : Causes skin irritation.         Serious eye damage/irritation       : Causes serious eye irritation.         Respiratory or skin sensitization       : May cause an allergic skin reaction.         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         IARC group       3 - Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.	EUCALYPTOL (470-82-6)		
Experimental value, Dermal, 15 day(s))         ATE US (oral)       2480 mg/kg body weight         METHYL ANTHRANILATE (134-20-3)       ATE US (oral)         ATE US (oral)       2780 mg/kg body weight         Skin corrosion/irritation       : Causes skin irritation.         Serious eye damage/irritation       : Causes serious eye irritation.         Respiratory or skin sensitization       : May cause an allergic skin reaction.         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Carcinogenicity       : Not classifiable         Reproductive toxicity       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.	LD50 oral rat		
ATE US (oral)       2480 mg/kg body weight         METHYL ANTHRANILATE (134-20-3)       ATE US (oral)         ATE US (oral)       2780 mg/kg body weight         Skin corrosion/irritation       : Causes skin irritation.         Serious eye damage/irritation       : Causes serious eye irritation.         Respiratory or skin sensitization       : May cause an allergic skin reaction.         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         IARC group       3 - Not classified         Reproductive toxicity       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.	LD50 dermal rat		
ATE US (oral)       2780 mg/kg body weight         Skin corrosion/irritation       : Causes skin irritation.         Serious eye damage/irritation       : Causes serious eye irritation.         Respiratory or skin sensitization       : May cause an allergic skin reaction.         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         IARC group       3 - Not classified         Reproductive toxicity       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.	ATE US (oral)		
Skin corrosion/irritation       : Causes skin irritation.         Serious eye damage/irritation       : Causes serious eye irritation.         Respiratory or skin sensitization       : May cause an allergic skin reaction.         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Carcinogenicity       : Not classified         IARC group       3 - Not classified         Reproductive toxicity       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.	METHYL ANTHRANILATE (134-20-3)		
Serious eye damage/irritation: Causes serious eye irritation.Respiratory or skin sensitization: May cause an allergic skin reaction.Germ cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedCarcinogenicity: Not classifiedIARC groupIARC group3 - Not classifiedSpecific target organ toxicity – single exposure: Not classifiedSpecific target organ toxicity – repeated: Not classifiedSpecific target organ toxicity – repeated: Not classifiedAspiration hazard: May be fatal if swallowed and enters airways.	ATE US (oral)	2780 mg/kg body weight	
Respiratory or skin sensitization: May cause an allergic skin reaction.Germ cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedIARC groupIARC group3 - Not classifiedReproductive toxicity: Not classifiedSpecific target organ toxicity – single exposure: Not classifiedSpecific target organ toxicity – repeated exposure: Not classifiedAspiration hazard: May be fatal if swallowed and enters airways.	L	: Causes skin irritation.	
Germ cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedORANGE TERPENES (68647-72-3)IARC group3 - Not classifiableReproductive toxicity: Not classifiedSpecific target organ toxicity – single exposure: Not classifiedSpecific target organ toxicity – repeated exposure: Not classifiedAspiration hazard: May be fatal if swallowed and enters airways.	Serious eye damage/irritation	: Causes serious eye irritation.	
Carcinogenicity       : Not classified         ORANGE TERPENES (68647-72-3)       IARC group         IARC group       3 - Not classifiable         Reproductive toxicity       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.	Respiratory or skin sensitization	: May cause an allergic skin reaction.	
ORANGE TERPENES (68647-72-3)         IARC group       3 - Not classifiable         Reproductive toxicity       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.	Germ cell mutagenicity	: Not classified	
IARC group       3 - Not classifiable         Reproductive toxicity       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.	Carcinogenicity	: Not classified	
IARC group       3 - Not classifiable         Reproductive toxicity       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.			
Reproductive toxicity       : Not classified         Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.			
Specific target organ toxicity – single exposure       : Not classified         Specific target organ toxicity – repeated exposure       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.	IARC group	3 - Not classifiable	
Specific target organ toxicity – repeated exposure       : Not classified         Aspiration hazard       : May be fatal if swallowed and enters airways.	Reproductive toxicity	: Not classified	
exposure       .         Aspiration hazard       : May be fatal if swallowed and enters airways.	Specific target organ toxicity – single exposure	: Not classified	
exposure       .         Aspiration hazard       : May be fatal if swallowed and enters airways.			
		: Not classified	
Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.	Aspiration hazard	: May be fatal if swallowed and enters airways.	
	Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.	

Symptoms/effects after eye contact : Eye irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after ingestion	: Risk of lung edema.
SECTION 12: Ecological inform	ation
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
ORANGE TERPENES (68647-72-3)	
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EUCALYPTOL (470-82-6)	
LC50 fish 1	57 mg/I (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static

system, Fresh water, Experimental value, GLP)

Static system, Fresh water, Experimental value, GLP)

> 74 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata,

#### 12.2. Persistence and degradability

ErC50 (algae)

ORANGE TERPENES (68647-72-3)	
Readily biodegradable in water.	
3.29 g O <sub>2</sub> /g substance	
Readily biodegradable in water.	

#### 12.3. Bioaccumulative potential

ORANGE TERPENES (68647-72-3)	
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 $\ge$ Log Kow $\le$ 5).
EUCALYPTOL (470-82-6)	
Log Pow	3.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

#### 12.4. Mobility in soil

ORANGE TERPENES (68647-72-3)		
Ecology - soil	Adsorbs into the soil.	
EUCALYPTOL (470-82-6)		
Surface tension	61.5 mN/m (20 °C, 1 g/l, EU Method A.5: Surface tension)	
Log Koc	2.33 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Low potential for adsorption in soil.	

#### 12.5. Other adverse effects

No additional information available

<b>SECTION 13: Disposal consideratio</b>	ns
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 14: Transport information

Department of Transportation (DOT)
------------------------------------

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

In accordance with DOT	
Transport document description	

UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT)

- : UN1266 Perfumery products, 3, III
- : UN1266
- : Perfumery products
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

- : III Minor Danger
- : 3 Flammable liquid

passenger vessel.

: No supplementary information available.

: 127



: 203

· 242

BOTT dokuging buik (40 OTT 170.XXX)	. 272
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
	during transport, and this the temperature in degrees celsius of the indud during mining.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Quantity Limitations Passenger aircraft/rail : 60 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75)

**DOT Vessel Stowage Location** 

Emergency Response Guide (ERG) Number

Other information

#### **Transportation of Dangerous Goods** Not applicable

Transport by sea

and the second sec	
Transport document description (IMDG)	: UN 1266 PERFUMERY PRODUCTS, 3, III
UN-No. (IMDG)	: 1266
Proper Shipping Name (IMDG)	: PERFUMERY PRODUCTS
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 L

#### Air transport

· · · · · · · · · · · · · · · · · · ·	
Transport document description (IATA)	: UN 1266 Perfumery products, 3, III
UN-No. (IATA)	: 1266
Proper Shipping Name (IATA)	: Perfumery products
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

ALPHA PINENE (7785-26-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
BETA PINENE (18172-67-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
BETA CARYOPHYLLENE (87-44-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
ETHYL ACETATE (141-78-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ 5000 lb	
ORANGE TERPENES (68647-72-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EUCALYPTOL (470-82-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
METHYL ANTHRANILATE (134-20-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

#### 15.2. International regulations CANADA

ALPHA PINENE (7785-26-4)	
Listed on the Canadian NDSL (Non-Domestic Substances List)	
BETA PINENE (18172-67-3)	
Listed on the Canadian DSL (Domestic Substances List)	
BETA CARYOPHYLLENE (87-44-5)	
Listed on the Canadian DSL (Domestic Substances List)	
ETHYL ACETATE (141-78-6)	
Listed on the Canadian DSL (Domestic Substances List)	
ORANGE TERPENES (68647-72-3)	
Listed on the Canadian DSL (Domestic Substances List)	
EUCALYPTOL (470-82-6)	
Listed on the Canadian DSL (Domestic Substances List)	
METHYL ANTHRANILATE (134-20-3)	
Listed on the Canadian DSL (Domestic Substances List)	

**EU-Regulations** 

No additional information available

#### **National regulations**

No additional information available

#### 15.3. US State regulations

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### ETHYL ACETATE (141-78-6)

U.S. - New Jersey - Right to Know Hazardous Substance List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ormation
: 01/09/2019
Highly flammable liquid and vapour
Flammable liquid and vapour
May be fatal if swallowed and enters airways
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
May cause drowsiness or dizziness

SDS US (GHS HazCom 2012) - Extract Consultants

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product