

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/11/2022 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: VANILLA CREME SOLVENT FREE TERPENE FLAVOR
Product code	: TPBL161
1.2. Recommended use and restrictions	on use
1.3. Supplier	
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	nixture
GHS US classification	
Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1 Skin sensitization, Category 1 Specific target organ toxicity (repeated exposure Category 2 Aspiration hazard Category 1 2.2. GHS Label elements, including pred GHS US labeling Hazard pictograms (GHS US)	May be fatal if swallowed and enters airways
	GHS02 GHS05 GHS07 GHS08
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	 Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eye damage May cause damage to organs through prolonged or repeated exposure
Precautionary statements (GHS US)	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor. If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
10/11/2022	EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center or doctor.
Get medical advice/attention if you feel unwell.
Specific treatment (see supplemental first aid instruction on this label).
Do NOT induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
BUTYL LACTATE	(CAS-No.) 138-22-7	10 – 25	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Dam. 1, H318
VANILLIN	(CAS-No.) 121-33-5	10 – 25	Eye Irrit. 2A, H319
HELIOTROPINE	(CAS-No.) 120-57-0	5 - 10	Skin Sens. 1B, H317
BETA CARYOPHYLLENE	(CAS-No.) 87-44-5	5 – 10	Skin Sens. 1B, H317 Asp. Tox. 1, H304
BETA-PINENE	(CAS-No.) 127-91-3	5 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
d-Limonene	(CAS-No.) 5989-27-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
MYRCENE	(CAS-No.) 123-35-3	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
ACETOIN	(CAS-No.) 513-86-0	1 – 5	Flam. Liq. 3, H226 STOT RE 2, H373
ETHYL PROPIONATE	(CAS-No.) 105-37-3	1 – 5	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2.	Most important symptoms and effects	(acute and delayed)
Symptom		Irritation. May cause an allergic skin reaction.
• •	,	Serious damage to eyes.
Symptom	s/effects after ingestion :	Risk of lung edema.
4.3.	Immediate medical attention and speci	al treatment, if necessary
Treat syn	nptomatically.	
SECTIO	ON 5: Fire-fighting measures	
5.1.	Suitable (and unsuitable) extinguishing	a media
		Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	Specific hazards arising from the chen	
Fire haza		Flammable liquid and vapor.
Reactivity		Flammable liquid and vapor.
5.3.	Special protective equipment and prec	
Protection	n during firefighting :	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTIO	ON 6: Accidental release measu	res
6.1.	Personal precautions, protective equip	oment and emergency procedures
6.1.1.	For non-emergency personnel	
	• • • •	Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
6.1.2.	For emergency responders	
Protective	e equipment :	Do not attempt to take action without suitable protective equipment. For further information
		refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid rele	ease to the environment.	
6.3.	Methods and material for containment	and cleaning up
Methods	for cleaning up :	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other info	ormation :	Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For furthe	er information refer to section 13.	
SECTIO	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precautio	ns for safe handling :	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
Hygiene ı	measures :	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, including	any incompatibilities
Technica	I measures :	Ground/bond container and receiving equipment.
Storage of	conditions :	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
SECTIO	ON 8: Exposure controls/person	al protection
	SN 0. Exposure controls/person	

8.1. Control parameters

VANILLA CREME SOLVENT FREE TERPENE FLAVOR

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BETA-PINENE (127-91-3)		
USA - ACGIH - Occupational Exposure Limits		
Local name	β-Pimene	
ACGIH OEL TWA [ppm]	20 ppm	
Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2022	
BETA CARYOPHYLLENE (87-44-5)		
No additional information available		
MYRCENE (123-35-3)		
No additional information available		
HELIOTROPINE (120-57-0)		
No additional information available		
VANILLIN (121-33-5)		
No additional information available		
ACETOIN (513-86-0)		
No additional information available		
BUTYL LACTATE (138-22-7)		
USA - ACGIH - Occupational Exposure Limits		
Local name	n-Butyl lactate	
ACGIH OEL TWA [ppm]	5 ppm	
Remark (ACGIH)	URT irr	
ETHYL PROPIONATE (105-37-3)		
No additional information available		
d-Limonene (5989-27-5)		
No additional information available		

Appropriate engineering controls 8.2.

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station. : Avoid release to the environment.

Individual protection measures/Personal protective equipment 8.3.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties			
9.1. Information on basic p	9.1. Information on basic physical and chemical properties		
Physical state	: Liquid		
Color	: AMBER TO ORANGE/BROWN		
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE		
10/11/2022	EN (English US)	4/11	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 56 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.0049 (0.9949 – 1.0149)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.4745 (1.4645 – 1.4845)
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Flammable liquid and vapor.	
10.2. Chemical stability Stable under normal conditions.	
10.3. Possibility of hazardous reactions	

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicologic	al effects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
BETA-PINENE (127-91-3)		
LD50 oral rat	4700 mg/kg (Rat, Oral)	
ATE US (oral)	4700 mg/kg body weight	
MYRCENE (123-35-3)		
LD50 oral rat	> 11390 mg/kg body weight Animal: rat	
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
HELIOTROPINE (120-57-0)		
ATE US (oral)	2700 mg/kg body weight	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VANILLIN (121-33-5)		
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))	
ATE US (oral)	3300 mg/kg body weight	
ACETOIN (513-86-0)		
LD50 oral rat	> 5000 mg/kg (Rat, Oral)	
LD50 dermal rat	> 5000 mg/kg (Rat, Dermal)	
d-Limonene (5989-27-5)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
MYRCENE (123-35-3)		
IARC group	2B - Possibly carcinogenic to humans	

d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	Not classified

STOT-single exposure

: Not classified

ETHYL PROPIONATE (105-37-3)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.	
MYRCENE (123-35-3)		
LOAEL (oral,rat,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (subchronic,oral,animal/male,90 days)	500 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (subchronic,oral,animal/female,90 days)	250 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
ACETOIN (513-86-0)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
•	May be fatal if swallowed and enters airways.No data available	
Symptoms/effects after eye contact	 Irritation. May cause an allergic skin reaction. Serious damage to eyes. Risk of lung edema. 	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
BETA-PINENE (127-91-3)	
LC50 - Fish [1]	0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)
BETA CARYOPHYLLENE (87-44-5)	
EC50 - Crustacea [1]	> 0.17 mg/l Test organisms (species): Daphnia magna
MYRCENE (123-35-3)	
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna
HELIOTROPINE (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	52 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
ErC50 algae	31 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value)
VANILLIN (121-33-5)	
LC50 - Fish [1]	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	123 mg/l Test organisms (species): Pimephales promelas
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
LOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
d-Limonene (5989-27-5)	
LC50 - Fish [1]	720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
2.2. Persistence and degradability	
BETA-PINENE (127-91-3)	
Persistence and degradability	Readily biodegradable in water.
HELIOTROPINE (120-57-0)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
ThOD	1.71 g O ₂ /g substance
VANILLIN (121-33-5)	
Persistence and degradability	Readily biodegradable in water.
ACETOIN (513-86-0)	
Persistence and degradability	Biodegradability in water: no data available.
d-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	$3.29 \text{ g } \text{O}_2/\text{g substance}$

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Bioaccumulative potential	
BETA-PINENE (127-91-3)	
BCF - Fish [1]	1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \le Log Kow \le 5$).
HELIOTROPINE (120-57-0)	
Partition coefficient n-octanol/water (Log Pow)	1.2 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
VANILLIN (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
ACETOIN (513-86-0)	
Bioaccumulative potential	No bioaccumulation data available.
d Limenana (5090.27 5)	
d-Limonene (5989-27-5)	264 9 J/kg (DCEDAE v2.01 Diagon OCAD Ersch weight)
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C) Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).
Bioaccumulative potential	Potential for bioaccumulation ($4 \le \log \operatorname{Kow} \le 5$).
2.4. Mobility in soil	
BETA-PINENE (127-91-3)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)
Ecology - soil	Low potential for mobility in soil.
HELIOTROPINE (120-57-0)	
Ecology - soil	No (test)data on mobility of the substance available.
VANILLIN (121-33-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
Ecology - soil	Low potential for mobility in soil.
d-Limonene (5989-27-5)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	ons
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.
SECTION 14: Transport information	1
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), 3, III
UN-No.(DOT)	: UN1197

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (DOT)	: Extracts, flavoring, liquid
	(Regulated for Bulk only)
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 3 - Flammable liquid
	PLANTAGE LIQUED
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport document description (TDG)	: UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk only), 3, III
UN-No. (TDG)	: UN1197
Proper Shipping Name (TDG)	: EXTRACTS, FLAVOURING, LIQUID
TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
Packing group (TDG)	: III - Minor Danger
Explosive Limit and Limited Quantity Index	: 5L
Passenger Carrying Road Vehicle or Passenger	: 60 L
Carrying Railway Vehicle Index	
Transport by sea	
Transport document description (IMDG)	: UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III
UN-No. (IMDG)	: 1197
Proper Shipping Name (IMDG)	: EXTRACTS, FLAVORING, LIQUID
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1197 Extracts, flavouring, liquid, 3, III
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, flavouring, liquid
Class (IATA)	: 3 - Flammable Liquids
10/11/2022	EN (English US) 9/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (IATA)

: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

BUTYL LACTATE (138-22-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

BETA-PINENE (127-91-3)
Listed on the Canadian DSL (Domestic Substances List)
BETA CARYOPHYLLENE (87-44-5)
Listed on the Canadian DSL (Domestic Substances List)
MYRCENE (123-35-3)
Listed on the Canadian DSL (Domestic Substances List)
HELIOTROPINE (120-57-0)
Listed on the Canadian DSL (Domestic Substances List)
VANILLIN (121-33-5)
Listed on the Canadian DSL (Domestic Substances List)
ACETOIN (513-86-0)
Listed on the Canadian DSL (Domestic Substances List)
BUTYL LACTATE (138-22-7)
Listed on the Canadian DSL (Domestic Substances List)
ETHYL PROPIONATE (105-37-3)
Listed on the Canadian DSL (Domestic Substances List)
d-Limonene (5989-27-5)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

BETA-PINENE (127-91-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

BETA CARYOPHYLLENE (87-44-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

MYRCENE (123-35-3)

Listed on IARC (International Agency for Research on Cancer) Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

HELIOTROPINE (120-57-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

VANILLIN (121-33-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETOIN (513-86-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

ETHYL PROPIONATE (105-37-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

d-Limonene (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

WARNING:

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

go to www.r cowarnings.ca.gov.		
Component	State or local regulations	
ACETOIN(513-86-0)	U.S New Jersey - Right to Know Hazardous Substance List	
BUTYL LACTATE(138-22-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List	
ETHYL PROPIONATE (105-37-3)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List	

SECTION 16: Other information

Full text of H-phrases:

H225	Highly flammable liquid and vapor	
H226	Flammable liquid and vapor	
H227	Combustible liquid	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H320	Causes eye irritation	
H335	May cause respiratory irritation	
H373	May cause damage to organs through prolonged or repeated exposure	

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.