

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/13/2023 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: PEACH MANGO WATERMELON SOLVENT FREE TERPENE FLAVOR
Product code	: TPBL183
1.2. Recommended use and restrictions	on use
1.3. Supplier	
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or n	nixture
GHS US classification	

Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1 Aspiration hazard Category 1

Flammable liquid and vapor Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May be fatal if swallowed and enters airways

#### GHS Label elements, including precautionary statements 2.2.

#### **GHS US labeling**

04/13/2023

Hazard pictograms (GHS US)

Signal word (GHS US)
Hazard statements (GHS US)

Precautionary statements (GHS US)

GHS02	GHS07	GHS08
Danger		

- : Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Wash hands, forearms and face thoroughly after handling.
- Contaminated work clothing must not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Immediately call a poison center or doctor.
- If on skin: Wash with plenty of water.

EN (English US)

- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Specific treatment (see supplemental first aid instruction on this label).

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Do NOT induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance
with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable 3.2. Mixtures

Name	Product identifier	%	GHS US classification
LINALOOL	(CAS-No.) 78-70-6	10 – 25	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
L-ALPHA-PINENE	(CAS-No.) 7785-26-4	10 – 25	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
LIMONENE	(CAS-No.) 5989-27-5	10 – 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
BETA-PINENES	(CAS-No.) 127-91-3	5 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
BETA CARYOPHYLLENE	(CAS-No.) 87-44-5	1 – 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
ETHYL BUTYRATE	(CAS-No.) 105-54-4	1 – 5	Flam. Liq. 3, H226 Eye Irrit. 2A, H319
ALPHA-TERPINEOL	(CAS-No.) 98-55-5	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319
CAMPHENE	(CAS-No.) 79-92-5	1 – 5	Flam. Sol. 2, H228 Eye Irrit. 2B, H320
MYRCENE	(CAS-No.) 123-35-3	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
GERANIOL	(CAS-No.) 106-24-1	0.1 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	<ul> <li>Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.</li> </ul>
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> </ul>
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
04/13/2023	EN (English US) 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2.	Most important symptoms and effects	
		Irritation. May cause an allergic skin reaction.
		Eye irritation.
Symptom	ns/effects after ingestion :	Risk of lung edema.
4.3.	Immediate medical attention and speci	al treatment, if necessary
Treat syr	nptomatically.	
SECTIO	ON 5: Fire-fighting measures	
5.1.	Suitable (and unsuitable) extinguishing	g media
Suitable	extinguishing media :	Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	Specific hazards arising from the chen	nical
Fire haza	ird :	Flammable liquid and vapor.
Reactivity	/ :	Flammable liquid and vapor.
5.3.	Special protective equipment and prec	autions for fire-fighters
Protectio	n during firefighting :	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTIO	ON 6: Accidental release measu	res
6.1.	Personal precautions, protective equip	ment and emergency procedures
6.1.1.	For non-emergency personnel	
		Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2.	For emergency responders e equipment :	Do not attempt to take action without suitable protective equipment. For further information
Tiotooliv		refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid rel	ease to the environment.	
6.3.	Methods and material for containment	and cleaning up
Methods	for cleaning up :	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other info	ormation :	Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For furthe	er information refer to section 13.	
SECTIO	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precautio	ons for safe handling :	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene	measures :	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, including	any incompatibilities
Technica	I measures	Ground/bond container and receiving equipment.
Storage of	conditions :	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
SECTI	ON 8: Exposure controls/person	al protection
0.4	Control parametera	

8.1. Control parameters

## PEACH MANGO WATERMELON SOLVENT FREE TERPENE FLAVOR

No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CAMPHENE (79-92-5)	
No additional information available	
BETA CARYOPHYLLENE (87-44-5)	
No additional information available	
LIMONENE (5989-27-5)	
No additional information available	
LINALOOL (78-70-6)	
No additional information available	
BETA-PINENES (127-91-3)	
USA - ACGIH - Occupational Exposure Limits	
Local name	β-Pimene
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2022
ETHYL BUTYRATE (105-54-4)	
No additional information available	
L-ALPHA-PINENE (7785-26-4)	
No additional information available	
GERANIOL (106-24-1)	
No additional information available	
ALPHA-TERPINEOL (98-55-5)	
No additional information available	
MYRCENE (123-35-3)	
No additional information available	

### 8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

## Individual protection measures/Personal protective equipment

### Hand protection:

8.3.

Protective gloves

#### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment



<b>SECTION 9: Physical and ch</b>	emical properties	
9.1. Information on basic phys	ical and chemical properties	
Physical state	: Liquid	
Color	: YELLOW TO AMBER/ORANGE	
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE	
Odor threshold	: No data available	
04/13/2023	EN (English US)	4/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 44 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.879 (0.869 – 0.889)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.46352 (1.45352 – 1.47352)

SECTION 10: Stability and reactivity	
10.1. Reactivity	
Flammable liquid and vapor.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal cond	ditions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flames, r	no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
Under normal conditions of storage and use, haza	rdous decomposition products should not be produced.
<b>SECTION 11: Toxicological informatic</b>	on
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
······································	: Not classified : Not classified
Acute toxicity (dermal)	
Acute toxicity (dermal)	: Not classified
Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified
Acute toxicity (dermal) Acute toxicity (inhalation) CAMPHENE (79-92-5)	: Not classified : Not classified
Acute toxicity (dermal) Acute toxicity (inhalation) CAMPHENE (79-92-5) LD50 dermal rabbit	: Not classified : Not classified
Acute toxicity (dermal) Acute toxicity (inhalation) CAMPHENE (79-92-5) LD50 dermal rabbit LIMONENE (5989-27-5)	<ul> <li>Not classified</li> <li>Not classified</li> <li>&gt; 2000 mg/kg body weight (Rabbit, Read-across, Skin)</li> <li>&gt; 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat,</li> </ul>
Acute toxicity (dermal) Acute toxicity (inhalation) CAMPHENE (79-92-5) LD50 dermal rabbit LIMONENE (5989-27-5) LD50 oral rat	<ul> <li>Not classified</li> <li>Not classified</li> <li>&gt; 2000 mg/kg body weight (Rabbit, Read-across, Skin)</li> <li>&gt; 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))</li> <li>&gt; 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across,</li> </ul>

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BETA-PINENES (127-91-3)	
LD50 oral rat	4700 mg/kg (Rat, Oral)
ATE US (oral)	4700 mg/kg (kdc, ordr)
ETHYL BUTYRATE (105-54-4)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other:
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat [ppm]	> 4000 ppm Animal: rat, Guideline: other:, Remarks on results: other:
L-ALPHA-PINENE (7785-26-4)	
ATE US (oral)	500 mg/kg body weight
GERANIOL (106-24-1)	
ATE US (oral)	3600 mg/kg body weight
ALPHA-TERPINEOL (98-55-5)	
LD50 oral rat	4300 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2900 - 5700
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	4300 mg/kg body weight
MYRCENE (123-35-3)	
LD50 oral rat	> 11390 mg/kg body weight Animal: rat
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation	: Causes skin irritation.
erious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

LIMONENE (5989-27-5)	LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable	

MYRCENE (123-35-3)		
	IARC group	2B - Possibly carcinogenic to humans
	Reproductive toxicity :	Not classified
	STOT-single exposure :	Not classified

STOT-repeated exposure

: Not classified

ALPHA-TERPINEOL (98-55-5)		
NOAEL (oral,rat,90 days)	≥ 314 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)	
MYRCENE (123-35-3)		
LOAEL (oral,rat,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Oral Toxicity Study in Rodents)	
NOAEL (subchronic,oral,animal/male,90 days)	500 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (subchronic,oral,animal/female,90 days)	250 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
Aspiration hazard : May be fatal if swallowed and enters airways.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

/iscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.
	-
SECTION 12: Ecological informat	lion
12.1. Toxicity	. The product is not considered hermful to equatio ergenisms or to equal long term educroe
cology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
CAMPHENE (79-92-5)	
LC50 - Fish [1]	0.72 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.72 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)
BETA CARYOPHYLLENE (87-44-5)	
EC50 - Crustacea [1]	> 0.17 mg/l Test organisms (species): Daphnia magna
LIMONENE (5989-27-5)	
LC50 - Fish [1]	720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
BETA-PINENES (127-91-3)	
LC50 - Fish [1]	0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)
ETHYL BUTYRATE (105-54-4)	
LC50 - Fish [1]	≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	116.6 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	28833 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	1483 mg/l Test organisms (species): other: Duration: '28 d'
ALPHA-TERPINEOL (98-55-5)	
LC50 - Fish [1]	70 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	73 mg/l Test organisms (species): Daphnia magna
MYRCENE (123-35-3)	
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna
12.2. Persistence and degradability	
CAMPHENE (79-92-5)	
Persistence and degradability	Not readily biodegradable in water.
LIMONENE (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	$3.29 \text{ g } \text{O}_2/\text{g}$ substance
BETA-PINENES (127-91-3)	Deedlin biede wedeble is weter
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CAMPHENE (79-92-5)	IPHENE (79-92-5)	
BCF - Fish [1]	432 – 1290 (OECD 305: Bioconcentration: Flow-Through Fish Test, 8 week(s), Cyprinus carpio, Fresh water, Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	4.22 (Experimental value, Equivalent or similar to OECD 117, 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation ( $500 \le BCF \le 5000$ ).	
LIMONENE (5989-27-5)		
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation ( $4 \le Log Kow \le 5$ ).	
BETA-PINENES (127-91-3)		
BCF - Fish [1]	1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)	
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Potential for bioaccumulation ( $4 \le Log \text{ Kow} \le 5$ ).	

### 12.4. Mobility in soil

CAMPHENE (79-92-5)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.081 (log Koc, SRC PCKOCWIN v1.66, Calculated value)	
Ecology - soil	Low potential for mobility in soil.	
LIMONENE (5989-27-5)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for mobility in soil.	
BETA-PINENES (127-91-3)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)	
Ecology - soil	Low potential for mobility in soil.	

### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Flammable vapors may accumulate in the container.	
<b>SECTION 14: Transport information</b>		
Department of Transportation (DOT)		
In accordance with DOT		
Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), 3, III	
UN-No.(DOT)	: UN1197	
Proper Shipping Name (DOT)	: Extracts, flavoring, liquid	
	(Regulated for Bulk only)	
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120	
Packing group (DOT)	: III - Minor Danger	
Hazard labels (DOT)	: 3 - Flammable liquid	
	PARMARE LIQUE	

EN (English US)

3/

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport document description (TDG)	: UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk only), 3, III
UN-No. (TDG)	
Proper Shipping Name (TDG)	EXTRACTS, FLAVOURING, LIQUID
TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
Packing group (TDG) Explosive Limit and Limited Quantity Index	: III - Minor Danger
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 5 L : 60 L
Transport by sea	
Transport document description (IMDG)	: UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III
UN-No. (IMDG)	: 1197
Proper Shipping Name (IMDG)	: EXTRACTS, FLAVOURING, LIQUID
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, III
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, liquid
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Low danger

### SECTION 15: Regulatory information

### 15.1. US Federal regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations
CANADA
CAMPHENE (79-92-5)
Listed on the Canadian DSL (Domestic Substances List)
BETA CARYOPHYLLENE (87-44-5)
Listed on the Canadian DSL (Domestic Substances List)
LIMONENE (5989-27-5)
Listed on the Canadian DSL (Domestic Substances List)
LINALOOL (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
BETA-PINENES (127-91-3)
Listed on the Canadian DSL (Domestic Substances List)
ETHYL BUTYRATE (105-54-4)
Listed on the Canadian DSL (Domestic Substances List)
L-ALPHA-PINENE (7785-26-4)
Listed on the Canadian NDSL (Non-Domestic Substances List)
GERANIOL (106-24-1)
Listed on the Canadian DSL (Domestic Substances List)
ALPHA-TERPINEOL (98-55-5)
Listed on the Canadian DSL (Domestic Substances List)
MYRCENE (123-35-3)
Listed on the Canadian DSL (Domestic Substances List)
EU-Regulations

No additional information available

### **National regulations**

CAMPHENE (79-92-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
BETA CARYOPHYLLENE (87-44-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	

### LIMONENE (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### BETA-PINENES (127-91-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### ETHYL BUTYRATE (105-54-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

### L-ALPHA-PINENE (7785-26-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### GERANIOL (106-24-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ALPHA-TERPINEOL (98-55-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)		
MYRCENE (123-35	5-3)	
Listed on IARC (International Agency for Research on Cancer) Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)		
15.3. US State regulations		
A WARNING:	This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.	
	This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.	
Component		State or local regulations
ETHYL BUTYRATE(105-54-4)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

H226	Flammable liquid and vapor
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.