

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 03/22/2023 Version: 1.0

#### **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : BLUE RASPBERRY SOLVENT FREE TERPENE FLAVOR

Product code : TPBL191

#### 1.2. Recommended use and restrictions on use

### 1.3. Supplier

EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1

Skin sensitization, Category 1
Aspiration hazard Category 1

Flammable liquid and vapor
Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction

May be fatal if swallowed and enters airways

#### 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US)



GHS02







Signal word (GHS US) : Danger

Hazard statements (GHS US) : Flammable liquid and vapor

May be fatal if swallowed and enters airways

Causes skin irritation

May cause an allergic skin reaction Causes serious eye damage

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center or doctor.

If on skin: Wash with plenty of water.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a poison center or doctor.

03/22/2023 EN (English US) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific treatment (see supplemental first aid instruction on this label).

Do NOT induce vomiting.

If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

#### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
BETA-PINENES	(CAS-No.) 127-91-3	25 – 50	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
D-LIMONENE	(CAS-No.) 5989-27-5	10 – 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
LINALOOL	(CAS-No.) 78-70-6	10 – 25	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
MYRCENE	(CAS-No.) 123-35-3	10 – 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
ETHYL BUTYRATE	(CAS-No.) 105-54-4	5 – 10	Flam. Liq. 3, H226 Eye Irrit. 2A, H319
L-ALPHA-PINENE	(CAS-No.) 7785-26-4	5 – 10	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
GERANIOL	(CAS-No.) 106-24-1	5 – 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
VANILLIN	(CAS-No.) 121-33-5	1 – 5	Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

#### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes. Symptoms/effects after ingestion : Risk of lung edema.

03/22/2023 EN (English US) 2/11

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Immediate medical attention and special treatment, if necessary

Treat symptomatically.

#### **SECTION 5: Fire-fighting measures**

### Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor. : Flammable liquid and vapor. Reactivity

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures 6.1.

#### For non-emergency personnel

: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin **Emergency procedures** 

and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

#### 6.1.2. For emergency responders

Do not attempt to take action without suitable protective equipment. For further information Protective equipment

refer to section 8: "Exposure controls/personal protection".

#### **Environmental precautions**

Avoid release to the environment.

#### Methods and material for containment and cleaning up

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public Methods for cleaning up

waters

Other information : Dispose of materials or solid residues at an authorized site.

#### Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open Precautions for safe handling

flames and other ignition sources. No smoking, Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapors/spray.

Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed Hygiene measures

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

#### Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

#### **BLUE RASPBERRY SOLVENT FREE TERPENE FLAVOR**

No additional information available

#### L-ALPHA-PINENE (7785-26-4)

No additional information available

### **D-LIMONENE (5989-27-5)**

No additional information available

03/22/2023 EN (English US) 3/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LINALOOL (78-70-6)	
No additional information available	
VANILLIN (121-33-5)	
No additional information available	
ETHYL BUTYRATE (105-54-4)	
No additional information available	
BETA-PINENES (127-91-3)	
USA - ACGIH - Occupational Exposure Limits	
Local name	β-Pimene
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2022
MYRCENE (123-35-3)	
No additional information available	
GERANIOL (106-24-1)	
No additional information available	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

### Hand protection:

Protective gloves

### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : COLORLESS TO PALE YELLOW

Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available : No data available

Flash point : 42 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available

03/22/2023 EN (English US) 4/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20°C : No data available

Relative density : 0.8675 (0.8575 – 0.8775)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available : No data available **Explosion limits** : No data available Explosive properties Oxidizing properties : No data available

9.2. Other information

Refractive index : 1.4688 (1.4588 – 1.4788)

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapor.

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

L-ALPHA-PINENE (7785-26-4)		
ATE US (oral)	500 mg/kg body weight	
D-LIMONENE (5989-27-5)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))	
LINALOOL (78-70-6)		
ATE US (oral)	2790 mg/kg body weight	
VANILLIN (121-33-5)		
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))	
ATE US (oral)	3300 mg/kg body weight	
ETHYL BUTYRATE (105-54-4)		
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other:	
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:	

03/22/2023 EN (English US) 5/11

## Safety Data Sheet

IARC group

12.1.

Toxicity

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL BUTYRATE (105-54-4)		
LC50 Inhalation - Rat [ppm]	> 4000 ppm Animal: rat, Guideline: other:, Remarks on results: other:	
BETA-PINENES (127-91-3)		
LD50 oral rat	4700 mg/kg (Rat, Oral)	
ATE US (oral)	4700 mg/kg body weight	
MYRCENE (123-35-3)		
LD50 oral rat	> 11390 mg/kg body weight Animal: rat	
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
GERANIOL (106-24-1)		
ATE US (oral)	3600 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
D-LIMONENE (5989-27-5)		
IARC group	3 - Not classifiable	

ii ii to group	o Not diagoniable
MYRCENE (123-35-3)	

2B - Possibly carcinogenic to humans

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

MYRCENE (123-35-3)	
LOAEL (oral,rat,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (subchronic,oral,animal/male,90 days)	500 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (subchronic,oral,animal/female,90 days)	250 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Aspiration hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Risk of lung edema.

## **SECTION 12: Ecological information**

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse
	effects in the environment

D-LIMONENE (5989-27-5)	
LC50 - Fish [1]	720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna

03/22/2023 EN (English US) 6/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

D-LIMONENE (5989-27-5)	
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
VANILLIN (121-33-5)	
LC50 - Fish [1]	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	123 mg/l Test organisms (species): Pimephales promelas
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
LOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
ETHYL BUTYRATE (105-54-4)	
LC50 - Fish [1]	≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	116.6 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	28833 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	1483 mg/l Test organisms (species): other: Duration: '28 d'
BETA-PINENES (127-91-3)	
LC50 - Fish [1]	0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)
MYRCENE (123-35-3)	
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna

### 12.2. Persistence and degradability

D-LIMONENE (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O <sub>2</sub> /g substance	
VANILLIN (121-33-5)		
Persistence and degradability	Readily biodegradable in water.	
BETA-PINENES (127-91-3)		
Persistence and degradability	Readily biodegradable in water.	

## 12.3. Bioaccumulative potential

D-LIMONENE (5989-27-5)	
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).
VANILLIN (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
BETA-PINENES (127-91-3)	
BCF - Fish [1]	1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).

## 12.4. Mobility in soil

D-LIMONENE (5989-27-5)	
Surface tension	No data available in the literature

03/22/2023 EN (English US) 7/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

D-LIMONENE (5989-27-5)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for mobility in soil.	
VANILLIN (121-33-5)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
BETA-PINENES (127-91-3)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)	
Ecology - soil	Low potential for mobility in soil.	

#### Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

#### **Disposal methods**

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

### **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description (DOT) : UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), 3, III

UN-No.(DOT) : UN1197

Proper Shipping Name (DOT) : Extracts, flavoring, liquid

(Regulated for Bulk only)

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : III - Minor Danger Hazard labels (DOT) : 3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

03/22/2023 EN (English US) 8/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response Guide (ERG) Number : 127

Other information : No supplementary information available.

**Transportation of Dangerous Goods** 

Transport document description (TDG) : UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk only), 3, III

UN-No. (TDG) : UN1197

Proper Shipping Name (TDG) : EXTRACTS, FLAVOURING, LIQUID TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids

Packing group (TDG) : III - Minor Danger

Explosive Limit and Limited Quantity Index : 5 L
Passenger Carrying Road Vehicle or Passenger : 60 L

Carrying Railway Vehicle Index

Transport by sea

Transport document description (IMDG) : UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III

UN-No. (IMDG) : 1197

Proper Shipping Name (IMDG) : EXTRACTS, FLAVOURING, LIQUID

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 L

Air transport

Transport document description (IATA) : UN 1197 Extracts, liquid, 3, III

UN-No. (IATA) : 1197

Proper Shipping Name (IATA) : Extracts, liquid
Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : III - Low danger

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

No additional information available

#### 15.2. International regulations

### CANADA

#### L-ALPHA-PINENE (7785-26-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

### **D-LIMONENE (5989-27-5)**

Listed on the Canadian DSL (Domestic Substances List)

#### LINALOOL (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

### VANILLIN (121-33-5)

Listed on the Canadian DSL (Domestic Substances List)

#### ETHYL BUTYRATE (105-54-4)

Listed on the Canadian DSL (Domestic Substances List)

#### **BETA-PINENES (127-91-3)**

Listed on the Canadian DSL (Domestic Substances List)

03/22/2023 EN (English US) 9/11

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **MYRCENE (123-35-3)**

Listed on the Canadian DSL (Domestic Substances List)

#### **GERANIOL (106-24-1)**

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

#### L-ALPHA-PINENE (7785-26-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### **D-LIMONENE (5989-27-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### **VANILLIN (121-33-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### ETHYL BUTYRATE (105-54-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### **BETA-PINENES (127-91-3)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### **MYRCENE (123-35-3)**

Listed on IARC (International Agency for Research on Cancer)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### **GERANIOL** (106-24-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. US State regulations

**⚠** WARNING:

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

ggg		
	Component	State or local regulations
	ETHYL BUTYRATE(105-54-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

03/22/2023 EN (English US) 10/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Full text of H-phrases:

H226 Flammable liquid and vapor H227 Combustible liquid H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation	
H302 Harmful if swallowed  H304 May be fatal if swallowed and enters airways	
H304 May be fatal if swallowed and enters airways	
H315 Causes skin irritation	
H317 May cause an allergic skin reaction	
H318 Causes serious eye damage	
H319 Causes serious eye irritation	

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

03/22/2023 EN (English US) 11/11