

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 05/26/2023 Version: 1.0

TERFENES, FLAVORS & EFFECTS BLENDS M	
SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: LONDON POUND CAKE SOLVENT FREE TERPENE FLAVOR
Product code	: TPBL209
1.2. Recommended use and restriction	is on use
1.3. Supplier	
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) identification	n
2.1. Classification of the substance or	
GHS US classification	
Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1 Reproductive toxicity Category 2 Aspiration hazard Category 1	Flammable liquid and vapor Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Suspected of damaging fertility or the unborn child May be fatal if swallowed and enters airways
2.2. GHS Label elements, including pro	ecautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	HS02 GHS07 GHS08
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	 Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Suspected of damaging fertility or the unborn child
Precautionary statements (GHS US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

smoking.

Keep container tightly closed.

Use only non-sparking tools.

If on skin: Wash with plenty of water.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.

If swallowed: Immediately call a poison center or doctor.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
LIMONENE	(CAS-No.) 5989-27-5	25 – 50	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
MYRCENE	(CAS-No.) 123-35-3	10 – 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
BETA CARYOPHYLLENE	(CAS-No.) 87-44-5	10 – 25	Skin Sens. 1B, H317 Asp. Tox. 1, H304
LINALOOL	(CAS-No.) 78-70-6	5 – 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
L-ALPHA-PINENE	(CAS-No.) 7785-26-4	5 – 10	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
BETA-PINENES	(CAS-No.) 127-91-3	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
CAMPHENE	(CAS-No.) 79-92-5	1 – 5	Flam. Sol. 2, H228 Eye Irrit. 2B, H320
ALPHA-PHELLANDRENE	(CAS-No.) 99-83-2	1 – 5	Flam. Liq. 3, H226 Asp. Tox. 1, H304
β-Caryophyllene	(CAS-No.) 87-44-5	1 – 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
delta-3-Carene	(CAS-No.) 13466-78-9	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
P-CYMENE	(CAS-No.) 99-87-6	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 Repr. 2, H361 Asp. Tox. 1, H304

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

Full text of hazard classes and H-statements : se	e section 16
SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effect	ts (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	Risk of lung edema.
4.3. Immediate medical attention and spe	ecial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguish	ing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the ch	emical
Fire hazard	: Flammable liquid and vapor.
Reactivity	Flammable liquid and vapor.
5.3. Special protective equipment and pr	ecautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing
	apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	
6.1. Personal precautions, protective equ	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	nt and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
2.2. Conditions for safe storage	including any incompatibilities
echnical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
SECTION 8: Exposure control	s/personal protection
3.1. Control parameters	
LONDON POUND CAKE SOLVENT F	FREE TERPENE FLAVOR
No additional information available	
BETA-PINENES (127-91-3)	
USA - ACGIH - Occupational Expose	ure Limits
Local name	β-Pimene
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2023
ALPHA-PHELLANDRENE (99-83-2)	
No additional information available	
L-ALPHA-PINENE (7785-26-4)	
No additional information available	
CAMPHENE (79-92-5)	
No additional information available	
delta-3-Carene (13466-78-9)	
No additional information available	
LIMONENE (5989-27-5)	
No additional information available	
P-CYMENE (99-87-6)	
No additional information available	
LINALOOL (78-70-6)	
No additional information available	
MYRCENE (123-35-3)	
No additional information available	
BETA CARYOPHYLLENE (87-44-5)	
No additional information available	
β-Caryophyllene (87-44-5)	
No additional information available	

8.2. Appropriate engineering controls

Appropriate engineering controls

Environmental exposure controls

: Ensure good ventilation of the work station.

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

[In case of inadequate ventilation] wear respiratory protection.



SECTION 9: Physical and chemical	properties	
9.1. Information on basic physical and		
Physical state	: Liquid	
Color	: COLORLESS TO YELLOW	
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 50 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20°C	: No data available	
Relative density	: 0.8464 (0.8364 – 0.8564)	
Solubility	: Insoluble.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
Refractive index	: 1.47537 (1.46537 – 1.48537)	
SECTION 10: Stability and reactivit	V	
10.1. Reactivity)	
Flammable liquid and vapor.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions No dangerous reactions known under normal c		
no dangerous reactions known under normal o		

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological inform	nation
11.1. Information on toxicological effe	ects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
BETA-PINENES (127-91-3)	
LD50 oral rat	4700 mg/kg (Rat, Oral)
ATE US (oral)	4700 mg/kg body weight
L-ALPHA-PINENE (7785-26-4)	
ATE US (oral)	500 mg/kg body weight
CAMPHENE (79-92-5)	
LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit, Read-across, Skin)
delta-3-Carene (13466-78-9)	
ATE US (oral)	4800 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))
P-CYMENE (99-87-6)	
LD50 oral rat	4750 mg/kg (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 9.7 mg/l (5 h, Rat, Experimental value, Inhalation)
ATE US (oral)	4750 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	9.7 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
LINALOOL (78-70-6)	
ATE US (oral)	2790 mg/kg body weight
MYRCENE (123-35-3)	
LD50 oral rat	> 11390 mg/kg body weight Animal: rat
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

MYRCENE (123-35-3)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-repeated exposure

: Not classified

MYRCENE (123-35-3)	
LOAEL (oral,rat,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (subchronic,oral,animal/male,90 days)	500 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (subchronic,oral,animal/female,90 days)	250 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
spiration hazard	: May be fatal if swallowed and enters airways.
/iscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	Risk of lung edema.
SECTION 12: Ecological information	
2.1. Toxicity	
,	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
BETA-PINENES (127-91-3)	
LC50 - Fish [1]	0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)
CAMPHENE (79-92-5)	
LC50 - Fish [1]	0.72 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.72 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)
LIMONENE (5989-27-5)	
LC50 - Fish [1]	720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
P-CYMENE (99-87-6)	
LC50 - Fish [1]	48 mg/l (EPA OPPTS 850.1075, 96 h, Cyprinodon variegatus, Static system, Salt water, Experimental value)
EC50 - Crustacea [1]	3.7 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)
MYRCENE (123-35-3)	
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna
BETA CARYOPHYLLENE (87-44-5)	
EC50 - Crustacea [1]	> 0.17 mg/l Test organisms (species): Daphnia magna
β-Caryophyllene (87-44-5)	
EC50 - Crustacea [1]	> 0.17 mg/l Test organisms (species): Daphnia magna
2.2. Persistence and degradability	
BETA-PINENES (127-91-3)	
Persistence and degradability	Readily biodegradable in water.

05/26/2023

Not readily biodegradable in water.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LIMONENE (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance
P-CYMENE (99-87-6)	
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential	
BETA-PINENES (127-91-3)	
BCF - Fish [1]	1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \le Log$ Kow ≤ 5).
CAMPHENE (79-92-5)	
BCF - Fish [1]	432 – 1290 (OECD 305: Bioconcentration: Flow-Through Fish Test, 8 week(s), Cyprinus carpio, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	4.22 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (500 \leq BCF \leq 5000).
LIMONENE (5989-27-5)	
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \le Log \text{ Kow} \le 5$).
P-CYMENE (99-87-6)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \le Log$ Kow ≤ 5).

12.4. Mobility in soil

BETA-PINENES (127-91-3)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)
Ecology - soil	Low potential for mobility in soil.
CAMPHENE (79-92-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.081 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Ecology - soil	Low potential for mobility in soil.
LIMONENE (5989-27-5)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.
P-CYMENE (99-87-6)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.17 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

No additional information available

SECT	ION 13: Disposal cons	siderations
13.1.	Disposal methods	
Waste t	reatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Additional information	: Flammable vapors may accumulate in the container.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), 3, III
UN-No.(DOT) Proper Shipping Name (DOT)	: UN1197 : Extracts, flavoring, liquid (Regulated for Bulk only)
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT) Hazard labels (DOT)	 III - Minor Danger 3 - Flammable liquid
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	 B1- If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	 UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L 60 L
Transport by sea Transport document description (IMDG) UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG)	 : UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III : 1197 : EXTRACTS, FLAVOURING, LIQUID : 3 - Flammable liquids

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, III
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, liquid
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Low danger

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations CANADA

BETA-PINENES (127-91-3)
Listed on the Canadian DSL (Domestic Substances List)
ALPHA-PHELLANDRENE (99-83-2)
Listed on the Canadian DSL (Domestic Substances List)
L-ALPHA-PINENE (7785-26-4)
Listed on the Canadian NDSL (Non-Domestic Substances List)
CAMPHENE (79-92-5)
Listed on the Canadian DSL (Domestic Substances List)
delta-3-Carene (13466-78-9)
Listed on the Canadian DSL (Domestic Substances List)
P-CYMENE (99-87-6)
Listed on the Canadian DSL (Domestic Substances List)
LINALOOL (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
MYRCENE (123-35-3)
Listed on the Canadian DSL (Domestic Substances List)
BETA CARYOPHYLLENE (87-44-5)
Listed on the Canadian DSL (Domestic Substances List)
β-Caryophyllene (87-44-5)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

BETA-PINENES (127-91-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

ALPHA-	PHELLANDRENE (99-83-2			

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

L-ALPHA-PINENE (7785-26-4)

1.2.4	L-ALPHA-PINENE (7785-26-4)		
Listed on the United	d States TSCA (Toxic Substances Control Act) inventory - Status: Active		
CAMPHENE (79-92	2-5)		
	d States TSCA (Toxic Substances Control Act) inventory - Status: Active exican National Inventory of Chemical Substances)		
delta-3-Carene (13	1466-78-9)		
Listed on the United	d States TSCA (Toxic Substances Control Act) inventory - Status: Active		
P-CYMENE (99-87	-6)		
	d States TSCA (Toxic Substances Control Act) inventory - Status: Active exican National Inventory of Chemical Substances)		
LINALOOL (78-70-	6)		
	d States TSCA (Toxic Substances Control Act) inventory - Status: Active exican National Inventory of Chemical Substances)		
MYRCENE (123-35	j-3)		
Listed on the United	ernational Agency for Research on Cancer) d States TSCA (Toxic Substances Control Act) inventory - Status: Active exican National Inventory of Chemical Substances)		
BETA CARYOPHY	′LLENE (87-44-5)		
Listed on the United	d States TSCA (Toxic Substances Control Act) inventory - Status: Active		
β-Caryophyllene (87-44-5)		
Listed on the United	d States TSCA (Toxic Substances Control Act) inventory - Status: Active		
Listed on the United			
I5.3. US State regu	lations This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more		
5.3. US State regu	lations This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information		

SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

text of H-phrases:				
H226	Flammable liquid and vapor			
H227	Combustible liquid			
H228	Flammable solid			
H302	Harmful if swallowed			
H304	May be fatal if swallowed and enters airways			
H315	Causes skin irritation			
H317	May cause an allergic skin reaction			
H319	Causes serious eye irritation			
H320	Causes eye irritation			
H331	Toxic if inhaled			
H332	Harmful if inhaled			
H361	Suspected of damaging fertility or the unborn child			

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.