

SECTION 1: Identification

THAI STICK SOLVENT FREE TERPENE BLEND

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 12/16/2022 Version: 1.0

1.1. Identification			
Product form	: Mixture		
Product name	: THAI STICK SOLVENT FREE TERPENE BLEND		
Product code	: TPBL232		
1.2. Recommended use and restriction			
1.3. Supplier			
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089			
1.4. Emergency telephone number			
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010		
SECTION 2: Hazard(s) identification	on		
2.1. Classification of the substance o	r mixture		
GHS US classification			
Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1 Aspiration hazard Category 1	Flammable liquid and vapor Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May be fatal if swallowed and enters airways		
2.2. GHS Label elements, including p	recautionary statements		
GHS US labeling			
Hazard pictograms (GHS US)			
	GHS02 GHS07 GHS08		
Signal word (GHS US)	: Danger		
Hazard statements (GHS US)	: Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation		
Precautionary statements (GHS US)	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor. If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 		

EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Do NOT induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance
with local, regional, national and/or international regulation.

Other hazards which do not result in classification 2.3.

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. **Substances**

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	GHS US classification
BETA CARYOPHYLLENE	(CAS-No.) 87-44-5	25 – 50	Skin Sens. 1B, H317 Asp. Tox. 1, H304
α-Terpineol	(CAS-No.) 98-55-5	25 – 50	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319
BETA-PINENE	(CAS-No.) 127-91-3	10 – 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
L-ALPHA-PINENE	(CAS-No.) 7785-26-4	10 – 25	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
MYRCENE	(CAS-No.) 123-35-3	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
delta-3-Carene	(CAS-No.) 13466-78-9	1 – 5	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
BETA-CARYOPHYLLENE	(CAS-No.) 87-44-5	1 – 5	Asp. Tox. 1, H304
MYRCENE	(CAS-No.) 123-35-3	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
DIHYDROCOUMARIN NATURAL	(CAS-No.) 119-84-6	1 – 5	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effe	cts (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
12/16/2022	EN (English US) 2/10

Safety Data Sheet

Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.
.3. Immediate medical attention an	d special treatment, if necessary
reat symptomatically.	
SECTION 5: Fire-fighting measur	es
5.1. Suitable (and unsuitable) exting	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the	ne chemical
Fire hazard	: Flammable liquid and vapor.
Reactivity	: Flammable liquid and vapor.
5.3. Special protective equipment a	nd precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release n	neasures
6.1. Personal precautions, protectiv	e equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	inment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Fechnical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
SECTION 8: Exposure controls/p	ersonal protection
8.1. Control parameters	
THAI STICK SOLVENT FREE TERPENE	BLENU
No additional information available	
L-ALPHA-PINENE (7785-26-4)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

α-Terpineol (98-55-5)	
No additional information available	
BETA CARYOPHYLLENE (87-44-5)	
No additional information available	
DIHYDROCOUMARIN NATURAL (119-84-6)	
No additional information available	
delta-3-Carene (13466-78-9)	
No additional information available	
BETA-CARYOPHYLLENE (87-44-5)	
No additional information available	
MYRCENE (123-35-3)	
No additional information available	
BETA-PINENE (127-91-3)	
USA - ACGIH - Occupational Exposure Limits	
Local name	β-Pimene
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2022
MYRCENE (123-35-3)	

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

- Environmental exposure controls
- : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical an	nd chemical properties	
9.1. Information on basic	c physical and chemical properties	
Physical state	: Liquid	
Color	: COLORLESS TO YELLOW	
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
40/40/0000		4/40

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

o o i	
Flash point	: 50 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.8978 (0.8878 – 0.9078)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.48562 (1.47562 – 1.49562)
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Flammable liquid and vapor.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal co	onditions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flame	s, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified	
Acute toxicity (oral) : Not classified	
Acute toxicity (dermal) : Not classified	
Acute toxicity (inhalation) : Not classified	
L-ALPHA-PINENE (7785-26-4)	
ATE US (oral) 500 mg/kg body weight	
α-Terpineol (98-55-5)	
LD50 oral rat 4300 mg/kg body weight Anii (Acute Oral Toxicity), 95% C	mal: rat, Animal sex: male, Guideline: OECD Guideline 401 L: 2900 - 5700
LD50 dermal rat > 2000 mg/kg body weight A Toxicity)	nimal: rat, Guideline: OECD Guideline 402 (Acute Dermal
ATE US (oral) 4300 mg/kg body weight	
DIHYDROCOUMARIN NATURAL (119-84-6)	
ATE US (oral) 1460 mg/kg body weight	
delta-3-Carene (13466-78-9)	
ATE US (oral) 4800 mg/kg body weight	
ATE US (gases) 4500 ppmV/4h	
ATE US (vapors) 11 mg/l/4h	
ATE US (dust, mist) 1.5 mg/l/4h	
12/16/2022 EN (English US)	5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MYRCENE (123-35-3)		
LD50 oral rat	> 11390 mg/kg body weight Animal: rat	
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
BETA-PINENE (127-91-3)	·	
LD50 oral rat	4700 mg/kg (Rat, Oral)	
ATE US (oral)	4700 mg/kg body weight	
MYRCENE (123-35-3)	·	
LD50 oral rat	> 11390 mg/kg body weight Animal: rat	
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
5 2		
MYRCENE (123-35-3)		
IARC group	2B - Possibly carcinogenic to humans	
• ·		
MYRCENE (123-35-3)		
IARC group	2B - Possibly carcinogenic to humans	
Reproductive toxicity	: Not classified	
STOT-repeated exposure	: Not classified	
· · ·		
α-Terpineol (98-55-5)		
NOAEL (oral,rat,90 days)	≥ 314 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)	
MYRCENE (123-35-3)		
LOAEL (oral,rat,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Da Oral Toxicity Study in Rodents)	
NOAEL (subchronic,oral,animal/male,90 days)	500 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (subchronic,oral,animal/female,90 days)	250 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
MYRCENE (123-35-3)		
LOAEL (oral,rat,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Da Oral Toxicity Study in Rodents)	
NOAEL (subchronic,oral,animal/male,90 days)	500 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (subchronic,oral,animal/female,90 days)	250 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
spiration hazard	: May be fatal if swallowed and enters airways.	
/iscosity, kinematic	: No data available	
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eye irritation.	
Sumptomoloffosto offer ingestion	· Pick of lung adoma	

Symptoms/effects after ingestion : Risk of lung edema.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
α-Terpineol (98-55-5)	
LC50 - Fish [1]	70 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	73 mg/l Test organisms (species): Daphnia magna
BETA CARYOPHYLLENE (87-44-5)	
EC50 - Crustacea [1]	> 0.17 mg/l Test organisms (species): Daphnia magna
MYRCENE (123-35-3)	1
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna
BETA-PINENE (127-91-3)	
LC50 - Fish [1]	0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)
MYRCENE (123-35-3)	
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna
12.2 Persistence and degradability	

MYRCENE (123-35-3)		
Persistence and degradability	Readily biodegradable in water.	
BETA-PINENE (127-91-3)		
Persistence and degradability	Readily biodegradable in water.	

12.3. Bioaccumulative potential

MYRCENE (123-35-3)		
Partition coefficient n-octanol/water (Log Pow)	5.285 (Literature, 25 °C)	
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).	
BETA-PINENE (127-91-3)		
BCF - Fish [1]	1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)	
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Potential for bioaccumulation ($4 \le Log Kow \le 5$).	

12.4. Mobility in soil

MYRCENE (123-35-3)	
Ecology - soil	No (test)data on mobility of the substance available.
BETA-PINENE (127-91-3)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

No additional information available

13.1. Disposal methods	
Waste treatment methods : Dispose	of contents/container in accordance with licensed collector's sorting instructions.
Additional information : Flamma	ble vapors may accumulate in the container.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT	

In accordance with DOT
Transport document description (DOT)

UN-No.(DOT) Proper Shipping Name (DOT)

Class (DOT) Packing group (DOT) Hazard labels (DOT)

: UN1266 Perfumery products (Regulated for Bulk only), 3, III

- : UN1266
- : Perfumery products
 - (Regulated for Bulk only)
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 3 Flammable liquid



: 203

DOT Packaging Non Bulk (49 CFR 173.xxx)	
DOT Packaging Bulk (49 CFR 173.xxx)	

DOT Packaging Bulk (49 CFR 173.xxx)	:	242
DOT Special Provisions (49 CFR 172.102)	:	B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	:	150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	220 L
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	:	127
Other information	:	No supplementary information available.
Transportation of Dangerous Goods		
Transport document description (TDG)	:	UN1266 PERFUMERY PRODUCTS (Regulated for Bulk only), 3, III
UN-No. (TDG)	:	UN1266
Proper Shipping Name (TDG)	:	PERFUMERY PRODUCTS
TDG Primary Hazard Classes	:	3 - Class 3 - Flammable Liquids
Packing group (TDG)	:	III - Minor Danger
TDG Special Provisions	•	59 - Substances that are listed by name in Schedule 1 must not be transported under this shipping name. Substances transported under this shipping name may contain not more than 20% nitrocellulose if the nitrocellulose contains not more than 12.6% nitrogen (by dry mass).
Explosive Limit and Limited Quantity Index	:	5L
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	:	60 L
Transport by sea		
Transport document description (IMDG)	:	UN 1266 PERFUMERY PRODUCTS, 3, III
UN-No. (IMDG)	:	1266
Proper Shipping Name (IMDG)	:	PERFUMERY PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1266 Perfumery products, 3, III
UN-No. (IATA)	: 1266
Proper Shipping Name (IATA)	: Perfumery products
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger

15.1. US Federal regulations

DIHYDROCOUMARIN NATURAL (119-84-6) Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

L-ALPHA-PINENE (7785-26-4)		
Listed on the Canadian NDSL (Non-Domestic Substances List)		
α-Terpineol (98-55-5)		
Listed on the Canadian DSL (Domestic Substances List)		
BETA CARYOPHYLLENE (87-44-5)		
Listed on the Canadian DSL (Domestic Substances List)		
DIHYDROCOUMARIN NATURAL (119-84-6)		
Listed on the Canadian DSL (Domestic Substances List)		
delta-3-Carene (13466-78-9)		
Listed on the Canadian DSL (Domestic Substances List)		
BETA-CARYOPHYLLENE (87-44-5)		
Listed on the Canadian DSL (Domestic Substances List)		
MYRCENE (123-35-3)		
Listed on the Canadian DSL (Domestic Substances List)		
BETA-PINENE (127-91-3)		
Listed on the Canadian DSL (Domestic Substances List)		
MYRCENE (123-35-3)		
Listed on the Canadian DSL (Domestic Substances List)		

EU-Regulations No additional information available

National regulations

L-ALPHA-PINENE (7785-26-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

a-Terpineol (98-55-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BETA CARYOPHYLLENE (87-44-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
delta-3-Carene (13466-78-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
BETA-CARYOPHYLLENE (87-44-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
MYRCENE (123-35-3)	
Listed on IARC (International Agency for Research on Cancer) Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	
BETA-PINENE (127-91-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
MYRCENE (123-35-3)	
Listed on IARC (International Agency for Research on Cancer) Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
15.3 LIS State regulations	

15.3. US State regulations

This product can expose you to eugenyl methyl ether, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

WARNING:

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.