

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/29/2019 Revision date: 01/29/2019 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: AFGOO SOLVENT FREE TERPENE FLAVOR
CAS-No.	: N/A
Product code	: TPBL41
1.2. Recommended use and restriction	is on use
No additional information available	
1.3. Supplier	
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089	
1.4. Emergency telephone number	
Emergency number	: Chemtrec - USA: 800-424-9300 - International: 703-527-3887
SECTION 2: Hazard(s) identification	n
2.1. Classification of the substance or	mixture
GHS-US classification	
Flammable liquids Category 3	Flammable liquid and vapour
Skin corrosion/irritation Category 2 Skin sensitization, Category 1	Causes skin irritation May cause an allergic skin reaction
Carcinogenicity Category 2	Suspected of causing cancer
Aspiration hazard Category 1	May be fatal if swallowed and enters airways
2.2. GHS Label elements, including pre	acquitionary statements
GHS-US labeling	ecautionally statements
Hazard pictograms (GHS-US)	: GHS02 GHS07 GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Suspected of causing cancer
Precautionary statements (GHS-US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If exposed or concerned: Get medical advice/attention.
Specific treatment (see supplemental first aid instruction on this label)
Do NOT induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
ALPHA PINENE	(CAS-No.) 7785-26-4	>= 50	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
BETA PINENE	(CAS-No.) 18172-67-3	10 - 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
BETA CARYOPHYLLENE	(CAS-No.) 87-44-5	1 - 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
ORANGE OIL	(CAS-No.) 8028-48-6	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
PINE NEEDLE OIL	(CAS-No.) 8023-99-2	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
LEMON OIL	(CAS-No.) 8008-56-8	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
MYRCENE	(CAS-No.) 123-35-3	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Carc. 2, H351 Asp. Tox. 1, H304
LIME OIL	(CAS-No.) 8008-26-2	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
LEMON OIL TERPENES	(CAS-No.) 68917-33-9	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
HOP OIL	(CAS-No.) 8007-04-3	0.1 - 1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECT	ION 4: First-aid measures	
4.1.	Description of first aid measures	
First-aid	d measures general	: Call a physician immediately.

Safety Data Sheet

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and o	effects (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Risk of lung edema.
4.3. Immediate medical attention an	d special treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measur	es
5.1. Suitable (and unsuitable) exting	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from th Fire hazard	: Flammable liquid and vapour.
Reactivity	: Flammable liquid and vapour.
5.3. Special protective equipment an	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release m	neasures
6.1. Personal precautions, protectiv	e equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	nment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SEC	TION 8: Exposure controls/personal protection
8.1.	Control parameters
OR/	ANGE OIL (8028-48-6)
	applicable
PIN	E NEEDLE OIL (8023-99-2)
	applicable
HOF	9 OIL (8007-04-3)
Not	applicable
LEN	ION OIL TERPENES (68917-33-9)
Not	applicable
LEN	ION OIL (8008-56-8)
Not	applicable
LIM	E OIL (8008-26-2)
Not	applicable
MYF	RCENE (123-35-3)
Not	applicable
BET	A PINENE (18172-67-3)
Not	applicable
ALP	HA PINENE (7785-26-4)
Not	applicable
BET	A CARYOPHYLLENE (87-44-5)
Not	applicable

8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties			
9.1. Information on basic phy	Information on basic physical and chemical properties		
Physical state	: Liquid		
Color	: PALE YELLOW TO YELLOW		
Odor	: CHARACTERISTIC OF TERPENES		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: Not applicable		
01/29/2019	EN (English US)	4/9	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5	
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 37 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.858 (0.848 - 0.868)
Solubility	: Insoluble.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	

Refractive index

: 1.469 (1.459 - 1.479)

SECTI	ON 10: Stability and reactivity			
10.1.	Reactivity			
Flammal	ble liquid and vapour.			
10.2.	Chemical stability			
Stable u	nder normal conditions.			
10.3.	Possibility of hazardous reactions			
No dang	erous reactions known under normal conditions of use.			
10.4.	Conditions to avoid			
Avoid co	Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.			
10.5.	Incompatible materials			
No additional information available				
10.6.	Hazardous decomposition products			
Under normal conditions of storage and use, hazardous decomposition products should not be produced.				
SECTION 11: Toxicological information				
11.1.	11.1. Information on toxicological effects			
Acute to:	xicity : Not classified			

ORANGE OIL (8028-48-6)	
LD50 oral rat	> 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402)

ALPHA PINENE (7785-26-4)		
ATE US (oral)	3700 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Suspected of causing cancer.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MYRCENE (123-35-3)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity - repeated	: Not classified
exposure	
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Risk of lung edema.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
ORANGE OIL (8028-48-6)	
LC50 fish 1	702 µg/l (LC50; Equivalent or similar to OECD 203; 96 h; Pimephales promelas; Flow-through system; Fresh water; Read-across)
EC50 Daphnia 1	0.67 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumula	12.3. Bioaccumulative potential	
ORANGE OIL (8028-48-6)		
BCF other aquatic org	anisms 1 32 - 395 (BCF; BCFWIN)	
Log Pow	2.78 - 4.88 (QSAR; KOWWIN)	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Flammable vapors may accumulate in the container.	
SECTION 14: Transport information	tion	
Department of Transportation (DOT)		
In accordance with DOT		
Transport document description	: UN1266 Perfumery products, 3, III	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No.(DOT)	: UN1266
Proper Shipping Name (DOT)	: Perfumery products
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 3 - Flammable liquid
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods Not applicable	
Transport by sea	
Transport document description (IMDG) UN-No. (IMDG)	: UN 1266 PERFUMERY PRODUCTS, 3, III : 1266
Proper Shipping Name (IMDG)	: PERFUMERY PRODUCTS
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1266 Perfumery products, 3, III
UN-No. (IATA)	: UN1266
Proper Shipping Name (IATA)	: Perfumery products
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	•

SECTION 15: Regulatory information

15.1. US Federal regulations

ORANGE OIL (8028-48-6)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PINE NEEDLE OIL (8023-99-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
HOP OIL (8007-04-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
LEMON OIL TERPENES (68917-33-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
LEMON OIL (8008-56-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
LIME OIL (8008-26-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
MYRCENE (123-35-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
BETA PINENE (18172-67-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
ALPHA PINENE (7785-26-4)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
BETA CARYOPHYLLENE (87-44-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

15.2. International regulations CANADA

ORANGE OIL (8028-48-6)		
Listed on the Canadian DSL (Domestic Substances List)		
PINE NEEDLE OIL (8023-99-2)		
Listed on the Canadian DSL (Domestic Substances List)		
HOP OIL (8007-04-3)		
Listed on the Canadian DSL (Domestic Substances List)		
LEMON OIL TERPENES (68917-33-9)		
Listed on the Canadian DSL (Domestic Substances List)		
LEMON OIL (8008-56-8)		
Listed on the Canadian DSL (Domestic Substances List)		
LIME OIL (8008-26-2)		
Listed on the Canadian DSL (Domestic Substances List)		
MYRCENE (123-35-3)		
Listed on the Canadian DSL (Domestic Substances List)		
BETA PINENE (18172-67-3)		
Listed on the Canadian DSL (Domestic Substances List)		
ALPHA PINENE (7785-26-4)		
Listed on the Canadian NDSL (Non-Domestic Substances List)		
BETA CARYOPHYLLENE (87-44-5)		
Listed on the Canadian DSL (Domestic Substances List)		
El Degulations		

EU-Regulations No additional information available

National regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MYRCENE (123-35-3)	
Listed on IARC (International Agency for Research on Cancer)	
15.3. US State regulations	

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information Revision date : 01/29/2019 Full text of H-phrases: H226 Flammable liquid and vapour H227 Combustible liquid H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H351 Suspected of causing cancer

SDS US (GHS HazCom 2012) - Extract Consultants

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product