

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR  
Product code : TPBL415

#### 1.2. Recommended use and restrictions on use

#### 1.3. Supplier

EXTRACT CONSULTANTS, LLC.  
TERPENES - FLAVORS - BASES  
2150 INDUSTRIAL DR, NILES MI 49120  
www.extractconsultants.com  
INFORMATION: 1-888-541-9089

#### 1.4. Emergency telephone number

Emergency number CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300  
CCN: 1025270

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Flammable liquids Category 2	Highly flammable liquid and vapor
Acute toxicity (oral) Category 4	Harmful if swallowed
Skin corrosion/irritation Category 2	Causes skin irritation
Skin sensitization, Category 1	May cause an allergic skin reaction
Carcinogenicity Category 2	Suspected of causing cancer
Reproductive toxicity Category 2	Suspected of damaging fertility or the unborn child
Aspiration hazard Category 1	May be fatal if swallowed and enters airways

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

Highly flammable liquid and vapor  
Harmful if swallowed  
May be fatal if swallowed and enters airways  
Causes skin irritation  
May cause an allergic skin reaction  
Suspected of causing cancer  
Suspected of damaging fertility or the unborn child

Precautionary statements (GHS US) :

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Keep container tightly closed.  
Ground/Bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Avoid breathing dust/fume/gas/mist/vapors/spray.  
Wash hands, forearms and face thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection/face protection.

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If swallowed: Immediately call a poison center or doctor.  
If swallowed: Call a poison center or doctor if you feel unwell.  
If on skin: Wash with plenty of water.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
If exposed or concerned: Get medical advice/attention.  
Specific treatment (see supplemental first aid instruction on this label).  
Rinse mouth.  
Do NOT induce vomiting.  
If skin irritation occurs: Get medical advice/attention.  
If skin irritation or rash occurs: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.  
Wash contaminated clothing before reuse.  
In case of fire: Use media other than water to extinguish.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
ALPHA PINENE	(CAS-No.) 7785-26-4	25 – 50	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
D-LIMONENE	(CAS-No.) 5989-27-5	10 – 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
BETA-PINENE	(CAS-No.) 127-91-3	5 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
BETA-CARYOPHYLLENE	(CAS-No.) 87-44-5	1 – 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
GAMMA-TERPINENE	(CAS-No.) 99-85-4	1 – 5	Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304
TERPINOLENE	(CAS-No.) 586-62-9	1 – 5	Flam. Liq. 4, H227 Skin Sens. 1B, H317 Asp. Tox. 1, H304
LINALOOL	(CAS-No.) 78-70-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
ALPHA-ZINGIBERENE*	(CAS-No.) 495-60-3	1 – 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
EUGENOL	(CAS-No.) 97-53-0	1 – 5	Eye Irrit. 2A, H319 Skin Sens. 1B, H317
CINNAMALDEHYDE	(CAS-No.) 104-55-2	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1A, H317
ALPHA-TERPINEOL	(CAS-No.) 98-55-5	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
GERANYL ACETATE	(CAS-No.) 105-87-3	1 – 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
CAMPHENE	(CAS-No.) 79-92-5	1 – 5	Flam. Sol. 2, H228 Eye Irrit. 2B, H320
ALPHA-AMYL CINNAMALDEHYDE	(CAS-No.) 122-40-7	1 – 5	Skin Sens. 1B, H317
ALPHA-TERPINENE	(CAS-No.) 99-86-5	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320 Skin Sens. 1, H317 Asp. Tox. 1, H304
P-CYMENE	(CAS-No.) 99-87-6	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 Repr. 2, H361 Asp. Tox. 1, H304
CITRAL	(CAS-No.) 5392-40-5	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
P-MENTHA-1(7),2-DIENE	(CAS-No.) 555-10-2	0.1 – 1	Flam. Liq. 3, H226 Skin Sens. 1, H317 Asp. Tox. 1, H304
4-TERPINEOL	(CAS-No.) 562-74-3	0.1 – 1	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1, H317 STOT SE 3, H336
METHYL EUGENOL	(CAS-No.) 93-15-2	0.1 – 1	Acute Tox. 4 (Oral), H302 Muta. 2, H341 Carc. 2, H351

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: No data available.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Risk of lung edema.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard	: Highly flammable liquid and vapor.
Explosion hazard	: No direct explosion hazard.
Reactivity	: Highly flammable liquid and vapor.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
------------------	---

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
-----------------------------------	--

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Packaging materials	: Always store product in container of same material as original container.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR</b>
No additional information available
<b>GERANYL ACETATE (105-87-3)</b>
No additional information available
<b>CAMPHENE (79-92-5)</b>
No additional information available
<b>ALPHA-AMYL CINNAMALDEHYDE (122-40-7)</b>
No additional information available
<b>METHYL EUGENOL (93-15-2)</b>
No additional information available
<b>EUGENOL (97-53-0)</b>
No additional information available
<b>ALPHA PINENE (7785-26-4)</b>
No additional information available
<b>ALPHA-ZINGIBERENE* (495-60-3)</b>
No additional information available
<b>4-TERPINEOL (562-74-3)</b>
No additional information available
<b>P-MENTHA-1(7),2-DIENE (555-10-2)</b>
No additional information available
<b>ALPHA-TERPINEOL (98-55-5)</b>
No additional information available
<b>BETA-PINENE (127-91-3)</b>
No additional information available
<b>D-LIMONENE (5989-27-5)</b>
No additional information available
<b>P-CYMENE (99-87-6)</b>
No additional information available
<b>ALPHA-TERPINENE (99-86-5)</b>
No additional information available
<b>GAMMA-TERPINENE (99-85-4)</b>
No additional information available
<b>TERPINOLENE (586-62-9)</b>
No additional information available

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>CITRAL (5392-40-5)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Citral
ACGIH® TLV® TWA	5 ppm (IFV - Inhalable fraction and vapor)
Remark (ACGIH®)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
<b>LINALOOL (78-70-6)</b>	
No additional information available	
<b>BETA-CARYOPHYLENE (87-44-5)</b>	
No additional information available	
<b>CINNAMALDEHYDE (104-55-2)</b>	
No additional information available	

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Hand protection:

Protective gloves

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: PALE YELLOW TO YELLOW
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 15 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: 0.8735 (0.8635 – 0.8835)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

Refractive index	: 1.4779 (1.4679 – 1.4879)
------------------	----------------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable liquid and vapor.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ATE US (oral)	1225.896 mg/kg body weight
<b>GERANYL ACETATE (105-87-3)</b>	
LD50 oral rat	6300 mg/kg (Rat, Oral)
ATE US (oral)	6300 mg/kg body weight
<b>CAMPHENE (79-92-5)</b>	
LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit, Read-across, Skin)
<b>ALPHA-AMYL CINNAMALDEHYDE (122-40-7)</b>	
ATE US (oral)	3730 mg/kg body weight
<b>METHYL EUGENOL (93-15-2)</b>	
LD50 dermal rabbit	> 2025 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	1180 mg/kg body weight
<b>ALPHA PINENE (7785-26-4)</b>	
ATE US (oral)	500 mg/kg body weight
<b>4-TERPINEOL (562-74-3)</b>	
ATE US (oral)	1300 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>ALPHA-TERPINEOL (98-55-5)</b>	
LD50 oral rat	4300 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2900 - 5700
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	4300 mg/kg body weight
<b>BETA-PINENE (127-91-3)</b>	
LD50 oral rat	4700 mg/kg (Rat, Oral)
ATE US (oral)	4700 mg/kg body weight
<b>D-LIMONENE (5989-27-5)</b>	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))
<b>P-CYMENE (99-87-6)</b>	
LD50 oral rat	4750 mg/kg (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 9.7 mg/l (5 h, Rat, Experimental value, Inhalation)
ATE US (oral)	4750 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	9.7 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
<b>ALPHA-TERPINENE (99-86-5)</b>	
ATE US (oral)	1680 mg/kg body weight
<b>GAMMA-TERPINENE (99-85-4)</b>	
ATE US (oral)	3650 mg/kg body weight
<b>TERPINOLENE (586-62-9)</b>	
LD50 oral rat	4390 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	3775 mg/kg body weight
<b>CITRAL (5392-40-5)</b>	
LD50 oral rat	≈ 6800 mg/kg body weight Animal: rat
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Remarks on results: other:
<b>LINALOOL (78-70-6)</b>	
ATE US (oral)	2790 mg/kg body weight
<b>CINNAMALDEHYDE (104-55-2)</b>	
LD50 oral rat	2220 mg/kg (Rat, Oral)
LD50 dermal rabbit	1260 ml/kg (24 h, Rabbit, Male / female, Experimental value, Dermal)
LC50 Inhalation - Rat	68.88 mg/l (4 h, Rat, Male / female, QSAR, Inhalation)
ATE US (oral)	2220 mg/kg body weight
ATE US (dermal)	1311660 mg/kg body weight
ATE US (vapors)	68.88 mg/l/4h
ATE US (dust, mist)	68.88 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
<b>METHYL EUGENOL (93-15-2)</b>	
IARC group	2B - Possibly carcinogenic to humans
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>EUGENOL (97-53-0)</b>	
IARC group	3 - Not classifiable

<b>D-LIMONENE (5989-27-5)</b>	
IARC group	3 - Not classifiable

<b>CITRAL (5392-40-5)</b>	
NOAEL (chronic,oral,animal/male,2 years)	60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : Not classified

<b>4-TERPINEOL (562-74-3)</b>	
STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

<b>ALPHA-TERPINEOL (98-55-5)</b>	
NOAEL (oral,rat,90 days)	≥ 314 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Aspiration hazard : May be fatal if swallowed and enters airways.

Viscosity, kinematic : No data available

Symptoms/effects after inhalation : No data available.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Risk of lung edema.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

<b>GERANYL ACETATE (105-87-3)</b>	
LC50 - Fish [1]	68.12 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Read-across)
EC50 - Crustacea [1]	14.1 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

<b>CAMPHENE (79-92-5)</b>	
LC50 - Fish [1]	0.72 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.72 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)

<b>METHYL EUGENOL (93-15-2)</b>	
LC50 - Fish [1]	14.1 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	38.2 mg/l Test organisms (species): Daphnia magna

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>METHYL EUGENOL (93-15-2)</b>	
NOEC (chronic)	1.06 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

<b>ALPHA-TERPINEOL (98-55-5)</b>	
LC50 - Fish [1]	70 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	73 mg/l Test organisms (species): Daphnia magna

<b>BETA-PINENE (127-91-3)</b>	
LC50 - Fish [1]	0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)

<b>D-LIMONENE (5989-27-5)</b>	
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna

<b>P-CYMENE (99-87-6)</b>	
LC50 - Fish [1]	48 mg/l (EPA OPPTS 850.1075, 96 h, Cyprinodon variegatus, Static system, Salt water, Experimental value)
EC50 - Crustacea [1]	3.7 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)

<b>CITRAL (5392-40-5)</b>	
LC50 - Fish [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna

<b>CINNAMALDEHYDE (104-55-2)</b>	
LC50 - Fish [1]	4.15 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.21 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)

### 12.2. Persistence and degradability

<b>GERANYL ACETATE (105-87-3)</b>	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.6 g O <sub>2</sub> /g substance

<b>CAMPHENE (79-92-5)</b>	
Persistence and degradability	Not readily biodegradable in water.

<b>BETA-PINENE (127-91-3)</b>	
Persistence and degradability	Readily biodegradable in water.

<b>D-LIMONENE (5989-27-5)</b>	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O <sub>2</sub> /g substance

<b>P-CYMENE (99-87-6)</b>	
Persistence and degradability	Readily biodegradable in water.

<b>TERPINOLENE (586-62-9)</b>	
Persistence and degradability	Forming sediments in water. Biodegradability in soil: no data available. Adsorbs into the soil.
ThOD	3.294 g O <sub>2</sub> /g substance

<b>CINNAMALDEHYDE (104-55-2)</b>	
Persistence and degradability	Readily biodegradable in water.

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.3. Bioaccumulative potential

<b>GERANYL ACETATE (105-87-3)</b>	
BCF - Other aquatic organisms [1]	1500 (Estimated value)
Partition coefficient n-octanol/water (Log Pow)	4.04 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Potential for bioaccumulation ( $4 \leq \text{Log Kow} \leq 5$ ).

<b>CAMPHENE (79-92-5)</b>	
BCF - Fish [1]	432 – 1290 (OECD 305: Bioconcentration: Flow-Through Fish Test, 8 week(s), Cyprinus carpio, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	4.22 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ( $500 \leq \text{BCF} \leq 5000$ ).

<b>BETA-PINENE (127-91-3)</b>	
BCF - Fish [1]	1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Potential for bioaccumulation ( $4 \leq \text{Log Kow} \leq 5$ ).

<b>D-LIMONENE (5989-27-5)</b>	
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ( $4 \leq \text{Log Kow} \leq 5$ ).

<b>P-CYMENE (99-87-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	4.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)
Bioaccumulative potential	Potential for bioaccumulation ( $4 \leq \text{Log Kow} \leq 5$ ).

<b>TERPINOLENE (586-62-9)</b>	
Partition coefficient n-octanol/water (Log Pow)	4.23

<b>CINNAMALDEHYDE (104-55-2)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.107 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation ( $\text{Log Kow} < 4$ ).

### 12.4. Mobility in soil

<b>GERANYL ACETATE (105-87-3)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.06 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

<b>CAMPHENE (79-92-5)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.081 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Ecology - soil	Low potential for mobility in soil.

<b>BETA-PINENE (127-91-3)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)
Ecology - soil	Low potential for mobility in soil.

<b>D-LIMONENE (5989-27-5)</b>	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

<b>P-CYMENE (99-87-6)</b>	
Surface tension	No data available in the literature

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P-CYMENE (99-87-6)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.17 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Low potential for mobility in soil.

CINNAMALDEHYDE (104-55-2)	
Surface tension	45.3 mN/m (20 °C, Experimental value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Flammable vapors may accumulate in the container. Do not re-use empty containers.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Transport document description (DOT)	: UN1197 Extracts, liquid, 3, II
UN-No. (DOT)	: UN1197
Proper Shipping Name (DOT)	: Extracts, liquid
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: II - Medium Danger
Hazard labels (DOT)	: 3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	: 149 - When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in 173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons). IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when the flash point of the hazardous material transported is greater than 0 C (32 F).
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.

### Transportation of Dangerous Goods

Transport document description (TDG)	: UN1197 EXTRACTS, LIQUID, 3, II
UN-No. (TDG)	: UN1197
Proper Shipping Name (TDG)	: EXTRACTS, LIQUID
TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
Packing group (TDG)	: II - Medium Danger
Explosive Limit and Limited Quantity Index	: 5 L
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 5 L

### Transport by sea

Transport document description (IMDG)	: UN 1197 EXTRACTS, LIQUID, 3, II
UN-No. (IMDG)	: 1197
Proper Shipping Name (IMDG)	: EXTRACTS, LIQUID
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Limited quantities (IMDG)	: 5 L

### Air transport

Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, II
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, liquid
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium danger

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### GERANYL ACETATE (105-87-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### METHYL EUGENOL (93-15-2)

Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting	0.1 %
---------------------------------------	-------

#### CINNAMALDEHYDE (104-55-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>GERANYL ACETATE (105-87-3)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>CAMPHENE (79-92-5)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>ALPHA-AMYL CINNAMALDEHYDE (122-40-7)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>METHYL EUGENOL (93-15-2)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>EUGENOL (97-53-0)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>ALPHA PINENE (7785-26-4)</b>
Listed on the Canadian NDSL (Non-Domestic Substances List)
<b>4-TERPINEOL (562-74-3)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>P-MENTHA-1(7),2-DIENE (555-10-2)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>ALPHA-TERPINEOL (98-55-5)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>BETA-PINENE (127-91-3)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>D-LIMONENE (5989-27-5)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>P-CYMENE (99-87-6)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>ALPHA-TERPINENE (99-86-5)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>GAMMA-TERPINENE (99-85-4)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>TERPINOLENE (586-62-9)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>CITRAL (5392-40-5)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>LINALOOL (78-70-6)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>BETA-CARYOPHYLLENE (87-44-5)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>CINNAMALDEHYDE (104-55-2)</b>
Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

No additional information available

### National regulations

<b>CAMPHENE (79-92-5)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)
<b>ALPHA-AMYL CINNAMALDEHYDE (122-40-7)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **METHYL EUGENOL (93-15-2)**

Listed on IARC (International Agency for Research on Cancer)  
Listed as carcinogen on NTP (National Toxicology Program)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **EUGENOL (97-53-0)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **ALPHA PINENE (7785-26-4)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### **4-TERPINEOL (562-74-3)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **P-MENTHA-1(7),2-DIENE (555-10-2)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### **ALPHA-TERPINEOL (98-55-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **BETA-PINENE (127-91-3)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **D-LIMONENE (5989-27-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **P-CYMENE (99-87-6)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **ALPHA-TERPINENE (99-86-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### **GAMMA-TERPINENE (99-85-4)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **TERPINOLENE (586-62-9)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **CITRAL (5392-40-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **LINALOOL (78-70-6)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **BETA-CARYOPHYLLENE (87-44-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### 15.3. US State regulations



#### **WARNING:**

This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# SWEETHEARTZ SOLVENT FREE TERPENE FLAVOR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
METHYL EUGENOL(93-15-2)	U.S. - New Jersey - Right to Know Hazardous Substance List
P-CYMENE(99-87-6)	U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) List
TERPINOLENE(586-62-9)	U.S. - New Jersey - Right to Know Hazardous Substance List

### SECTION 16: Other information

Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*