

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CONSULIANIS• FERPENES, FLAVORS & EFFECTS BLENDS TM	according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/10/2019 Revision date: 07/10/2019 Supersedes: 07/10/2019 Version: 1.1
SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: GDP SOLVENT FREE TERPENE BLEND
CAS-No.	: N/A
Product code	: TPBL68
1.2. Recommended use and r	estrictions on use
No additional information available	
1.3. Supplier	
EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80 www.extractconsultants.com INFORMATION: 1-888-541-9089	
1.4. Emergency telephone nu	mber
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) ident	ification
2.1. Classification of the subs	stance or mixture
GHS-US classification	
Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin sensitization, Category 1 Aspiration hazard Category 1	Flammable liquid and vapour Causes skin irritation May cause an allergic skin reaction May be fatal if swallowed and enters airways
2.2. GHS Label elements, incl	uding precautionary statements
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS02 GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction
Precautionary statements (GHS-US)	<ul> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Keep container tightly closed.</li> <li>Ground/Bond container and receiving equipment</li> <li>Use explosion-proof electrical/ventilating/lighting equipment</li> <li>Use only non-sparking tools.</li> <li>Take precautionary measures against static discharge.</li> <li>Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>Wash hands, forearms and face thoroughly after handling.</li> <li>Contaminated work clothing must not be allowed out of the workplace</li> <li>Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>If swallowed: Immediately call a poison center or doctor</li> <li>If on skin: Wash with plenty of water</li> <li>If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>Specific treatment (see supplemental first aid instruction on this label)</li> </ul>

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	If skin irritation or rash occurs: G Take off contaminated clothing a Wash contaminated clothing bef In case of fire: Use media other f Store in a well-ventilated place. I	nd wash it before ore reuse. han water to extin	reuse.
	Store locked up.	hazardous or spe	cial waste collection point, in accordance gulation
2.3. Other hazards which do no	t result in classification		
No additional information available			
2.4. Unknown acute toxicity (G	HS US)		
Not applicable			
SECTION 3: Composition/Inf	ormation on ingredients		
3.1. Substances	of high calents		
Not applicable			
3.2. Mixtures			
Name	Product identifier	%	GHS-US classification
ALPHA PINENE	(CAS-No.) 7785-26-4	>= 50	GRS-05 Classification           Flam. Liq. 3, H226           Skin Irrit. 2, H315           Skin Sens. 1B, H317           Asp. Tox. 1, H304
BETA PINENE	(CAS-No.) 18172-67-3	10 - 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
ORANGE TERPENES	(CAS-No.) 68647-72-3	10 - 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
LINALOOL	(CAS-No.) 78-70-6	1 - 5	Flam. Liq. 4, H227

ORANGE TERPENES	(CAS-No.) 68647-72-3	10 - 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
LINALOOL	(CAS-No.) 78-70-6	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
BETA CARYOPHYLLENE	(CAS-No.) 87-44-5	1 - 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Call a physician immediately.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse eyes with water as a precaution.		
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.		
4.2. Most important symptoms and effe	ects (acute and delayed)		
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.		
Symptoms/effects after ingestion	: Risk of lung edema.		
4.3. Immediate medical attention and s	pecial treatment, if necessary		
Treat symptomatically.			
SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguis	hing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters			
	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
SECTION 6: Accidental release measu	res		
6.1. Personal precautions, protective equip	oment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures :	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.		
6.1.2. For emergency responders			
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment	and cleaning up		
Methods for cleaning up :	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information :	Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
For further information refer to section 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling :	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.		
Hygiene measures :	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.		
7.2. Conditions for safe storage, including	any incompatibilities		
Technical measures :	Ground/bond container and receiving equipment.		
Storage conditions :	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.		
SECTION 8: Exposure controls/person	al protection		
8.1. Control parameters			
ALPHA PINENE (7785-26-4)			
Not applicable			
BETA PINENE (18172-67-3)			
Not applicable			
BETA CARYOPHYLLENE (87-44-5)			
Not applicable			
LINALOOL (78-70-6)			
Not applicable			
ORANGE TERPENES (68647-72-3)			
Not applicable			
8.2. Appropriate engineering controls Appropriate engineering controls :	Ensure good ventilation of the work station.		

	•		0	0		
Envi	ronn	nental	exp	osure	contro	ls

: Ensure good ventilation of the work station.

: Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

<b>SECTION 9: Physical and chemical</b>	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: COLORLESS TO YELLOW
Odor	: TERPENES
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 37 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.86 (0.850 - 0.870)
Solubility	: Insoluble.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.47 (1.460 - 1.480)

SECH	JN 10: Stability and reactivity
10.1.	Reactivity
Flammat	ble liquid and vapour.
10.2.	Chemical stability
Stable ur	nder normal conditions.
10.3.	Possibility of hazardous reactions
No dange	erous reactions known under normal conditions of use.
10.4.	Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### Safety Data Sheet

Acute toxicity

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **10.5. Incompatible materials** No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: Not classified

SECT	<b>FION 11: Toxicological information</b>		
	Information on toxicological effects		

11.1. Information on toxicological effects

ALPHA PINENE (7785-26-4)		
ATE US (oral) 3700 mg/kg body weight		
LINALOOL (78-70-6)		
ATE US (oral)	2790 mg/kg body weight	
ORANGE TERPENES (68647-72-3)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)	
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	

ORANGE TERPENES (68647-72-3)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/effects after skin contact Symptoms/effects after ingestion	<ul><li>Irritation. May cause an allergic skin reaction.</li><li>Risk of lung edema.</li></ul>

# SECTION 12: Ecological information 12.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

ORANGE TERPENES (68647-72-3)		
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)	
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	

### 12.2. Persistence and degradability

ORANGE TERPENES (68647-72-3)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O <sub>2</sub> /g substance	
12.3. Bioaccumulative potential		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ORANGE TERPENES (68647-72-3)	
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ( $4 \ge Log \text{ Kow} \le 5$ ).
12.4. Mobility in soil	

ORANGE TERPENES (68647-72-3)	
Ecology - soil Adsc	orbs into the soil.

### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	S
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN1266 Perfumery products, 3, III
UN-No.(DOT)	: UN1266
Proper Shipping Name (DOT)	: Perfumery products
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 3 - Flammable liquid
	PLANMARE LEQUID 3
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
07/10/2019	EN (English US) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods	
Transport document description	: UN1266 PERFUMERY PRODUCTS (with flammable solvents), 3, III
UN-No. (TDG)	: UN1266
Proper Shipping Name (Transportation of Dangerous Goods)	: PERFUMERY PRODUCTS
TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
Packing group	: III - Minor Danger
TDG Special Provisions	: 59 - Substances that are listed by name in Schedule 1 must not be transported under this shipping name. Substances transported under this shipping name may contain not more than 20 per cent nitrocellulose if the nitrocellulose contains not more than 12.6 per cent nitrogen (by dry mass).
Explosive Limit and Limited Quantity Index	: 5L
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 60 L
Transport by sea	
Transport document description (IMDG)	: UN 1266 PERFUMERY PRODUCTS, 3, III
UN-No. (IMDG)	: 1266
Proper Shipping Name (IMDG)	: PERFUMERY PRODUCTS
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 L
Air transport	
Transport document description (IATA)	: UN 1266 Perfumery products, 3, III
UN-No. (IATA)	: 1266
Proper Shipping Name (IATA)	: Perfumery products
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger

### SECTION 15: Regulatory information

15.1. US Federal regulations

ALPHA PINENE (7785-26-4)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
BETA PINENE (18172-67-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
BETA CARYOPHYLLENE (87-44-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
LINALOOL (78-70-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
ORANGE TERPENES (68647-72-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

#### 15.2. International regulations CANADA

ALPHA PINENE (7785-26-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

### BETA PINENE (18172-67-3)

Listed on the Canadian DSL (Domestic Substances List)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BETA CARYOPHYLLENE (87-44-5)	
Listed on the Canadian DSL (Domestic Substances List)	
LINALOOL (78-70-6)	
Listed on the Canadian DSL (Domestic Substances List)	
ORANGE TERPENES (68647-72-3)	
Listed on the Canadian DSL (Domestic Substances List)	

**EU-Regulations** 

No additional information available

#### **National regulations**

No additional information available

#### 15.3. US State regulations

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### **SECTION 16: Other information**

: 07/10/2019	
Flammable liquid and vapour	
Combustible liquid	
May be fatal if swallowed and enters airways	
Causes skin irritation	
May cause an allergic skin reaction	
Causes serious eye irritation	
	Flammable liquid and vapour         Combustible liquid         May be fatal if swallowed and enters airways         Causes skin irritation         May cause an allergic skin reaction

SDS US (GHS HazCom

2012) - Extract Consultants

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product